

PRICE LIST 2016

INDEX

EDITIONS

Fittings (515) / Accessories (115) 01.2 Mirror cabinets / Furniture 02.01 02.2 Vanity units (315) 02.09 02.2 Mirror cabinets/light mirrors (215/115) 02.29 02.4 Ceramic washbasins (315/321/311) 02.41 02.4 Side units / Middle units / Tall units (317) 02.49 02.5	82 28 40 45 84
Mirror cabinets / Furniture 02.01 - 02.8 Vanity units (315) 02.09 - 02.2 Mirror cabinets/light mirrors (215/115) 02.29 - 02.4 Ceramic washbasins (315/321/311) 02.41 - 02.4	28 40 45 84
Vanity units (315)02.09 – 02.2 Mirror cabinets/light mirrors (215/115)	40 45 84
Mirror cabinets/light mirrors (215/115)	45 84
Ceramic washbasins (315/321/311)02.41 – 02.4	84
	52
Planning (314/315)03.01 – 02.5	
EDITION 11	
Fittings (511) / Accessories (111) 04.01 – 04.2	25
Mirror cabinets (211) / Furniture (311/312/313) 05.01 – 05.4	45
Planning (111/211/212/312/313)	47
EDITION 300	
Fittings (530) / Accessories (300) 07.01 – 07.2	22
Mirror cabinets (302) / Furniture (303/305)	
ELEGANCE	
Fittings (516) / Accessories (116)	30
Mirror cabinets (216) / Furniture (316) 10.01 – 10.1	
	10
PLAN	
Plan Fittings (549) / Accessories (149) 11.01 – 11.4	43
Plan blue (539) 12.01 – 12.1	10
Plan Integral (449) 13.01 – 13.01	05
Plan Care (349) 14.01 – 14.2	28
Collection Moll	18
IXMO	25
meTime_spa 17.01. – 17.1	12

ACCESSORIES

Showers and shower accessories		-	18.15
Generic Fittings (599)	19.01	-	19.11
Collection Astor (021)	20.01	-	20.08
Collection City.2	21.01	-	21.07
Draadzeephouders (249)		-	22.06
Smart (023)		-	23.07
Collection Smart Care (323)		_	24.12
Universal items (049)	25.01	-	25.14
Lights (065) Crystal Mirrors (077) Light mirrors (078)		_	26.10
Cosmeticaspiegels (176)		_	27.11

MIRROR CABINETS / FURNITURE

Royal T1 (126) 28.0)3 –	28.03
Royal 10 (054)	4 –	28.04
Royal 30 (056))5 –	28.10
Royal 35 (135)	1 –	21.12
Royal T2 (138)	3 –	28.13
Royal Metropol (140) 28.1		28.15
Royal Match (128)		28.18
Royal Modular (250) 29.0		29.16
Royal Integral (260)		30.07
Royal Reflex (240)		31.19
Royal Universe (127) 32.0		32.20
Royal 60 (221)		33.15
SPARE PARTS)1 –	34.41
ARTICLE NO. INDEX)1 –	35.XXX
TERMS OF DELIVERY; SALES AND PAYMENT)1 –	36.04

All contracts are carried out exclusively on the basis of our conditions of sale as clearly set out on chapter 36 of this price list.






Edition 400 ACC/FIT




Pillar tap see page 01.8	115 mm	86 mm
Single lever basin mixer 80 see page 01.3	115 mm	86 mm
Single lever basin mixer 120 see page 01.4	153 mm	126 mm
Single lever basin mixer 150 see page 01.5	153 mm	156 mm
Single lever basin mixer 240 see page 01.6	183 mm	241 mm
Single lever basin mixer 290 see page 01.7	183 mm	291 mm
Single lever basin mixer 150 swivelling see pages 01.7 and 01.8	153 mm	156 mm
Three-hole basin mixer 150 see page 01.9	153 mm	156 mm
Single lever basin mixer, concealed see page 01.10	165 mm 197 mm 243 mm	- - -


Edition 400




Edition 400



Edition 400



Edition 400



Edition 400


No. Article Single lever basin mixer 290 without pop-up waste, single hole installation, 51502 cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 435 mm, G 3/8 inch flow rate reduced to 7,6 l/min. 010103 chrome-plated <u>ø36</u> >>> 359 315 ğ 04.XD 48 360 IG3/8 183 51505 Single lever basin mixer 150 with pop-up waste 1 1/4 inch, spout swivelling +/- 45°, single hole installation, cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 435 mm, G 3/8 inch flow rate reduced to 7,6 l/min. 010000 chrome-plated <u>IG3/8'</u> 1 1/4

KEUQ

KEUCO Edition 400

 No.		Article	
51505	010100	Single lever basin mixer 150 without pop-up waste, spout swivelling +/- 45°, single hole installation, cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 435 mm, G 3/8 inch flow rate reduced to 7,6 l/min. chrome-plated	
51508	010100	Pillar tap 80 without pop-up waste single hole installation, Lever head action 90° with ceramic discs aerator SLIM SSR M 24x1, adjustable, Pressure hose 435 mm G 3/8 inch flow rate reduced to 7,6 l/min. chrome-plated	


Edition 400




Edition 400

 No.		Article
51516	010201 010200	Single lever basin mixer concealed, DN 15, mixing cartridge with ceramic sealing gaskets temperature controlled aerator SLIM SSR M 24x1, adjustable, flow rate limited to 7,6 l/min. in combination with rough part 59916/000070 187 mm chrome-plated 219 mm chrome-plated 265 mm chrome-plated Note: Suitable rough part ArtNo. 59916 000070, see below Please order separately.
59916	000070	Rough part concealed, for single lever basin mixer, wallmounted flexible arrangement of lever and spout possible during assembly Note: Suitable for ArtNo. S1516 010201 51516 010202 51516 010202 51516 010201 51516 010202 51116 010200 51516 010202 51116 010200 51116 010200 51116 010200 51116 010200 51116 010200 51116 010200 51116 010200
59916	000071	Extension set 25 mm, for rough part 59916 000070


Edition 400




KEUCC Edition 400









Edition 400








Edition 400









Edition 400

No.		Article		
51591	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets	chrome-plated	


Edition 400



Edition 400







Edition 400


 No.		Article		
11555	019000	Soap holder complete with crystal soap dish matt chrome-plated Spare part: Crystal soap dish matt, only		
11549	019000	Shelf complete with crystal soap dish matt chrome-plated Crystal utensil tray matt, only	1	
11553 11550 11552	019000 009000 009000	Double holder glass/lotiondispenser complete, comes with: 1 x crystal glass 1 x lotiondispenser complete with matt crystal glass and pump for liquid soap Capacity: approx. 150 ml Dosage: approx. 0,5 ml/stroke chrome-plated Spare parts: Crystal glass tumbler only Cup crystal glass matt, only	1 1	

Edition 400

 No.		Article	
11554 11550 11554	019000 009000	<u>Spare parts:</u> Crystal glass tumbler only Crystal utensil tray matt, only	
11556 11550 11555	019000	<u>Spare parts:</u> Crystal glass tumbler only Crystal soap dish matt, only	
11562	010000	Toilet paper holder open form for 100/120 mm wide paper rolls chrome-plated	
11563	010000	Spare paper holder chrome-plated	

KEUCC

Edition 400




Edition 400

	No.		Article		
	11195	001500 002000 002500 003000	Crystal mirror Exterior measurement: 700 x 610 x 26 mm 1050 x 610 x 26 mm 1400 x 610 x 26 mm 1750 x 610 x 26 mm 2100 x 610 x 26 mm		
019 26 700019 26 1050019 26 1400019 26 1750019 26 2100					
	11596	171500 172000	Light mirror adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), continuous aluminium frame Operation: key panel with capacitive touch sensor, integrated extension function for e.g. light switch Illumination: LED (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 13 / 19,5 / 26 kWh/1000h Exterior measurement: 710 x 650 x 33 mm 1060 x 650 x 33 mm 1410 x 650 x 33 mm	Wattage 13 watt 19,5 watt 26 watt	

KEUQ

Edition 400






Vanity units, mirror cabinets, light mirrors, crystal mirrors

Edition 400

Index

The bathroom furniture system EDITION 400 provides a wide and varied range of washbasins as well as lighting and mirror solutions



Mirror cabinets for recessed and	d wall-mounted installation (from page 02.29)
Light mirror (from page 02.39).	Crystal mirror (from page 02.40)

 Ceramic washbasins
 All washbasins in combination with vanity units can be found from page 02.41

 Side units
 A wide choice of solitaire furniture to complement the washbasin solutions,

A wide choice of solitaire furniture to complement the washbasin solutions, from page 02.47

KEUCO

Furniture depth = 535 mm ceramic washbasins and vanity units								
Vanity unita		EDITION	400 / width					
Vanity units	600	mm	80	0 mm				
EDITION 400		Height of basin 75mm Article No. 31570 317500 Height of basin 16mm Article No. 31570 311600	Height of basin 75 mm Article No. 31580 317500 Height of basin 16 mm Article No. 315801600					
Vanity units	compat	ible with	compa	tible with				
Width: 700 mm	Article No. 31571 XX0100 with tap hole	Article No. 31571 XX0000 without tap hole						
Width: 1050 mm	Article No. 31572 XX0100 with tap hole	Article No. 31572 XX0000 without tap hole	Article No. 31582 XX0100 with tap hole	Article No. 31582 XX0000 without tap hole				
Width: 1400 mm	Article No. 31573 XX0100 with tap hole Article No. 31574 XX0100 with tap hole Article No. 31575 XX0100	Article No. 31573 XX0000 without tap hole Article No. 31574 XX0000 without tap hole Article No. 31575 XX0000	Article No. 31583 XX0100 with tap hole	Article No. 31583 XX0000 without tap hole				
	with tap hole	without tap hole						



Furniture depth = 535 mm Ceramic washbasins und vanity units						
Vanity unita	EDITION 11 und ROYAL 60 / Width					
Vanity units	700 mm	1050 mm	1400 mm			
EDITION 11	Edition 11 Article No. 31140	Edition 11 Article No. 31150	Edition 11 Article No. 31160			
ROYAL 60	Royal 60 Article No. 32140	Royal 60 Article No. 32150	Royal 60 Article No. 32160			
Vanity units	compatible with	compatible with	compatible with			
Width: 700 mm	Article No. 31541 XX0000					
Width: 1050 mm		Article No. 31551 XX0000				
Width:			Article No. 31561 XX0000			
1400 mm			Article No. 31562 XX0000			



Furniture de Ceramic was	pth = 450 mm hbasins und vanity units					
	EDITION 400 / Width					
Vanity units	600 mm	800 mm				
EDITION 400	Height of basin 75 mm Article No. 31570 317500 Height of basin 16 mm	Height of basin 75 mm Article No. 31580 317500 Height of basin 16 mm				
	Article No. 31570 311600	Article No. 31580 311600				
Vanity units	compatible with	compatible with				
Width: 700 mm	Article No. 31571 XX0001 without tap hole					
Width: 1050 mm	Article No. 31572 XX0001 without tap hole	Article No. 31582 XX0001 without tap hole				
	Article No. 31573 XX0001 without tap hole	Article No. 31583 XX0001 without tap hole				
Width: 1400 mm	Article No. 31574 XX0001 without tap hole					
	Article No. 31575 XX0001 without tap hole					



Furniture depth = 450 mm Ceramic washbasins und vanity units				
Vanity units	EDITION 11 / Width			
	438 mm			
EDITION 11	Article No. 31198			
Vanity units	compatible with			
Width: 700 mm	Article No. 31598 XX0001			



Furniture surfaces

ORDERING INFORMATION

When ordering please ensure to replace XX, YY or ZZ with appropriate number for the chosen body and front finish cominations (see example, page 02.8)!

Body / Front Structured lacquer						
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)
Truffle	37					
White		38				
Anthracite			39			
Cashmere				45		
Titan					46	
Petrol (RAL 5020)						47

PRICE CATEGORY 2

Colour No. Replace YY with number of finish required

The front with glass cover plate is only for vanity units 535 mm depth available in combination with a EDITION 400 washbasin.

Body / Front Structured lacquer	Cover plate factory-glued with a 6 mm thick glass cover plate gloss			S		
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)
Truffle	14					
White	72	30	70	74	76	78
Anthracite			11			
Cashmere				18		
Titan					13	
Petrol (RAL 5020)						43
Body / Front Structured lacquer	Cover plate factory-glued with a 6 mm thick glass cover plate matt					
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)
Truffle	17					
White	73	27	71	75	77	79
Anthracite			15			
Cashmere				28		
Titan					16	
Petrol (RAL 5020)						53

PRICE CATEGORY 3

Colour No. Replace ZZ with number of finish required

The front with glass cover plate is only for vanity units 535 mm depth available in combination with a EDITION 400 washbasin.

Body / Front Highgloss lacquer	Cover plate factory-glued with a 6 mm			thick glass cover plate gloss		
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)
White	82	40	80	84	96	88
Body / Front Veneer						
	Walnut		Oak Anthracite		Oak Cashmere	
Walnut	68					
Oak Anthracite			8	6		
Oak Cashmere					8	7
Body / Front High-Gloss Varnis	sh					
	White					
White	21					

KEUCO

Varnished Surfaces

Are sanded, varnished, and polished in multiple work steps. The diligent treatment provides a particularly sleek, non-porous, and Colourful surface.

Structured lacquer finish Matt varnish. Characterized by its lightly structured and durable surface.

High-Gloss Varnish

High-gloss varnish. Characterized by its particularly sleek and brilliant surface.

Veneer

KEUCO produces furniture with veneered surfaces when ordered. Wood is a product of nature - aberrations in Colour and structure are part of its nature. Thus, each piece of furniture is unique.

Glass

Glass fronts are not suected to lightrelated or environmental changes. Produced as safety glass (ESG), the glass has a Increased resistance to impact.

Edition 400

Example

Furniture depth 450 mm	1 x Ceramic washbasin EDITION 11, 438 mm, with single tap hole, Article No. 31198 310401				
	1 x Vanity unit EDITION 400, 700 x 546 x 450 mm, Structured lacquer Titan, Article No. 31598 460001				
	1 x Single lever basin mixer 80 EDITION 400 without pop-up waste, Article No. 51504 010100				
5 8	1 x Ceramic washbasin EDITION 400, 600 x 16 mm, Article No. 31570 311600				
	1 x Vanity unit EDITION 400, 1 050 x 546 x 450 mm, Veneer Oak Anthracite, Article No. 31572 860001				
	1 x Side unit EDITION 400, 1050 x 289 x 450 mm, wall mounted, Veneer Oak Anthracite, Article No. 31751 860001				
	1 x Single lever basin mixer UP EDITION 400 219 mm, Article No. 51516 010100				
Furniture depth 535 mm	1 x Ceramic washbasin EDITION 11, 1050 mm, 3 tap holes, Article No. 31150 311003				
	1 x Vanity unit EDITION 400, 1050 x 546 x 535 mm, Veneer Walnut, Article No. 31551 680000				
	1 x Mittle unit EDITION 400, 350 mm, right hand hinged, Veneer Walnut, Article No. 31720 680002				
	1 x Three-hole basin mixer EDITION 400 with pop-up waste, Article No. 51515 010000				
	1 x Ceramic washbasin Royal 60, 1400 mm, 2 x single tap hole, Article No. 32160 311402				
t t	1 x Vanity unit EDITION 400, 1400 x 546 x 535 mm, 4 drawers front with push-to-open mechanism, High-Gloss Varnish White, Article No. 31562 210000				
	1 x Tall unit EDITION 400, 450 mm, right hand hinged, High-Gloss Varnish White, Article No. 31735 210002				
	2 x Single lever basin mixer 150 EDITION 400 without pop-up waste, Article No. 51502 010100				
	1 x Ceramic washbasin EDITION 400, 800 x 75 mm, Article No. 31580 317500				
	1 x Vanity unit EDITION 400, 1400 x 546 x 535 mm, with Tap hole, Structured lacquer Truffle and Glass cover plate Truffle Gloss, Article No. 31583 140100				
	1 x Side unit EDITION 400 , 700 x 472 x 450 mm, wall mounted, Structured lacquer Truffle and Glass cover plate Truffle Gloss, Article No. 31743 140001				
	1 x Single lever basin mixer 240 EDITION 400 without pop-up waste, Article No. 51502 010102				
	1 x Cosmetic mirrors iLook_move, with Glass control panel, concealed, Article No. 17612 019002				

KEUCO

Vanity units



Edition 400

Furniture depth 535 mm: Vanity units matching ceramic washbasin EDITION 400 (600 mm)

No.		Article	
31571	XX0100 YY0100 ZZ0100	Vanity unit with tap hole, compatible with ceramic washbasin Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 700 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	
31571	XX0000 YY0000 ZZ0000	Vanity unit no tap hole, compatible with ceramic washbasin Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 700 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	

Edition 400



Furniture depth 535 mm:

Vanity units matching ceramic washbasin EDITION 400 (600 mm)

Ne		Article	
No. 31572	XX0100	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
31572	XX0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	

Edition 400

Furniture depth 535 mm: Vanity units matching ceramic washbasin EDITION 400 (600 mm)

No.		Article	
31573	XX0100	Vanity unit with tap hole, compatible with ceramic washbasin Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	
31573	xx0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	


02.12

Edition 400



Furniture depth 535 mm:

Vanity units matching ceramic washbasin EDITION 400 (600 mm)



Edition 400

Furniture depth 535 mm: Vanity units matching ceramic washbasin EDITION 400 (600 mm)

No.		Article	_	
31575	XX0100	Vanity unit with tap hole, compatible with 2 ceramic washbasins Article No. 31570, 4 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.		
	xx0000	Vanity unit no tap hole, compatible with 2 ceramic washbasins Article No. 31570, 4 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.		

02.14

Edition 400



Furniture depth 535 mm:

Vanity units matching ceramic washbasin EDITION 400 (800 mm)

Ne		Article	
No.	1	Article	
31582	XX0100	Vanity unit with tap hole, compatible with ceramic washbasin Article No. 31580, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1050 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	
31582	XX0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	

Edition 400

Furniture depth 535 mm: Vanity units matching ceramic washbasin EDITION 400 (800 mm)

No.		Article	
31583	XX0100	Vanity unit with tap hole, compatible with ceramic washbasin Article No. 31580, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	
	XX0000	Vanity unit no tap hole, compatible with ceramic washbasin Article No. 31580, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 535 mm 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	

Edition 400



Furniture depth 535 mm: Vanity units matching ceramic washbasin EDITION 11 / Royal 60 (700 mm)

No		Article	
No. 31541	xx0000 ZZ0000	Article Vanity unit compatible with ceramic washbasin Article No. 31140/32140 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 700 x 546 x 535 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.20. Please order separately.	

Furniture depth 535 mm: Vanity units matching ceramic washbasin EDITION 11 / Royal 60 (1050 mm)


 No.	Article	_	
31551 XX000 ZZ000	Vanity unit compatible with ceramic washbasin Article No. 31150/32150, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1050 x 546 x 535 mm 0 37,38,39,45,46,47		

Edition 400



Furniture depth 535 mm:

Vanity units matching ceramic washbasin EDITION 11 / Royal 60 (1400 mm)



Edition 400

Editions

Furniture depth 535 mm: Interior sets

	No.		Article	_
		010000 020000 030000 040000	311 x 80 x 372 mm M 486 x 80 x 372 mm L	
215				
311				
486				
661 372				

KEUCO

	Furni	ture depth 535 mm: Interior sets	
MAXIMUM		Width	
CONFIGURATION	700 mm	1050 mm	1400 mm
Drawer front with push-to- open mechanism with siphon cutaway	2 x Size S	2 x Size S Optional 2 x Size M	2 x Size S Optional a) 2 x Size S and 2 x Size M b) 2 x Size L 2 x Size S Optional a) 4 x Size S b) 2 x Size S and 1 x Size M c) 2 x Size S and 1 x Size L
Drawer front with push-to- open mechanism without siphon cutaway	2 x Size M 1 x Size M and 1 x Size S	2 x Size L 1 x Size L and 1 x Size M	2 x Size XL

Edition 400

Editions

Furniture depth 450 mm: Vanity units matching ceramic washbasin EDITION 400 (600 mm)

No.		Article	
31571	XX0001 ZZ0001	Vanity unit compatible with ceramic washbasin Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 700 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	
31572	XX0001 ZZ0001	Vanity unit compatible with ceramic washbasin Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1050 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	

02.22

Edition 400



Furniture depth 450 mm: Vanity units matching ceramic washbasin EDITION 400 (600 mm)

No.		Article	
31573	XX0001 ZZ0001	Vanity unit compatible with ceramic washbasin Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	
31574	XX0001 ZZ0001	Vanity unit compatible with 2 ceramic washbasins Article No. 31570, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	

Edition 400

Editions

Furniture depth 450 mm: Vanity units matching ceramic washbasin EDITION 400 (600 mm)

No.		Article	
31575	XX0001 ZZ0001	Vanity unit compatible with 2 ceramic washbasins Article No. 31570, 4 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	

Edition 400



Furniture depth 450 mm: Vanity units matching ceramic washbasin EDITION 400 (800 mm)

No.		Article	
31582	XX0001 ZZ0001	Vanity unit compatible with ceramic washbasin Article No. 31580, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1050 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	
31583	XX0001 ZZ0001	Vanity unit compatible with ceramic washbasin Article No. 31580, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1400 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	

Edition 400

Editions

Furniture depth 450 mm: Vanity units matching ceramic washbasin EDITION 11 (438 mm)

 No.		Article	PG	€
31598	XX0001 ZZ0001	Vanity unit compatible with ceramic washbasin Article No. 31198, 2 drawer fronts with push-to-open mechanism and soft closing, incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 700 x 546 x 450 mm 37,38,39,45,46,47 21,68,86,87 For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.27. Please order separately.	22	

Edition 400


KEUCO

Furniture depth 450 mm: Interior sets

	No.		Article	
	31599	010001 020001 030001 040001	311 x 80 x 322 mm M 486 x 80 x 322 mm L	
215				
311				
486				
661 322				



Furniture depth 450 mm: Interior sets




KEUCO



Editions

 No.		Article	
21501		Mirror cabinet for recessed installation, adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), 2 hinged double sided crystal mirrored doors, Body: aluminium silver anodized interior rear wall mirrored Operation: key panel with capacitive touch sensor, integrated extension function for e.g. ligth switch	
		Illumination: LED 26 watt (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 26 kWh/1000h Interior fittings: - 2 sockets - 3 adjustable glass shelves - storage box with slidable glass lid - interior lighting - soft-closing doors Exterior measurement: 710 x 650 x 154 mm	
	171301	body	


KEUCO



Editions


 No.		Article	
21521	171301	Mirror cabinet wall mounted, adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), 2 hinged double sided crystal mirrored doors, Body: aluminium silver anodized Body panels made from rear-lacquered white glass, interior rear wall mirrored Operation: key panel with capacitive touch sensor, integrated extension function for e.g. ligth switch Illumination: LED 26 watt (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A, A, 26 kWh/1000h Interior fittings: - 2 sockets - 2 adjustable glass shelves - storage box with slidable glass lid - interior lighting - soft-closing doors Exterior measurement: 710 x 650 x 167 mm body silver anodized	
21531	171301	Mirror cabinet wall mounted, 1 light colour, 4000 kelvin (neutral white) 2 hinged double sided crystal mirrored doors, Body: aluminium silver anodized Body panels made from rear-lacquered white glass, interior rear wall mirrored Operation: key panel with capacitive touch sensor, optional to be operated via the light switch Illumination: LED 26 watt (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 26 kWh/1000h Interior fittings: - 2 sockets - 2 adjustable glass shelves - storage box with slidable glass lid - interior lighting - soft-closing doors Exterior measurement: 710 x 650 x 167 mm body	

KEUCO



Editions






Editions

Mirror cabinets

No.		Article		
No. 21503	171301	Article Mirror cabinet for recessed installation, adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), 3 hinged double sided crystal mirrored doors, Body: aluminium silver anodized interior rear wall mirrored Operation: key panel with capacitive touch sensor, integrated extension function for e.g. ligth switch Illumination: LED 52 watt (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 52 kWh/1000h Interior fittings: - 2 sockets - 2 sockets - 2 storage boxes with slidable glass lid - interior lighting - soft-closing doors Exterior measurement: 1410 x 650 x 154 mm silver ar	body	

02.36

KEUCO



Editions

	No.		Article	
	21523		Mirror cabinet wall mounted, adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), 3 hinged double sided crystal mirrored doors, Body: aluminium silver anodized Body panels made from rear-lacquered white glass, interior rear wall mirrored Operation: key panel with capacitive touch sensor, integrated extension function for e.g. ligth switch Illumination: LED 52 watt (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 52 kWh/1000h Interior fittings: - 2 sockets - 2 storage boxes with slidable glass lid - interior lighting - soft-closing doors	
167 530 530 1410		171301	Exterior measurement: 1410 x 650 x 167 mm body silver anodized	
	21533		Mirror cabinet wall mounted, 1 light colour, 4000 kelvin (neutral white) 2 hinged double sided crystal mirrored doors, Body: aluminium silver anodized Body panels made from rear-lacquered white glass, interior rear wall mirrored Operation: key panel with capacitive touch sensor, optional to be operated via the light switch Illumination: LED 52 watt (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 52 kWh/1000h	
167 530 1410		171301	Interior fittings: - 2 sockets - 2 x 2 adjustable glass shelves - 2 storage boxes with slidable glass lid - interior lighting - soft-closing doors Exterior measurement: 1410 x 650 x 167 mm body silver anodized	

KEUCO

Light mirrors / Crystal mirrors

No.		Article		_
11596	171500 172000	Light mirror adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), continuous aluminium frame Operation: key panel with capacitive touch sensor, integrated extension function for e.g. light switch Illumination: LED (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 13 / 19,5 /26 kWh/1000h Exterior measurement: 710 x 650 x 33 mm 1060 x 650 x 33 mm 1410 x 650 x 33 mm	Wattage 13 watt 19,5 watt 26 watt	
11596	171501 172001	1060 x 650 x 33 mm 19,5 wat	Wattage t + 41 watt t + 65 watt t + 90 watt	

Edition 400

Editions

Light Mirrors

	No.		Article	
	11597		Light mirror 1 light colour, 4000 kelvin (neutral white) continuous aluminium frame Operation: key panel with capacitive touch sensor, optional to be operated via the light switch Illumination: LED (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable EEK: A++, A, A, 13 / 19,5 /26 kWh/1000h Exterior measurement: Vattage 710 x 650 x 33 mm 13 watt 1060 x 650 x 33 mm 26 watt	
019 26 1750019 26 1750019 26 1750019 26 1750019 26 1750019 26 1750019 26 1750019 26 1750	11195	002500 003000	Crystal mirror Exterior measurement: 700 x 610 x 26 mm 1400 x 610 x 26 mm 1750 x 610 x 26 mm 2100 x 610 x 26 mm	

KEUCO

Ceramic washbasins



Edition 400

Index

KEUCO ceramic washbasins offer a wide range of sizes, installation and tap whole versions.

The following possible combinations are available from the KEUCO furniture range:

	Furniture of:								
Ceramic washbasins	Edition 400	Edition 11	Royal 60						
Edition 400	х								
Edition 11	х	х	х						
Royal 60	x	х	x						

Washbasins EDITION 11 (see chapter 05)

EDITION 400 (from page 02.43)

Washbasins







Washbasins Royal 60 (see chapter 33)





Accessories (from page 02.45)

KEUCO

Ceramic built-in washbasins EDITION 400, width 600 mm

	No.		Article		
	31570	317500	Ceramic built-in washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 600 x 75 x 400 mm Note: Basin waste Article No. 59904 can be ordered separately, see page 02.45 Compatible ceramic valve cover Article No. 59990 310001, see page 02.45	white	
600 400 55 52					
	31570		Ceramic built-in washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 600 x 16 x 400 mm Note: Basin waste Article No. 59904 can be ordered separately, see page 02.45 Compatible ceramic valve cover Article No. 59990 310001, see page 02.45	white	
600 400 90					

Editions

Ceramic built-in washbasins EDITION 400, width 800 mm

	No.		Article	
	31580	317500	Ceramic built-in washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 800 x 75 x 400 mm white Note: Basin waste Article No. 59904 can be ordered separately, see page 02.45 Compatible ceramic valve cover Article No. 59990 310001, see page 02.45	
800 400	31580		Ceramic built-in washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 800 x 16 x 400 mm white Note: Basin waste Article No. 59904 can be ordered separately, see page 02.45 Compatible ceramic valve cover Article No. 59990 310001, see page 02.45	
٩				

KEUCO

Accessories

No.		Article	
59990	310000	Ceramic Valve Cover suitable for all KEUCO ceramic wash basins combined with Clou drain and overflow system, with CleanPlus surface Diameter 80 mm white	
59990	310001	Ceramic Valve Cover suitable for all KEUCO ceramic wash basins combined with free-flow basin waste without overflow, with CleanPlus surface Diameter 80 mm white Suitable for Art. No. 59904, see below	
59904	010000	Basin waste 1 1/4 inch x 60 x 50 mm unslotted freeflow waste with button cover in chrome/ABS plastic chrome-plated	

Side units





KEUCO

Edition 400

Index

With Edition 400 side furniture you have a wide choice of solitaire furniture available to complement the vanity units and board solutions.





KEUCO

Collection Summary

Furniture de	pth = 535 mm Side un	its							
wall-		Front Height							
mounted	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm					
Width: 700 mm	Article No. 31740 XX0000	Article No. 31741 XX0000	Article No. 31742 XX0000	Article No. 31743 XX0000					
Width: 1050 mm	Article No. 31750 XX0000	Article No. 31751 XX0000	Article No. 31752 XX0000	Article No. 31753 XX0000					
Width:	Article No. 31760 XX0000	Article No. 31761 XX0000	Article No. 31762 XX0000	Article No. 31763 XX0000					
1400 mm	Article No. 31764 XX0000	Article No. 31765 XX0000	Article No. 31766 XX0000	Article No. 31767 XX0000					
Width: 2100 mm									
	Article No. 31770 XX0000	Article No. 31771 XX0000	Article No. 31772 XX0000	Article No. 31773 XX0000					

Floorstanding	g Floorstanding sideboards are consisting of the modules sideboard wall-mounted and plinth packet. Both modules are to be ordered separately and combined on-site.										
Width: 700 mm Width: 1050 mm Plinth package Plinth package			Width: 1400 mm Plinth package	Width: 2100 mm Plinth package							
Article No. 3174	49 XX0000	Article No. 31759 XX0000	Article No. 31769 XX0000	Article No. 31779 XX0000							

Collection Summary

Furniture depth= 450 mm Side units									
wall		Height							
mounted	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm					
Width: 700 mm	Article No. 31740 XX0001	Article No. 31741 XX0001	Article No. 31742 XX0001	Article No. 31743 XX0001					
Width: 1050 mm	Article No. 31750 XX0001	Article No. 31751 XX0001	Article No. 31752 XX0001	Article No. 31753 XX0001					
Width:	Article No. 31760 XX0001	Article No. 31761 XX0001	Article No. 31762 XX0001	Article No. 31763 XX0001					
1400 mm	Article No. 31764 XX0001	Article No. 31765 XX0001	Article No. 31766 XX0001	Article No. 31767 XX0001					
	ATUGE NO. 31704 XX0001			ATTICLE NO. 31/07 AAUUUT					
Width: 2100 mm									
	Article No. 31770 XX0001	Article No. 31771 XX0001	Article No. 31772 XX0001	Article No. 31773 XX0001					

Floorstanding	Floorstanding sideboards are consisting of the modules sideboard wall-mounted and plinth packet. Both modules are to be ordered separately and combined on-site.										
Width: 70 Plinth pac	•	Width: 1050 mm Plinth package	Width: 1400 mm Plinth package	Width: 2100 mm Plinth package							
Article No. 3174	49 XX0001	Article No. 31759 XX0001	Article No. 31769 XX0001	Article No. 31779 XX0001							



Collection Summary

Furniture depth = 300 mm Middle unit and Tall unit								
	Middle units (each with door hinge right or left)	Tall units (each with door hinge right or left)						
Width: 350 mm	Article No. 31720	Article No. 31730						
Width: 450 mm	Article No. 31725	Article No. 31735						

Edition 400

Furniture Surfaces

ORDERING INFORMATION

When ordering please ensure to replace XX, YY or ZZ with appropriate number for the chosen body and front finish cominations.

PRICE CATEGORY 1 Colour No. Replace XX with number of finish required								
Body / Front Structured lacquer								
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)		
Truffle	37							
White		38						
Anthracite			39					
Cashmere				45				
Titan					46			
Petrol (RAL 5020)						47		

PRICE CATEGO Colour No. Replace		nber of finish	required						
The front with gla	ss cover plate	e is for the sid	le units availa	ble except for	the tall units				
Body / Front Structured lacquer	Cover plate f	over plate factory-glued with a 6 mm thick glass cover plate gloss							
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)			
Truffle	14								
White	72	72 30 70 74 76							
Anthracite		11							
Cashmere				18					
Titan					13				
Petrol (RAL 5020)						43			
Body / Front Structured lacquer	Cover plate f	actory-glued	with a 6 mm t	hick glass co	ver plate matt				
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020)			
Truffle	17								
White	73	27	71	75	77	79			
Anthracite			15						
Cashmere				28					
Titan					16				
Petrol (RAL 5020)						53			

PRICE CATEGORY 3

Colour No. Replace ZZ with number of finish required

The front with glass cover plate is for the side units available except for the tall units. Body / Front Cover plate factory-glued with a 6 mm thick glass cover plate gloss Hochglanz Lack Petrol Truffle White Anthracite Cashmere Titan (RAL 5020) White 82 40 80 84 96 88 Body / Front Furnier Walnut Oak Anthracite Oak Cashmere 68 Walnut Oak Anthracite 86 Oak Cashmere 87 Body / Front **High-Gloss Varnish** White White 21

KEUCO

Varnished Surfaces

Are sanded, varnished, and polished in multiple work steps. The diligent treatment provides a particularly sleek, non-porous, and Colourful surface.

Structured

lacquer finish Matt varnish. Characterized by its lightly structured and durable surface.

High-Gloss Varnish

High-gloss varnish. Characterized by its particularly sleek and brilliant surface.

Veneer

KEUCO produces furniture with veneered surfaces when ordered. Wood is a product of nature - aberrations in Colour and structure are part of its nature. Thus, each piece of furniture is unique.

Glass

Glass fronts are not suected to lightrelated or environmental changes. Produced as safety glass (ESG), the glass has a Increased resistance to impact.

Edition 400



Furniture depth 535 mm: Side units wall mounted and floorstanding

 No.		Article	
31740	××0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
31741	XX0000 YY0000 ZZ0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	

Edition 400

No.		Article	
	XX0000 YY0000 ZZ0000	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 700 x 382 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31749 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.63	
31743	XX0000	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 700 x 472 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31749 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.63	

Edition 400



Furniture depth 535 mm: Side units wall mounted and floorstanding

No.		Article	
31750	xx0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
31751	XX0000 YY0000 ZZ0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	

Edition 400

 No.		Article	
	XX0000	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1050 x 382 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31759 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.63	
	XX0000	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1050 x 472 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31759 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.63	

Edition 400



Furniture depth 535 mm: Side units wall mounted and floorstanding

No.		Article	
	××0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
	xx0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	

Edition 400

Editions

Furniture depth 535 mm: Side units wall mounted and floorstanding

No.		Article	
	XX0000	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 382 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.64	
	XX0000	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 472 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.64	

02.58

Edition 400



No.		Article	
31764	××0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
31765	xx0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	

Edition 400

Editions

No.		Article	
	xx0000	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 382 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.64	
	xx0000	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 472 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.64	

Edition 400



	No.		Article	
		××0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
2100		XX0000 YY0000 ZZ0000	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
535 1050				

Edition 400

Furniture depth 535 mm: Side units wall mounted and floorstanding

	XX0000 YY0000 ZZ0000	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 2100 x 382 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65	
2100 2100 535 1050 1050		Please order separately. For the floor standing version the plinth package article no. 31779 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.64	
	XX0000 YY0000 ZZ0000	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 2100 x 472 x 535 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.65 Please order separately. For the floor standing version the plinth package article no. 31779 is necessary for furniture with a depth of 535 mm. Please order separately, see page 02.64	

02.62

Edition 400




Furniture depth 535 mm: Side units wall mounted and floorstanding

	No.		Article	
		XX0000 ZZ0000		
676 8 484 8				
	31759	XX0000 ZZ0000	Plinth package for furniture 535 mm deep to combine with sideboard, wall-mounted, 1050 mm wide consisting of plinth panel and height adjustable case legs Exterior measurement: 1026 x 25 x 484 mm Colour No. 37,38,39,45,46,47 21,68,86,87	
1026 1026 1026				

Edition 400

Editions

Furniture depth 535 mm: Side units wall mounted and floorstanding



02.64

Edition 400


KEUCO

Furniture depth 535 mm: Interior sets

	No.		Article		
	31599	010000 020000 030000 040000	311 x 80 x 372 mm 486 x 80 x 372 mm	ody S M L XL	
215					
311					
486					
661 372					

Edition 400

Furniture depth 535 mm: Interior sets



Edition 400



 No.		Article	
31740	XX0001	11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79	
31741	XX0001 YY0001 ZZ0001	Side unit wall mounted 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 700 x 289 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31749 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	

Edition 400

 No.		Article	
	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 700 x 382 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31749 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	
31743	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 700 x 472 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31749 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	

Edition 400



No.		Article	
31750	XX0001	Side unit wall mounted 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1050 x 199 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31759 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	
31751	XX0001 YY0001 ZZ0001	Side unit wall mounted 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1050 x 289 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31759 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	

Edition 400

No.		Article	
31752	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1050 x 382 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31759 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	
31753	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1050 x 472 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31759 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.77	

Edition 400



 No.		Article	
31760	XX0001	Side unit wall mounted 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1400 x 199 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	
31761	XX0001 YY0001 ZZ0001	Side unit wall mounted 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1400 x 289 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	

Edition 400

Furniture depth 450 mm: Side units wall mounted and floorstanding

 No.		Article	
31762	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 382 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	
31763	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 472 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	

02.72

Edition 400



No.		Article	
31764	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 199 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	
31765	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 270 mm Exterior measurement: 1400 x 289 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	

Edition 400

Furniture depth 450 mm: Side units wall mounted and floorstanding

 No.		Article	
	XX0001 YY0001 ZZ0001	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 382 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	
31767	XX0001 YY0001 ZZ0001	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 472 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31769 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	

02.74

Edition 400



No.		Article	
31770	XX0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 2100 x 199 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31779 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	
31771	XX0001 YY0001 ZZ0001	Side unit wall mounted 2 drawer fronts with push-to-open mechanism and soft closing, front height each 270 mm Exterior measurement: 2100 x 289 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31779 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	

Edition 400

Furniture depth 450 mm: Side units wall mounted and floorstanding

 No.		Article	
31772	XX0001	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 2100 x 382 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31779 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	
31773	XX0001	Side unit wall mounted 4 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 2100 x 472 x 450 mm Colour No. 37,38,39,45,46,47 11,13,14,15,16,17,18,27,28,30,43,53,70,71,72,73,74,75,76,77,78,79 21, 40, 68, 80, 82, 84, 86, 87, 88, 96 Note: For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 02.79 Please order separately. For the floor standing version the plinth package article no. 31779 is necessary for furniture with a depth of 450 mm. Please order separately, see page 02.78	

02.76

Edition 400




Furniture depth 450 mm: Side units wall mounted and floorstanding

	No.		Article	
	31749	XX0001 ZZ0001	Plinth package for furniture 450 mm deep to combine with sideboard, wall-mounted, 700 mm wide consisting of plinth panel and height adjustable case legs Exterior measurement: 676 x 25 x 399 mm Colour No. 37,38,39,45,46,47 21,68,86,87	
676 1 399 1 1 1 1 1 1 1 1 1 1 1 1 1				
	31759	XX0001 ZZ0001	Plinth package for furniture 450 mm deep to combine with sideboard, wall-mounted, 1050 mm wide consisting of plinth panel and height adjustable case legs Exterior measurement: 1026 x 25 x 399 mm Colour No. 37,38,39,45,46,47 21,68,86,87	
1026 1026				

Edition 400

Editions

Furniture depth 450 mm: Side units wall mounted and floorstanding



Edition 400

KEUCO


Furniture depth 450 mm: Interior sets

	No.		Article	
	31599	010001 020001 030001 040001	311 x 80 x 322 mm M 486 x 80 x 322 mm L	
215				
311				
486				
661 322				




Editions

Furniture depth 450 mm: Interior sets



Editions

Middle units



Edition 400

Editions

Tall units

No.		Article	
31730	XX0001 ZZ0001	21,68,86,87 Tall unit single door with push-to-open mechanism and soft closing <u>Interior fittings:</u> - 4 glass shelves Exterior measurement: 350 x 1769 x 300 mm RH hinge / Colour No. 37,38,39,45,46,47	
31735	XX0001 ZZ0001	21,68,86,87 Tall unit single door with push-to-open mechanism and soft closing Interior fittings: - 4 glass shelves - 7 storage boxes Exterior measurement: 450 x 1769 x 300 mm RH hinge / Colour No. 37,38,39,45,46,47	

02.82


KEUCO





Edition 400 Planning

Index

EDITION 400 PLANNING offers with custom-made washbasin boards and modular base cabinets a maximum of individual options to furnish the bathroom.








Ceramic washbasins

All washbasins to combine with the washbasin board can be found in chapter 02

Side units

A wide choice of solitaire furniture to complement the washbasin solutions can be found in chapter 02



The board is available in depths 535 mm and 450 mm. Available in widths between 700 - 2100 mm and custom-made in a 1 cm raster.


For combination ceramic washbasins EDITION 400, EDITION 11 and Royal 60 are available in different sizes and tap hole versions.


Planning steps

- 1. Furniture Depth ✓
- 2. Washbasin / tap hole \checkmark

KEU

- 3. Single / double basin \checkmark
- Dimensions A and B ✓
 Furniture surfaces ✓
- Furniture surfaces
 Side panels ✓







Lateral veneer through side panels or base cabinet module. For the planning of the washbasin board please consider the lateral veneers: A) Washbasin board without/with base cabinet module If an right

Edition 400 Planning

Ordering Information






Base cabinet module


The body pieces of the base cabinet module are extended by the height of the washbasin board. If the module is being built flush mounted on the outside of the board the body pieces forming at the same time the lateral veneer of the board.

If the module is being built directly underneath the washbasin the version with Siphon cutaway is necessary! In general the module must be placed centrally underneath the washbasin!





Ordering examples



Edition 400 Planning

Furniture surfaces

PRICE CATEGORY 1 Colour No. Replace XX v Body / Front Structured lacquer Truffle White Anthracite Cashmere Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY v	Truffle 37 vith number of ver plate is onl	White 38	Anthracite 39 39	Cashmere 45	Titan 46	Petrol (RAL 5020
Structured lacquer Truffle White Anthracite Cashmere Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY v	37 vith number of	38	39			(RAL 5020
White Anthracite Cashmere Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY v	37 vith number of	38	39			(RAL 5020
White Anthracite Cashmere Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY v	vith number of			45	46	47
Anthracite Cashmere Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY w	er plate is onl			45	46	47
Cashmere Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY w	er plate is onl	finish requ		45	46	47
Titan Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY v	er plate is onl	finish requ		45	46	47
Petrol (RAL 5020) PRICE CATEGORY 2 Colour No. Replace YY w	er plate is onl	finish requ			46	47
PRICE CATEGORY 2 Colour No. Replace YY w	er plate is onl	finish requ				47
Colour No. Replace YY w	er plate is onl	finish requ	-	· · · ·		
The front with Glass cov in combination with a EI		shbasin.	asin boards (-		
Body / Front / Board Structured lacquer	Cover plate	e factory-glu	ued with a 6 n	nm thick Glas	ss cover p	olate gloss
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020
Truffle	14					
White	72	30	70	74	76	78
Anthracite			11			
Cashmere				18		
Fitan					13	
Petrol (RAL 5020)						43
Body / Front / Board Structured lacquer	Cover plate	e factory-gli	ued with a 6 r	nm thick Gla	sss cover	plate matt
	Truffle	White	Anthracite	Cashmere	Titan	Petrol (RAL 5020
Truffle	17					
White	73	27	71	75	77	79
Anthracite			15			
Cashmere				28		
Titan					16	
Petrol (RAL 5020)						53
PRICE CATEGORY 3 Colour No. Replace ZZ w	vith number of	finish requ	ired			
The front with Glasss co in combination with a ED	ver plate is or	ly for wash		535 mm dee	p available	•

KEUCO

Varnished Surfaces Are sanded, varnished, and polished in multiple work steps. The diligent treatment provides a particularly sleek, non-porous, and Colourful surface.

Structured

lacquer finish Matt varnish. Characterized by its lightly structured and durable surface.

High-Gloss Varnish

High-gloss varnish. Characterized by its particularly sleek and brilliant surface.

Veneer

KEUCO produces furniture with veneered surfaces when ordered. Wood is a product of nature - aberrations in Colour and structure are part of its nature. Thus, each piece of furniture is unique.

Glasss

Glasss fronts are not suected to lightrelated or environmental changes. Produced as safety Glasss (ESG), the Glasss has a Increased resistance to impact.

Body / Front / Board High-Gloss Varnish	Cover plate factory-glued with a 6 mm thick Glasss cover plate gloss *						
	Truffle	White	Anthracite	Cashmere	Titan	Petrol	

	Truffle	White	Anthracite	Cashmere	Titan	(RAL 5020)
White	82	40	80	84	96	88
Body / Front / Board						

Furnier			
	Walnut	Oak Anthracite	Oak Cashmere
Walnut	68		
Oak Anthracite		86	
Oak Cashmere			87
Body / Front / Board High-Gloss Varnish			
	White		
White	21		





Furniture depth 535 mm: Planning dimensions washbasin board with built-in washbasin

Built-in washbasin EDITION 400					
Washbasin	Wi	dth			
	600 mm		800 mm		
EDITION 400	Height of basin 75 mm Article No. 31570 317500		Arti	ght of basin 75mm cle No. 80 317500	
	Height of basin 16 mm Article No. 31570 311600		Arti	ght of basin 16mm cle No. 80 311600	
	with / without tap hole		Washl	basin	
Qiante	A 535 mm		600 mm	800 mm	
Single washbasin	Од ШШ	Dim. A	700 - 2100 mm	900 - 2100 mm	
	B 06	Dim. B	min. 350 mm	min. 450 mm	
	with / without tap hole		Washl	basin	
	A 525 mm		600 mm	800 mm	
Double washbasin	535 mm	Dim. A	1400 - 2100 mm	1800 - 2100 mm	
		Dim. B1	min. 350 mm	min. 450 mm	
	B2	Dim. B2	max. 1760 mm	max. 1660 mm	

Furniture depth 535 mm:

Order form template washbasin board with washbasin EDITION 11 / Royal 60






Customer							KEUCO)			
Contact Person							Fax: +	49 (2372	2) 904 23	36	
Contact Details							E-Mail: i	nfo@keı	ico.de		
Ref. or Commission											
Article No. 31401 000000 Total width: Dim. A = mm											
Single-washbasin (if not	then dire	ct to dou	ble washb	asins)							
Washbasin EDITION 400	600	mm 🗖 8	300 mm	🛛 wit	h tap hole	. .	vithout tap h	nole			
	Position	: Dim. B	=		mm (1	rom left	to centre of	washbasin)			
Surface:	Colour	No.									
Structured lacquer	37	38	39	45	46	47					
Veneer	68	86	87								
High gloss lacquer	21										
Structured lacq./Glass Gloss	11	1 3	14	18	1 30	4 3	70	72	74	76	78
Structured lacq./Glass Matt	15	1 6	17	27	28	D 53	71	73	1 75	77	1 79
High gloss lacq./Glass Gloss	40	80	82	84	88	96					
Double-washbasin											
Washbasin	600	mm 🛛 8	300 mm	🛛 wit	h tap hole		vithout tap ho	ole			
EDITION 400											
	Position	: Dim. B1	=		_ mm	Dim	. B2 =		mm		
	Position			of washba	_	Dim	. B2 =		mm		
Surface:	Position Colour	(from let			_	Dim	. B2 =		mm		
Surface: Structured lacquer	Colour	(from lef	ft to centre		asin)	Dim			mm		
	Colour	(from let No.	ft to centre	of washba	asin)				mm		
Structured lacquer	Colour	(from lef	ft to centre	of washba	asin)	47			mm		
Structured lacquer Veneer	Colour 37 68 21 11	(from let No. 38 86 13	t to centre 39 87 14	of washba	asin) 46	47	70	72	74	76	78
Structured lacquer Veneer High gloss lacquer	Colour 37 68 21	(from let No. 38 86	t to centre 39 87	of washba	asin)	47	70			□ 76 □ 77	7 8 7 9
Structured lacquer Veneer High gloss lacquer Structured lacq./Glass Gloss	Colour 37 68 21 11	(from let No. 38 86 13	t to centre 39 87 14	of washba	asin) 46	47	7 0 7 1	72	74		
Structured lacquer Veneer High gloss lacquer Structured lacq./Glass Gloss Structured lacq./Glass Matt	Colour 37 68 21 11 15	(from let No. 38 86 13 16 80	ft to centre 39 39 14 17 82	of washba 45 18 27 84	asin) 46 30 28 88	47 43 53 96	7 0 7 1	7 2 7 3	□ 74 □ 75	77	79
Structured lacquer Veneer High gloss lacquer Structured lacq./Glass Gloss Structured lacq./Glass Matt High gloss lacq./Glass Gloss	Colour 37 68 21 11 15 40 rig	(from let No. 38 86 13 16 80 ht	ft to centre 39 87 14 17 82 left	of washba 45 18 27 84 each si	asin) 46 30 28 88	47 43 53 96	7 0 7 1	7 2 7 3	□ 74 □ 75	77	79
Structured lacquer Veneer High gloss lacquer Structured lacq./Glass Gloss Structured lacq./Glass Matt High gloss lacq./Glass Gloss Side panels uwithout	Colour 37 68 21 11 15 40 rig	(from let No. 38 38 38 13 16 80 ht under the ponets,	ft to centre 39 39 37 14 17 82 left [he board see nex	of washba 45 18 27 84 each si d)	asin) 46 30 28 88 ides (The Same s	47 43 53 96 front or surfac	The side parts of the side par	 72 73 	74 75 spond to t	77	79
Structured lacquer Veneer High gloss lacquer Structured lacq./Glass Gloss Structured lacq./Glass Matt High gloss lacq./Glass Gloss Side panels without Base cabinet module (or Please note: All furthe	Colour 37 68 21 11 15 40 rig	(from let No. 38 38 38 13 16 80 ht under the ponets,	ft to centre 39 39 37 14 17 82 left [he board see nex	of washba 45 18 27 84 each si d)	asin) 46 30 28 88 ides (The Same s	47 43 53 96 front or surfac	The side parts of the side par	 72 73 	74 75 spond to t	77	79
Structured lacquer Veneer High gloss lacquer Structured lacq./Glass Gloss Structured lacq./Glass Matt High gloss lacq./Glass Gloss Side panels without Base cabinet module (Please note: All furthe Subbase constructed	Colour 37 68 21 11 15 40 rig	(from let No. 38 38 38 13 16 80 ht under the ponets,	ft to centre 39 39 37 14 17 82 left [he board see nex	of washba 45 18 27 84 each si d) t page.	asin) 46 30 28 88 ides (The Same s	47 43 53 96 front or surfac	The side parts of the side par	 72 73 	a 74 75 spond to t	77	79

KEUCO


Furniture depth 535 mm: Order form template A washbasin board with washbasin EDITION 400

Base cabinet mod	lule (directly under the	board)						
with siphon	Height of drawer front							
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm				
Width:		cle No.						
700 mm	31440 XX0100	31441 XX0100	31442 XX0100	31443 XX0100				
1050 mm	31450 XX0100	31451 XX0100	31452 XX0100	31453 XX0100				
1400 mm	31460 XX0100	31461 XX0100	31462 XX0100	31463 XX0100				
without siphon		Height of	drawer front					
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm				
	K							

Width:	Article No.					
700 mm	31440 XX0000	31441 XX0000	31442 XX0000	31443 XX0000		
1050 mm	31450 XX0000	31451 XX0000	31452 XX0000	31453 XX0000		
1400 mm	31460 XX0000	31461 XX0000	31462 XX0000	31463 XX0000		
1400 mm	31460 XX0000	31461 XX0000	31462 XX0000	31463 XX000		



Note: All further componets, e.g. washbasins, base cabinet module must be ordered separately!



Customer	KEUCO
Contact Person	Fax: +49 (2372) 904 236
Contact Details	E-Mail: info@keuco.de
Ref. or Commission	

Article No. 31402 000000	Total width: Dim. A =
--------------------------	-----------------------

Single-washbasin (if not then direct to double washbasins)				
Washbasin EDITION 11/ROYAL 60	□ 700 mm □ 1050 mm □ 1400 mm			
	Position: Dim. B = mm (from left to centre of washbasin)			
Surface:	Colour No.			
Structured lacquer Veneer High gloss lacquer	37 38 39 45 46 47 68 86 87 21			

Double-washbasin	
Washbasin EDITION 11/ROYAL 60	700 mm Position: Dim. B1 = mm Dim. B2 = mm (from left to centre of washbasin)
Surface:	Colour No.
Structured lacquer Veneer High gloss lacquer	37 38 39 45 46 47 68 86 87 21
Side panels uithout	right left each sides (The front of the side panels correspond to the wasbasin board)
Base cabinet module (d	lirectly under the board)
	r componets, see next page. Same surface as washbasin board in sequence = from left to right under the board
Specify art. no.	


1. Module	2. Module	3. Module
Article No	Article No	Article No

KEUC

mm

Furniture depth 535 mm: Order form template B washbasin board with washbasin EDITION 11 / Royal 60

Base cabinet mod	lule (directly under the	board)								
with siphon	Height of drawer front									
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm						
Width:		Arti	cle No.							
700 mm	31440 XX0100	31441 XX0100	31442 XX0100	31443 XX0100						
1050 mm	31450 XX0100	31451 XX0100	31452 XX0100	31453 XX0100						
1400 mm	31460 XX0100	31461 XX0100	31462 XX0100	31463 XX0100						
without siphon	Height of drawer front									
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm						
		2								
Width:		Arti	cle No.							
700 mm	31440 XX0000	31441 XX0000	31442 XX0000	31443 XX0000						
1050 mm	31450 XX0000	31451 XX0000	31452 XX0000	31453 XX0000						
1400 mm	31460 XX0000	31461 XX0000	31462 XX0000	31463 XX0000						



Note: All further componets, e.g. washbasins, base cabinet module must be ordered separately!

KEUCO

Furniture depth 535 mm: Overview of prices: washbasin board

No.		Article		Dim. A/mm 1010 - 1500	Dim. A/mm 1510 - 2100
31401	000000	Washbasin board for built in washbasin EDITION 400 basic version without side panels, without cutaways incl. mounting brackets Exterior measurement (WxHxD): "Dimension A" x 90 x 535 mm Surface PC 1 = Structured lacquer PC 2 = Structured lacquer with glass cover plate			
31402	000000	PC 3 = Veneer / High gloss varnish/ High gloss varnish with glass cover plate Washbasin board for washbasin EDITION 11 / ROYAL 60 basic version without side panels, without cutaways incl. mounting brackets Surface	2		
		PC 1 = Structured lacquer PC 3 = Veneer / High gloss varnish not possible surfaces PC 2 = Structured lacquer with glass cover plate PC 3 = High gloss varnish with glass cover plate	2		
		Additional charges Mashbasin cutaways: Additional charge for 1 x washbasin cutaway with/without tap hole Additional charge for 2 x washbasin cutaways with/without tap hole Side panel: Additional charge for 1 x side panel PC 1 = Structured lacquer Additional charge for 2 x side panels PC 1 = Structured lacquer Additional charge for 1 x side panel PC 3 = Veneer / High gloss varnish Additional charge for 2 x side panels PC 3 = Veneer / High gloss varnish Please note: Washbasins to be ordered separately, see chapter 02, chapter 05 and chapter 33 Base cabinet modules (directly under the board), see pages 03.15 - 03.26 Side units, see chapter 02 When ordering an additional sketch is necessary, see order form template A (page 03.9) or B (page 03.11)	2 2 2 2 2		

Furniture depth 535 mm: Base cabinet module directly under the board

Furniture Depth = 535 mm Base cabinet module											
with siphon	Front height										
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm							
Width: 700 mm	Article No.	Article No.	Article No.	Article No.							
	31440 XX0100	31441 XX0100	31442 XX0100	31443 XX0100							
Width: 1050 mm	Article No. 31450 XX0100	Article No. 31451 XX0100	Article No. 31452 XX0100	Article No. 31453 XX0100							
Width: 1400 mm	Article No. 31460 XX0100	Article No. 31461 XX0100	Article No. 31462 XX0100	Article No. 31463 XX0100							

with siphon	Front height									
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm						
Width:	Article No.	Article No.	Article No.	Article No.						
700 mm	31440 XX0000	31441 XX0000	31442 XX0000	31443 XX0000						
Width:	Article No.	Article No.	Article No.	Article No.						
1050 mm	31450 XX0000	31451 XX0000	31452 XX0000	31453 XX0000						
Width:	Article No.	Article No.	Article No.	Article No.						
1400 mm	31460 XX0000	31461 XX0000	31462 XX0000	31463 XX0000						

Editions

Edition 400 Planning

KEUCO

Furniture depth 535 mm: Base cabinet module directly under the board

	No.		Article		
	31440	XX0100 ZZ0100	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 700 x 254 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly under the board! If the module is being built directly under the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
	31440	xx0000	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 700 x 254 x 535 mm Colour No.		
		ZZ0000		2	
700 452 535			For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.		

KEUCO Ed

Edition 400 Planning

Editions

Furniture depth 535 mm: Base cabinet module directly under the board

	No.	1	Article		1
	31441	XX0100 ZZ0100		22	
700 HE 535			For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.		
	31441	XX0000 ZZ0000		2 2	

03.16

Editions

Edition 400 Planning

KEUCO

Furniture depth 535 mm: Base cabinet module directly under the board

	No.		Article		
	31442	XX0100 ZZ0100	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 700 x 437 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary!	2 2	
700 LEF 535			For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.		
	31442	xx0000 zz0000	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 700 x 437 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	

Edition 400 Planning

Editions

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31443	XX0100 ZZ0100	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 700 x 527 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31443	XX0000 ZZ0000	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 700 x 527 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	

03.18

Editions

Edition 400 Planning

KEUCO

Furniture depth 535 mm: Base cabinet module directly under the board

No.		Article		
31450	XX0100 ZZ0100	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1050 x 254 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31450	xx0000 ZZ0000		2 2	

Edition 400 Planning

Editions

Furniture depth 535 mm: Base cabinet module directly under the board

No.		Article		
31451	XX0100 ZZ0100	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1050 x 344 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31451	XX0000 ZZ0000	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1050 x 344 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	

03.20

Editions

Edition 400 Planning

KEUCO

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31452	XX0100 ZZ0100	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1050 x 437 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary!	2 2	
		For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.		
31452	xx0000 ZZ0000		2 2	

KEUCO E

Editions

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31453	XX0100 ZZ0100	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1050 x 527 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31453	xx0000 ZZ0000	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1050 x 527 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	

03.22

Editions

Edition 400 Planning

KEUCO

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31460	XX0100 ZZ0100	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1400 x 254 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31460	XX0000 ZZ0000		2 2	

Editions

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31461	XX0100 ZZ0100	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1400 x 344 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly under the board! If the module is being built directly under the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31461	XX0000 ZZ0000		2 2	

03.24

Editions

Edition 400 Planning

KEUCO

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31462	XX0100 ZZ0100	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 437 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2 2	
31462	xx0000 zz0000	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 437 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	


Editions

Furniture depth 535 mm: Base cabinet module directly under the board

 No.		Article		
31463	XX0100 ZZ0100	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 527 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	
31463	xx0000 zz0000	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 527 x 535 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.27. Please order separately.	2 2	

03.26

Furniture depth 535 mm: Interior sets



KEUC

Edition 400 Planning

Furniture depth 535 mm: Interior sets Width MAXIMUM CONFIGURATION 1050 mm 1400 mm 700 mm 2 x Size S Optional Drawer front a) 2 x Size S and 2 x Size M with push-tob) 2 x Size L open mechanism with siphon cutaway 2 x Size S Optional 2 x Size S a) 4 x Size S b) 2 x Size S and 1 x Size M Optional c) 2 x Size S and 1 x Size L 2 x Size S 2 x Size M **Drawer front** with push-to-2 x Size M 2 x Size L 2 x Size XL open mechanism without siphon cutaway 1 x Size M and 1 x Size S 1 x Size L and 1 x Size M 1 x Size XL and 1 x Size L





Furniture depth 450 mm: Customises washbasin board for built in washbasin EDITION 400

In-built-washbasin EDITION 400							
Washbasin	Washbasin						
EDITION 400	600 mm Height of basin 75 mm Article No. 31570 317500		Ar	eight of basin 75mm ticle No. 580 317500			
	Height of basin 16 mm Article No. 31570 311600		Ar	eight of basin 16mm ticle No. 580 311600			
	mit / without tap hole		Washl	pasin			
	A 450 mm		600 mm	800 mm			
Single- washbasin	00 mm	Dim. A	700 - 2100 mm	900 - 2100 mm			
	B 06	Dim. B	min. 350 mm	min. 450 mm			
	mit / without tap hole		Washl	oasin			
Double- washbasin	A 450 mm		600 mm	800 mm			
		Dim. A	1400 - 2100 mm	1800 - 2100 mm			
	B1 06	Dim. B1	min. 350 mm	min. 450 mm			
	B2	Dim. B2	max. 1760 mm	max. 1660 mm			



Furniture depth 450 mm: Customises washbasin board for washbasin EDITION 11





Customer	KEUCO
Contact Person	Fax: +49 (2372) 904 236
Contact Details	E-Mail: info@keuco.de
Ref. or Commission	

Total width: Dim. A = ___


_____ mm

KEUC


Single-washbasin (if not	Single-washbasin (if not then direct to double washbasins)							
Washbasin EDITION 400	🗖 600 mm 🛛 800 mm	■ 600 mm ■ 800 mm						
	Position: Dim. B =	mm (from left to centre of washbasin)						
Surface:	Colour No.							
Structured lacquer	3 7 3 8 3 9 4 5	46 47						
Veneer	68 🛛 86 🖵 87							
High gloss lacquer	Q 21							
Double-washbasin								
Washbasin	🗖 600 mm 🗖 800 mm							
EDITION 400	Position: Dim. B1 =							
		_mm (from left to centre of washbasin)						
Surface:	Colour No.							
Structured lacquer		46 47						
Veneer	68 🛛 86 🖵 87							
High gloss lacquer	21							
Side panels uithout	☐ right ☐ left ☐ each sid	des (The front of the side panels correspond to the wasbasin board)						
Base cabinet module (d	irectly under the board)							
	r componets, see next page. in sequence = from left to rig	Same surface as washbasin board ht under the board						
Specify art. no.								
1. Module	2. Module	3. Module						
Article No	Article No.	Article No.						

Furniture depth 450 mm: Order form template C washbasin board with washbasin EDITION 400

with siphon	Height of drawer front							
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm				
Width:		Arti	cle No.					
700 mm	31440 XX0101	31441 XX0101	31442 XX0101	31443 XX0101				
1050 mm	31450 XX0101	31451 XX0101	31452 XX0101	31453 XX0101				
1400 mm	31460 XX0101	31461 XX0101	31462 XX0101	31463 XX0101				
without siphon		Height of	drawer front					
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm				
Width:		Arti	cle No.	·				
700 mm	31440 XX0001	31441 XX0001	31442 XX0001	31443 XX0001				
1050 mm	31450 XX0001	31451 XX0001	31452 XX0001	31453 XX0001				
1400 mm	31460 XX0001	31461 XX0001	31462 XX0001	31463 XX0001				



Note: All further componets, e.g. washbasins, base cabinet module must be ordered separately!



Customer	KEUCO
Contact Person	Fax: +49 (2372) 904 236
Contact Details	E-Mail: info@keuco.de
Ref. or Commission	

Article No. 31403 000001	Total width: Dim. A =	mm

Single-washbasin (if not then direct to double washbasins)				
Washbasin EDITION 11	□ 438 mm			
	Position: Dim. B = mm (from left to centre of washbasin)			
Surface:	Colour No.			
Structured lacquer Veneer High gloss lacquer	37 38 39 45 46 47 68 86 87 21			


Double-washbasin	
Washbasin EDITION 11	438 mm Position: Dim. B1 = mm Dim. B2 = mm (from left to centre of washbasin)
Surface:	Colour No.
Structured lacquer Veneer High gloss lacquer	37 38 39 45 46 47 68 86 87 21
Side panels without	right left each sides (The front of the side panels correspond to the wasbasin board)

Base cabinet module (directly under the board)					
Please note: All further componets, see next page. Same surface as washbasin board Subbase constructed in sequence = from left to right under the board					
Specify art. no.					
1. Module Article No.	2. Module	3. Module			

KEU

Möbeltiefe 535 mm: Bestellformular D washbasin board with washbasin EDITION 11

Base cabinet mod	ule (directly under the	board)		
with siphon	Height of drawer front			
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm
Width:	Article No.			
700 mm	31440 XX0101	31441 XX0101	31442 XX0101	31443 XX0101
1050 mm	31450 XX0101	31451 XX0101	31452 XX0101	31453 XX0101
1400 mm	31460 XX0101	31461 XX0101	31462 XX0101	31463 XX0101
without siphon	Height of drawer front			
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm
	K			3
Width:	Article No.			
700 mm	31440 XX0001	31441 XX0001	31442 XX0001	31443 XX0001
1050 mm	31450 XX0001	31451 XX0001	31452 XX0001	31453 XX0001
1400 mm	31460 XX0001	31461 XX0001	31462 XX0001	31463 XX0001



Note: All further componets, e.g. washbasins, base cabinet module must be ordered separately!

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Overview of prices: washbasin board

No.		Article		Dim. A/mm 1010 - 1500	
31403		Washbasin board for built in washbasin EDITION 400 basic version without side panels, without cutaways incl. mounting brackets Exterior measurement (WxHxD): "Dimension A" x 90 x 450 mm			
31403	000001	PC 1 = Structured lacquer PC 3 = Veneer / High gloss varnish not possible surfaces PC 2 = Structured lacquer with glass cover plate PC 3 = High gloss varnish with glass cover plate Washbasin board for washbasin EDITION 11 basic version without side panels, without cutaways			
	incl. mounting brackets PC 1 = Structured lacquer PC 3 = Veneer / High gloss varnish <u>not possible surfaces</u> PC 2 = Structured lacquer with glass cover plate PC 3 = High gloss varnish with glass cover plate				
		Additional charges			
		<u>Washbasin cutaways:</u> Additional charge for 1 x washbasin cutaway with/without tap hole	2		
		Additional charge for 2 x washbasin cutaways with/without tap hole	2		
		<u>Side panel:</u> Additional charge for 1 x side panel PC 1 = Structured lacquer	2		
		Additional charge for 2 x side panels PC 1 = Structured lacquer	2		
		Additional charge for 1 x side panel PC 3 = Veneer / High gloss varnish	2		
		Additional charge for 2 x side panels PC 3 = Veneer / High gloss varnish	2		
		Please note: Washbasins to be ordered separately, see chapter 02 and 05			
		Base cabinet modules (directly under the board), see pages 03.37 - 03.48			
		Side units, see chapter 02			
		When ordering an additional sketch is necessary, see order form template C (page 03.31) or D (page 03.33)			

Furniture depth 450 mm: Base cabinet module directly under the board

Furniture Depth = 450 mm Base cabinet module												
with siphon		Front height										
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm								
Width: 700 mm	Article No.	Article No.	Article No.	Article No.								
	31440 XX0101	31441 XX0101	31442 XX0101	31443 XX0101								
Width: 1050 mm	and the second		1 miles									
	Article No. 31450 XX0101	Article No. 31451 XX0101	Article No. 31452 XX0101	Article No. 31453 XX0101								
Width: 1400 mm	in the											
	Article No. 31460 XX0101	Article No. 31461 XX0101	Article No. 31462 XX0101	Article No. 31463 XX0101								

with siphon		Front	height	
cutaway	180 mm	270 mm	180 mm + 180 mm	180 mm + 270 mm
Width:	Article No.	Article No.	Article No.	Article No.
700 mm	31440 XX0001	31441 XX0001	31442 XX0001	31443 XX0001
Width:	Article No.	Article No.	Article No.	Article No.
1050 mm	31450 XX0001	31451 XX0001	31452 XX0001	31453 XX0001
Width:	Article No.	Article No.	Article No.	Article No.
1400 mm	31460 XX0001	31461 XX0001	31462 XX0001	31463 XX0001

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31440	XX0101 ZZ0101	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 700 x 254 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly under the board! If the module is being built directly under the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31440	xx0001 ZZ0001	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 700 x 254 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly under the board! If the module is being built directly under the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

KEUCO Editio

Edition 400 Planning

Editions

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31441	XX0101 ZZ0101	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 700 x 344 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31441	XX0001 ZZ0001	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 700 x 344 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

03.38

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31442	XX0101 ZZ0101	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 700 x 437 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31442	XX0001 ZZ0001	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 700 x 437 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

KEUCO Edition 40

Edition 400 Planning

Editions

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31443	XX0101	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 700 x 527 x 450 mm 700 x 527 x 450 mm 700 x 527 x 450 mm 21,68,86,8 Note: The module must be placed directly under the board! If the module is being built directly under the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	7 2	
31443	XX0001	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 700 x 527 x 450 mm 700 x 527 x 450 mm 700 x 527 x 450 mm 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2	

03.40

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Base cabinet module directly under the board

No.		Article		
31450	XX0101 ZZ0101	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1050 x 254 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31450	XX0001 ZZ0001	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1050 x 254 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

Edition 400 Planning

Editions

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31451	XX0101 ZZ0101	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1050 x 344 x 450 mm Colour No 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	7 2	
31451	XX0001	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1050 x 344 x 450 mm 1050 x 344 x 450 mm 1050 x 344 x 450 mm 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	7 2	

03.42

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31452	XX0101 ZZ0101	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1050 x 437 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31452	XX0001 ZZ0001	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1050 x 437 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

KEUCO E

Editions

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article	-	
31453	XX0101 ZZ0101	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1050 x 527 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31453	XX0001 ZZ0001	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1050 x 527 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

03.44

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31460	XX0101 ZZ0101	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1400 x 254 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31460	XX0001 ZZ0001	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 180 mm Exterior measurement: 1400 x 254 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

Edition 400 Planning

Editions

Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31461	XX0101 ZZ0101	Base cabinet module with cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1400 x 344 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31461	XX0001 ZZ0001	Base cabinet module no cut-out 1 drawer front with push-to-open mechanism and soft closing, front height 270 mm Exterior measurement: 1400 x 344 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly under the board! If the module is being built directly under the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

03.46

Edition 400 Planning

KEUCO

Furniture depth 450 mm: Base cabinet module directly under the board

	No.		Article		
	31462	XX0101 ZZ0101	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 437 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary!	2 2	
1400 1400 450			For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.		
	31462	XX0001 ZZ0001	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height each 180 mm Exterior measurement: 1400 x 437 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49.	2 2	
			Please order separately.		


Furniture depth 450 mm: Base cabinet module directly under the board

 No.		Article		
31463	ZZ0101 XX0101	Base cabinet module with cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 527 x 450 mm Colour No. 21,68,86,87 37,38,39,45,46,47 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	
31463	XX0001 ZZ0001	Base cabinet module no cut-out 2 drawer fronts with push-to-open mechanism and soft closing, front height 180 mm and 270 mm Exterior measurement: 1400 x 527 x 450 mm Colour No. 37,38,39,45,46,47 21,68,86,87 Note: The module must be placed directly under the board! If the module is being built directly underneath the washbasin the version with siphon cutaway is necessary! For the interior fittings of the drawers with push-to-open mechanism are divisions in several sizes available, see interior sets page 03.49. Please order separately.	2 2	

03.48

Edition 400 Planning

Furniture depth 450 mm: Interior sets




KEUC

Edition 400 Planning

Furniture depth 450 mm: Interior sets Width MAXIMUM CONFIGURATION 1050 mm 1400 mm 700 mm 2 x Size S Optional Drawer front a) 2 x Size S and 2 x Size M with push-tob) 2 x Size L open mechanism with siphon cutaway 2 x Size S Optional 2 x Size S a) 4 x Size S b) 2 x Size S and 1 x Size M Optional c) 2 x Size S and 1 x Size L 2 x Size S 2 x Size M **Drawer front** with push-to-2 x Size M 2 x Size L 2 x Size XL open mechanism without siphon cutaway 1 x Size M and 1 x Size S 1 x Size L and 1 x Size M 1 x Size XL and 1 x Size L

Edition 400 Planning

Customized light mirrors



KEUC

Edition 400 Planning

Editions


Light Mirrors

09 33 A 720-2110 mm	11496	170200 170300	Light mirror customized adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), continuous aluminium frame Operation: key panel with capacitive touch sensor, integrated extension function for e.g. light switch Illumination: LED (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable Exterior measurement A 720 - 1050 mm 1070 - 1400 mm 1420 - 1750 mm 1760 - 2110 mm Please note: When ordering we need you to provide us with dimension A	2 2 2 2 2	
99 33 A 720 - 2110 mm	11496	170201 170301	Light mirror customized with mirror heating, adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), continuous aluminium frame Operation: key panel with capacitive touch sensor, integrated extension function for e.g. light switch Mirror heating: visual display of the heat up period, automatic switch-off is performed after 20 minutes Illumination: LED (lifespan > 30.000 hours) infinitely dimmable, lamps non-exchangeable Exterior measurement A 720 - 1050 mm 1070 - 1400 mm 1420 - 1750 mm 1760 - 2110 mm Please note: When ordering we need you to provide us with dimension A	2 2 2 2 2 2	


03.52

Edition 400 Planning


Light mirrors / Crystal mirrors




KEU



Edition 11




Edition 11




KEUC

Edition 11








Edition 11

				Ealtions
 No.		Article		
59916	000070	Rough part concealed, for single lever basin mixer, wallmounted flexible arrangement of lever and spout possible during assembly Note: Suitable for ArtNo. 51516 010201 51516 010200 51516 010202 51116 010201 51116 010202 51116 010202 51116 010202	1	
51109	010000	Single lever bidet mixer with pop-up waste 1 1/4 inch single hole installation cartridge with ceramic discs Ball-joint aerator cache TT M 18,5x1 pressure hoses 420 mm, G 3/8 inch flow rate reduced to 7,6 l/min. chrome-plated	1	







Edition 11

 No.		Article		
56080	010100	Round pencil hand shower with normal jet chrome-plated	1	
51120	010100	Bath tub mixer DN15 exposed ceramic stop valve and diverter, cartridge mixer with ceramic sealing gaskets, shower outlet connection DN 15 (restricted flow rate 12 l/min), with backflow preventer, gauge 150 +/- 14 mm, suitable for combination boilers, aerator M 28x1, flow rate approx. 20 l/min. chrome-plated	1	
51130	010100	Bath controls & hand-shower 4-hole bath set, deck-mounted flow rate class BB aerator M 28x1 ceramic valve for temperature control and valve for volume control / diverter concealable hand shower pressure hoses 600 mm thread size 1/2 x thread size 1/2 inch with backflow preventer Projection 180 mm 220 mm chrome-plated 220 mm chrome-plated Note: Suitable mounting rack art. no. 51130/000070, see page 04.9		







KEUCO Edition 11








Edition 11








Edition 11

Editions

 No.		Article			
54995	011600	Shower hose metal colour, kink protection, very flexible with double-sides DN 15 conical nuts, twist-protection at the shower head end 1250 mm 1600 mm 2000 mm	chrome-plated chrome-plated chrome-plated	1 1 1	
51187	010000	Shower set consisting of: - rail 900 mm and hand-shower bracket height adjustable - spacer disc (5 mm) - hand shower with normal jet - shower hose, 1600 mm	chrome-plated	1	
51147	010000	Wall outlet for shower hose DN15 with backflow preventer suitable for all concealed fittings	chrome-plated	1	
51191	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets, may be used on the left or right	chrome-plated	1	





700/1050/1400 11114 Towel hook 010000 chrome-plated 1 5 Ο

Crystalline glass shelf tempered glass (ESG), only

700 x 8 x 120 mm

1050 x 8 x 120 mm

1400 x 8 x 120 mm

11110


စ

52

005700

005100

005140



47

<u>9</u>

04.16


00/850/1000

1

1


1






Edition 11

Editions




Edition 11





Edition 11

Editions



Edition 11

KEUCO

	No.		Article		
	11163	010000	Spare paper holder chrome-plated	1	
	11164	019000	Toilet brush set complete with crystal glass insert matt, brush and spare brush head Crystal-glass/chrome-plated <u>Spare parts:</u> Crystal glass insert matt, only	1	
100	03864 03864	014000	Toilet brush with handle only chrome-plated Toilet brush head only	1	


Edition 11

Editions

	No.		Article		
	11153 11153 11153 04990 04990	013000 003000 010000 000100	Included in delivery: 2 bottles of ph-neutral foamed soap, each 500 ml Spare part: Foam soap dispenser porcelain, only Pump for foamed-soap, only chrome-plated Foam soap fragrance Marin, 500 ml Foam soap fragrance Neria, 500 ml	1 1 1 1	
ø300	11156	003001	Porcelain dish standing model, porcelain	1	
	11169	003001	Porcelain container standing model, porcelain	1	


Edition 11






Edition 11

Editions



Edition 11


KEUCO






Edition 11


Collection Summary







KEUCO

Ordering Information









Edition 11

Mirror cabinets / Light mirrors / Crystal mirrors




KEUCO




Edition 11

Order form Template




SKETCH

PLEASE NOTE: To order, please provide a sketch with your configuration (see sketch example)







1) Light mirrors Article No.: 11196/003500

2) Ceramic washbasin 2 x Article No.: 31140/310701

3) Vanity unit 2 x Article No.: 31341/390000

4) Side unit Article No.: 31322/390000

5) Base unit Article No.: 31311/390000 2450 x 610 x 68 mm

2 x 705 x 17 x 538 mm

2 x 700 x 350 x 535 mm Body/Front: Anthracite Structured laquer finish Colour No. 39


KEL

700 x 350 x 535 mm Body/Front: Anthracite Structured laquer finish Colour No. 39

700 x 350 x 535 mm Body/Front: Anthracite Structured laquer finish Colour No. 39

SKETCH

PLEASE NOTE: To order, please provide a sketch with your configuration (see sketch example)



Edition 11

Surfaces

ORDERING INFORMATION

When ordering please ensure to replace XX, YY or ZZ with appropriate number for the chosen body and front finish combinations (see example)!

PRICE GROUP 1 Colour No. Replace XX with number of finish required							
Body Structured laquer finish Front Structured laquer finish							
	Truffle	White	Anthracite				
Truffle	37						
White		38					
Anthracite			39				

PRICE GROUP 2 Colour No. Replace YY with num						
Body veneer	Front veneer					
	Oak Platin	Oak Tobacco	Oak light			
Oak Platin	44					
Oak Tobacco		85				
Oak light			89			
Body Silky matt laquer finish	Front Glass cle	ar				
	Anthracite	Truffle	Cashmere	White	Violet	Black
Anthracite (RAL 7015)	11					
Truffle		14				
Cashmere			18			
White				30		
Violet (RAL 4007)					49	
Black						57
Body Silky matt laquer finish	Front Glas matt	l			-	-
	White	Cashmere]			
White	27					

28

PRICE GROUP 3 Colour No. Replace ZZ with number of finish required							
Body high-gloss laquer finish	Front high-gloss laquer finish						
	White						
White	21						

KEUCO Varnished Surfaces

Cashmere

Are sanded, varnished, and polished in multiple work steps. The diligent treatment provides a particularly sleek, non-porous, and Colourful surface.

Structured laquer finish

Matt varnish. Characterized by its lightly structured and durable surface.

Veneer

KEUCO produces furniture with veneered surfaces when ordered. Wood is a product of nature aberrations in Colour and structure are part of its nature.Thus, each piece of furniture is unique.

Silky matt laquer finish

Matt-finished varnish. Characterized by its velvety and Colourful surface.

Glass

Glass fronts are not suected to lightrelated or environmental changes. Produced as safety glass (ESG), the glass has a Increased resistance to impact.

High-Gloss Varnish

High-gloss varnish. Characterized by its particularly sleek and brilliant surface.

Edition 11

KEUCO

Ceramic washbasins 700 mm

	No.		Article		
705 538	31140	310700	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 705 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31341, 31342, 31153, 31154, 31165 and 31166 or Royal 60, Article No. 32141 see chapter 33.	2	
	31140	310701	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 705 x 17 x 538 mm white Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31341, 31342, 31153, 31154, 31165 and 31166 or Royal 60, Article No. 32141 see chapter 33.	2	
	31140	310703	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 705 x 17 x 538 mm white Compatible washbasin fittings, see Article No. 51115, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31341, 31342, 31153, 31154, 31165 and 31166 or Royal 60, Article No. 32141 see chapter 33.	2	

Edition 11

Editions

Vanity units matching ceramic washbasin 700 mm

No.	1	Article		
	XX0000 YY0000 ZZ0000		2 2 2	
31341	XX0100 YY0100 ZZ0100	- , ,	2 2 2 2	
31342	XX0000 YY0000 ZZ0000	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Vanity unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 700 x 535 mm Colour No. 37, 38, 39	222 2222	

KEUCO


Vanity units matching ceramic washbasin 700 mm

 No.		Article		
No. 31153 31153	XX0000 YY0000 ZZ0000 XX0100 YY0100	Vanity unit compatible with ceramic washbasin Article No. 31140 1 drawer front with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm) Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Vanity unit as above, but with LED interior lighting, automatic on-off function warm-white light color EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2 2 2 2 2 2	
	ZZ0100		2	

Edition 11

Editions

Vanity units matching ceramic washbasin 700 mm



05.12

KEUCO

	No.		Article		
	31165		Vanity unit compatible with ceramic washbasin Article No. 31140 1 drawer front with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1400 x 350 x 535 mm		
		XX0000 YY0000 ZZ0000		2 2 2	
1400 700 0000000000000000000000000000000	31165		Vanity unit as above, but with LED interior lighting, automatic on-off function warm-white light color EEK: A, 10 kWh/1000h Exterior measurement: 1400 x 350 x 535 mm Colour No. 37, 38, 39	2	
		XX0100 YY0100 ZZ0100	Colour No. 37, 38, 39	2 2 2 2	

Vanity units matching ceramic washbasin 700 mm

Edition 11

Editions

Vanity units matching ceramic washbasin 700 mm

	No.		Article		
	31166		Vanity unit compatible with ceramic washbasin Article No. 31140 1 drawer front with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32		
			Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm)		
			Exterior measurement: 1400 x 350 x 535 mm Colour No.		
		XX0000 YY0000 ZZ0000	37, 38, 39	2 2 2	
1400 700 700	31166		Vanity unit as above, but with LED interior lighting, automatic on-off function warm-white light color EEK: A, 10 kWh/1000h		
320			Exterior measurement: 1400 x 350 x 535 mm Colour No.		
		XX0100 YY0100	37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2	
		ZZ0100	When selecting combination of lacquered	2	
			body/Front glass a glass top cover, article no. 31322/YY9001 is necessary to complete! Must be ordered separately, see page 05.25.		
			Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).		
			For more built-under and add-on base unit combinations go to pages 05.2-05.3.		

05.14

Edition 11

KEUCO

Ceramic washbasins 1050 mm

 No.		Article		
31150	311000	Ceramic washbasin no tap hole, without overflow, with CleanPlus surface Exterior measurement: 1055 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31341, 31342, 31153, 31154, 31165 and 31166 or Royal 60, Article No. 32141 see chapter 33.	2	
31150	311001	Ceramic washbasin single tap hole, complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1055 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31351, 31352, 31163 and 31164 or Royal 60 Article No. 32151, see chapter 33.	2	
31150	311003	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1055 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31351, 31352, 31163 and 31164 or Royal 60 Article No. 32151, see chapter 33.	2	

Edition 11

Editions

Vanity units matching ceramic washbasin 1050 mm

 No.		Article		_
	XX0000 YY0000	Vanity unit compatible with ceramic washbasin Article No. 31150 and Varicor washbasin to measure 1 drawer front with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm) Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2	
31351	ZZ0000 XX0100 YY0100	Vanity unit as above, but with LED interior lighting, automatic on-off function warm-white light color EEK: A, 5 kWh/1000h Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	
	ZZ0100	21 Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2	
31352		Vanity unit compatible with ceramic washbasin Article No. 31150 and Varicor washbasin to measure 2 drawer fronts with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1050 x 700 x 535 mm Colour No.		
31352	XX0000 YY0000 ZZ0000		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	YY0100 ZZ0100	77, 36, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2 2 2	

KEUCO

Vanity units matching ceramic washbasin 1050 mm

	No.		Article		
	31163		Vanity unit compatible with ceramic washbasin Article No. 31150 1 drawer front with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32 Interior fittings:		
			- 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1400 x 350 x 535 mm		
		XX0000	Colour No. 37, 38, 39	2	
		YY0000 ZZ0000		2 2	
1400 350	31163		Vanity unit as above, but with LED interior lighting, automatic on-off function warm-white light color EEK: A, 10 kWh/1000h		
3350			Exterior measurement: 1400 x 350 x 535 mm Colour No.		
535		XX0100 YY0100 ZZ0100	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	
			When selecting combination of lacquered body/Front glass a glass top cover, article no. 31320/YY9001 is necessary to complete! Must be ordered separately, see page 05.25.		
			Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).		
			For more built-under and add-on base unit combinations go to pages 05.2-05.3.		
	31164		Vanity unit compatible with ceramic washbasin Article No. 31150 1 drawer front with push-to-open mechanism incl. odour trap made of plastic 1 1/4 x 32		
Salar -			<u>Interior fittings:</u> - 2 sliding storage boxes (190 x 70 x 413 mm)		
			Exterior measurement: 1400 x 350 x 535 mm Colour No.		
		XX0000 YY0000 ZZ0000	37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	
1400	31164		Vanity unit as above, but with LED interior lighting, automatic on-off function warm-white light color EEK: A, 10 kWh/1000h		
350			Exterior measurement: 1400 x 350 x 535 mm Colour No.		
535		XX0100 YY0100 ZZ0100	37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	
			When selecting combination of lacquered body/Front glass a glass top cover, article no. 31320/YY9001 is necessary to complete! Must be ordered separately, see page 05.25.		
			Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).		

Edition 11

Editions

Ceramic washbasins 1400 mm

	No.		Article		
1405 538	31160	311400	Ceramic washbasin no tap hole, without overflow, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11 Article No. 31341, 31342, 31153, 31154, 31165 and 31166 or Royal 60, Article No. 32141 see chapter 33.	2	
	31160	311401	Ceramic washbasin single tap hole, complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm white Note: Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11, Article No. 31361 and 31362 or Royal 60, Article No. 32161, see chapter 33.	2	
	31160	311403	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm white Note: Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11, Article No. 31361 and 31362 or Royal 60, Article No. 32161, see chapter 33.	2	

Edition 11

KEUCO


Ceramic washbasins 1400 mm

No.		Article		
31160	311402	Ceramic double-washbasin 2 x single tap hole, without overflow, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11, Article No. 31361 and 31362 or Royal 60, Article No. 32161, see chapter 33.	2	
31160	311406	Ceramic double-washbasin 2 x 3 tap holes (gauge 200 mm), without overflow, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Compatible washbasin fittings, see Article No. 51116, chapter 04. Ceramic washbasin can be combined with Vanity unit Edition 11, Article No. 31361 and 31362 or Royal 60, Article No. 32161, see chapter 33.	2	

Edition 11

Editions

Vanity units matching to ceramic washbasin 1400 mm



Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.

05.20



Sideboards

	No.		Article		
	31320 31320	XX0000 YY0000 ZZ0000	21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 2 kWh/1000h	2 2 2	
350 950 535		XX0100 YY0100 ZZ0100	Exterior measurement: 350 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31320/Y 9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2 2 2	
	31321 31321	XX0000 YY0000 ZZ0000	Side unit 2 drawer fronts with push-to-open mechanism Exterior measurement: 350 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 2 kWh/1000h	2 2 2 2	
		XX0100 YY0100 ZZ0100	Exterior measurement: 350 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31320/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2 2 2 2	

PG = Price group

Editions

Sideboards

 No.	1	Article		
31322	XX0000 YY0000 ZZ0000 XX0100 YY0100 ZZ0100	Side unit 1 drawer front with push-to-open mechanism Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm) Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31322/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	222 222	
31323	XX0000 YY0000 ZZ0000	Side unit 2 drawer fronts with push-to-open mechanism Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 700 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31322/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2 2 2 2 2 2 2 2 2	

05.22



Sideboards

 No.		Article		
31324	XX0000 YY0000 ZZ0000	Side unit 1 drawer front with push-to-open mechanism Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm) Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31324/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2	
31325	XX0000 YY0000 ZZ0000 XX0100 YY0100 ZZ0100	Side unit 2 drawer fronts with push-to-open mechanism Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31324/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2 2 2 2 2 2 2 2	

Editions

Sideboards

 No.		Article		
31326	XX0000 YY0000 ZZ0000	Side unit 1 drawer front with push-to-open mechanism Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1400 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 10 kWh/1000h Exterior measurement: 1400 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31326/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	222 222	
31327	XX0000 YY0000 ZZ0000 YY0100 ZZ0100	Side unit 2 drawer fronts with push-to-open mechanism Interior fittings: - 4 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1400 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 10 kWh/1000h Exterior measurement: 1400 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31326/YY9000 is necessary to complete! Must be ordered separately, see page 05.25. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 05.2-05.3.	2 2 2 2 2 2 2 2	

05.24

Edition 11



Base cabinet module (to use only under Vanity units and Varicor washbasins)

No.		Article	_	
31310	XX0000 YY0000 ZZ0000	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Base cabinet module as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 2 kWh/1000h Exterior measurement: 350 x 350 x 535 mm Colour No. 37, 38, 39	22	
31311	XX0000 YY0000 ZZ0000 XX0100 YY0100 ZZ0100	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Base cabinet module as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39	22	

PG = Price group

Edition 11

Base cabinet module (to use only under Vanity units and Varicor washbasins)

	No.		Article	_	
	110.				
	31312		Base cabinet module 1 drawer front with push-to-open mechanism		
			<u>Interior fittings:</u> - 1 sliding storage box (190 x 70 x 413 mm)		
			Exterior measurement: 1050 x 350 x 535 mm		
		XX0000	Colour No. 37, 38, 39	2	
		YY0000 ZZ0000	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2	
	31312		Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h		
			Exterior measurement: 1050 x 350 x 535 mm		
		XX0100	Colour No. 37, 38, 39	2	
1050		YY0100 ZZ0100	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2 2	
05 535			Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top and is thus only suitable as a base!		
535			Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).		
	31313		Base cabinet module		
			1 drawer front with push-to-open mechanism		
			<u>Interior fittings:</u> - 2 sliding storage boxes (190 x 70 x 413 mm)		
			Exterior measurement: 1400 x 350 x 535 mm		
		XX0000	Colour No. 37, 38, 39	2	
		YY0000 ZZ0000		2 2	
	31313		Base cabinet module as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 10 kWh/1000h		
			Exterior measurement: 1400 x 350 x 535 mm		
		XX0100	Colour No. 37, 38, 39	2	
1400		XX0100 YY0100 ZZ0100	37, 30, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2 2	
535			Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top and is thus only suitable as a base!		
			Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).		
	1	1			

05.26

Edition 11

KEUCO

Cover plates

	No.		Article		
352/361/366 524	31320	YY9001	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 352 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 361 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 366 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 Please note: Cover plates suitable for sidboards and vanity units made of glass (thickness 6 mm). Cover plates to match white highgloss lacquer and veneers are available on request (thickness 10 mm).	2 2 2	
702/711/716 524 //	31322	YY9001	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 702 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 711 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 716 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 Please note: Cover plates suitable for sidboards and vanity units made of glass (thickness 6 mm). Cover plates to match white highgloss lacquer and veneers are available on request (thickness 10 mm).		
	31324	YY9001	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 1052 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 1061 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 1066 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 Please note: Cover plates suitable for sidboards and vanity units made of glass (thickness 6 mm). Cover plates to match white highgloss lacquer and veneers are available on request (thickness 10 mm).	2 2 2 2	
1402/1411/1416 524	31326	YY9000 YY9001	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 1402 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 1411 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 1416 x 3 x 524 mm 11, 14, 18, 27, 28, 30, 49, 57 Please note: Cover plates suitable for sidboards and vanity units made of glass (thickness 6 mm). Cover plates to match white highgloss lacquer and veneers are available on request (thickness 10 mm).	2	

PG = Price group

Editions

Tall units

No.	1	Article		
31330 31330	XX0001 YY0001 ZZ0001	Tall unit single door with soft closing Interior fittings: - 4 glass shelves Exterior measurement: 350 x 1700 x 370 mm LH hinge / Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Tall unit single door with soft closing	2 2 2 2	
	XX0002 YY0002 ZZ0002	Interior fittings: - 4 glass shelves Exterior measurement: 350 x 1700 x 370 mm RH hinge / Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Please note: Cannot be attached to other furniture items.	2 2 2 2	
31331	XX0001 YY0001 ZZ0001	Tall unit single door with soft closing Interior fittings: - 3 glass shelves - 1 drawer - 1 laundry basket Exterior measurement: 350 x 1700 x 370 mm LH hinge / Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2 2 2	
31331	XX0002 YY0002 ZZ0002	Tall unit single door with soft closing Interior fittings: - 3 glass shelves - 1 drawer - 1 laundry basket Exterior measurement: 350 x 1700 x 370 mm RH hinge / Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Please note: Cannot be attached to other furniture items.	2 2 2 2	

05.28

Edition 11

KEUCO

	No.		Article		
	31300	510000	Storage box slides, compatible with the drawer fronts of the Edition 11 Exterior measurement: 190 x 70 x 413 mm white Note: For an additional order of the sliding storage box Article No. 31300, be aware that not every extractable front of the Edition 11 is equipped with the slide tracks necessary for this item (see notes of the respective piece of furniture). In general, an extractable front with a pipe cutaway and a width of 700 mm and an extractable front and a width 350 mm do not have slide tracks!	2	
190 413 R					


Edition 11

Editions

 No.	Article		
31198	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 438 x 12 x 438 mm white	2	
<u> </u>			
31198	Ceramic washbasin single tap hole, without overflow, with CleanPlus surface Exterior measurement: 438 x 12 x 438 mm white	2	

Edition 11





Edition 11

Editions

 No.		Article		
11198	001500	Light mirror Edition 11 IP Rating 24 (Zone 2) with integrated shelf, LED lamp (2 x 6,5 watt), concealed switch EEK: A++, A+, A, 7 kWh/1000h Exterior measurement: 435 x 900 x 128 mm	2	



	No.		Article			
	21101		Mirror cabinet 1 lift-up double sided crystal glass mirrored door interior rear wall mirrored, 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) EEK: A+, 4 x 15 kWh/1000h Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 sliding cosmetic mirror (180 x 550 mm) with height-adjustable cosmetic mirror - 3 adjustable glass shelves Exterior measurement / mirror width 1050 x 610 x 155 mm / 700 mm	body silver anodized	2	
742 50 742 50 700 1050 1352	21101	171202	Mirror cabinet idem, but with integrated Bluetooth soundsystem: - Connection of smartphones/Tablets/PC's over a wireless bluetooth connection - Possible connections: All devices with a convent Bluetooth transmission system are compatible - Playback of audio files - Bluetooth standard/profile: Bluetooth CSR 2.1/A2 - Range from source to receiver device max. 8 m - Device management up to 8 devices - Control and volume via mobile device - Speaker output 2 x 5 Watt EEK: A+, 4 x 15 kWh/1000h Exterior measurement / mirror width 1050 x 610 x 155 mm / 700 mm Please note: Width shown above is inclusive of light wing (does not include wing mirror).	ional	2	

Editions


No.		Article		
21102	171201	Mirror cabinet 1 lift-up double sided crystal glass mirrored door interior rear wall mirrored, 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) EEK: A+, 4 x 15 kWh/1000h Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 socket (external) - 3 adjustable cosmetic mirror - 3 adjustable glass shelves Exterior measurement / mirror width 1400 x 610 x 155 mm / 1050 mm		
21102		Mirror cabinet Idem, but with integrated Bluetooth soundsystem: - Connection of smartphones/Tablets/PC's over a wireless bluetooth connection - Possible connections: All devices with a conventional Bluetooth transmission system are compatible - Playback of audio files - Bluetooth standard/profile: Bluetooth CSR 2.1/A2DP - Range from source to receiver device max. 8 m - Device management up to 8 devices - Option and volume via mobile device - Speaker output 2 x 5 Watt EEK: A+, 4 x 15 kWh/1000h Exterior measurement / mirror width 1400 x 610 x 155 mm / 1050 mm Please note: Width shove is inclusive of light wing (does not include wing mirror).	y	




No.		Article		
21103	171201	Mirror cabinet 1 lift-up double sided crystal glass mirrored door interior rear wall mirrored, 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) EEK: A+, 4 x 15 kWh/1000h Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 socket (external) - 2 sockets (internal) - 3 socket (external) - 4 socket (external) - 5 sockets (internal) - 6 socket (external) - 7 socket (external) - 8 socket (external) - 9 socket (external) - 1 sliding cosmetic mirror (180 x 550 mm) with height-adjustable cosmetic mirror - 2 x 3 adjustable glass shelves Exterior measurement / mirror width body 1750 x 610 x 155 mm / 1400 mm silver anodized	2	
21103	171202	 Mirror cabinet Idem, but with integrated Bluetooth soundsystem: Connection of smartphones/Tablets/PC's over a wireless bluetooth connection Possible connections: All devices with a conventional Bluetooth transmission system are compatible Playback of audio files Bluetooth standard/profile: Bluetooth CSR 2.1/A2DP Range from source to receiver device max. 8 m Device management up to 8 devices Control and volume via mobile device Speaker output 2 x 5 Watt EK: A+, 4 x 15 kWh/1000h Exterior measurement / mirror width silver anodized Please note: Width shown above is inclusive of light wing (does not include wing mirror). 	2	

Edition 11

Editions



KEUCO




Edition 11

Editions


	No.		Article		
	21203	171301	Mirror cabinet 4 hinged double sided crystal mirror doors interior rear wall mirrored, horizontal illumination, mirrored front panel, room, mirror and interior illumination fluorescent light tubes (1 x 54 watt) EEK: A+, 59 kWh/1000h Interior fittings: Division of inner compartment ideal for double washbasins Width of the inner compartments: left 670 mm / right 670 mm - 1 exterior light switch - 4 interior sockets - 2 x 3 adjustable glass shelves - 1 universal shelf - buffer Exterior measurement: body 1400 x 887 x 191 mm	2	
1400 191 152 348 348 348 348	21203	171302	Mirror cabinet idem, but with integrated Bluetooth soundsystem: - Connection of smartphones/Tablets/PC's over a wireless bluetooth connection - Possible connections: All devices with a conventional Bluetooth transmission system are compatible - Playback of audio files - Bluetooth standard/profile: Bluetooth CSR 2.1/A2DP - Range from source to receiver device max. 8 m - Device management up to 8 devices - Control and volume via mobile device - Speaker output 2 x 5 Watt EEK: A+, 59 kWh/1000h Exterior measurement: body 1400 x 887 x 191 mm	2	
152 348 348 348					

KEUCO



Edition 11

Order form Template



Quantity	Article no.	Descripton	Dimension B x H x T	Description				
1	21250 171302	Switch-module	700 x 770 x 152 mm	with touch switch, shaver socket and bluetooth soundsystem				
1	21240 171101	Add-on Modul	350 x 770 x 152 mm	door r/hinge				
1	21241 171301	Add-on Modul	700 x 770 x 152 mm	with sockets				
1	21260 013002	Lighting module	1750 x 135 x 191 mm	with loud speaker				

SKETCH

Please note:

A sketch showing exact configuration of modules is required with your order!

		:											
		:								1			1
													-
										-			:
i			 	<u>.</u>	 	 	 	 	 	<u>.</u>			<u>.</u>
										1			1
										1			:
										-			-
										-			-
													-
													1
			 		 	 		 	 	:			:
													:
													:
													1
										1			1
····•	•••••	••••••	 	••••••	 	 	 	 ÷·····	 	÷			÷
													1
										1			1
										1			1
										-			
			 		 	 	 	 	 	<u>.</u>			<u>.</u>
								:		÷			÷
										1			-
			:							:	:	:	:
			:							:	:	:	:
										:		:	1
										1			
			 		 	 	 	 	 	:			:
		: :	-							÷		:	1
										1			:
										1			
										1			
			 		 	 		 		-		<u>.</u>	1



Order form Template

Electrical components	Add-on module	Switch module	Lighting module
	without switch	with touch switch	Lighting module
without shaver socket	350 mm Art No. 21240 700 mm Art No. 21241		
1 shaver socket	700 mm Art No. 21241		
1 shaver socket		700 mm Art No. 21250	
1 shaver socket and music station		700 mm Art No. 21250	
Dimensions: 1750 mm 2100 mm			Art No. 21260

Please note:

Add-on and power-modules can be combined freely with each other. Please note the following:


- one power module is always required.

- (if not cabinet lighting has to be hardwired for switching via main room switch)
- circuit at the lighting is a 4-wire cable or 2 phases required
- select correct length of lighting module to complete cabinet configuration.
- available cominations from 1750-2100 mm possible
- when combining multiple switch modules an AC circuit is not possible!

Edition 11


Editions

Mirror cabinets



05.42

KEUCO



Edition 11

Editions

Mirror cabinets

	No.		Article		
	21260		Lighting module horizontal illumination, mirrored front panel, room, mirror and interior illumination fluorescent light tubes, with alu-side facias EEK: A+, 2 x 42 kWh/1000h Exterior measurement: Wattage		
	21260	013501 014001 014501	1750 x 135 x 191 mm 2 x 39 wātt 2100 x 135 x 191 mm 2 x 39 watt 2450 x 135 x 191 mm 2 x 54 watt 2800 x 135 x 191 mm 2 x 54 watt Lighting module Lighting module	2 2	
0450 2800		013502	as above, but with bluetooth soundsystem EEK: A+, 2 x 42 kWh/1000h Exterior measurement: Wattage 1750 x 135 x 191 mm 2 x 39 watt 2100 x 135 x 191 mm 2 x 39 watt 2450 x 135 x 191 mm 2 x 54 watt	2	
1750 2100 2450 2800 191 191 1750 2100 2450 2800 1750 2100 2450 2800		014502	2800 x 135 x 191 mm2 x 54 wattPlease note: To complete power module with bluetooth soundsystem, (article no. 21250 171302) please order light box with loud speakers.	2	
92 191					

05.44

Edition 11

KEUCO

Crystal Mirror / Light Mirror

	No.		Article		
	11195	001500 002000 002500 003000	Crystal mirror Exterior measurement: 700 x 610 x 26 mm 1050 x 610 x 26 mm 1400 x 610 x 26 mm 1750 x 610 x 26 mm 2100 x 610 x 26 mm	2 2 2 2 2	
019 26 700019 26 1050019 26 1400019 26 1750019 26 2100					
	11196	001500 002000 003500 003500	1750 x 610 x 68 mm / 1400 mm 2100 x 610 x 68 mm / 1750 mm	2 2 2 2 2 2 2	

Ceramic Washbasins and Furniture



KEUCO


Ordering Information

Product Line

The following pages display the Edition Line of Varicor washbasins and furniture. Varicor washbasins are tailor-made and can be combined with vanity unit and base cabinet module. The product line includes a variety of additional furniture, such as side units and tall units. Please keep in mind the planning notes for the individual furniture models.

Example: Varicor washbasin with a total width of 2100 mm

- combined with
- 2 x vanity units, width (each) 700 mm 4 x base cabinet module, width (each) 700 mm



Note:

Vanity units and base cabinet modules can be built directly next to each other and on top of each other. The stacked furniture are then completely covered by the Varicor washbasin in a seamless style.

Vanity unit has a pipe cutaway in the extractable front and is thus absolutely necessary for the installation of a wash basin bowl!

The base cabinet module is not supplied with a top and is only suitable to be combined with the corresponding vanity unit.

Collection Summary


Varicor Washbasin (pages 06.11-06.12)

The Varicor washbasin is custom-made in widths between 700 - 2800 mm. Available as a single or double washbasin, with or without tap hole.

Varicor

Varicor® is the ideal material for superior washbasin solutions, a mineral solid surface composed of high-grade natural minerals and resins. Varicor is characterized by its silk matt, warm surface. It is easy to care for and fulfills the highest requirements for durability and hygiene.


Customization of Single Washbasin (Article No. 31240, 31270)



Dimension A = total width (700 - 2800 mm, in 350 mm steps)

Dimension B = position of the wash basin bowl (From left to centre of bowl, in 350/175 mm steps)

Note: When ordering, we need you to provide us with dimensions A and B along with the Article No.!



Customization of Double Washbasin (Article No. 31263, 31280)

When ordering, we need you to provide us with dimensions A, B1, and B2!


Special sizes and solutions as well as special colors according to RAL Classic are available upon request.

Collection Summary


Vanity unit (from page 06.13)

Vanity units are available in the sizes 700, 1050 and 1400 mm. All vanity units have a pipe cutaway in their extractable front, aligned to the position of the wash basin bowl. Thus the vanity unit is absolutely necessary in order to install the wash basin bowl!

Vanity units




Collection Summary



KEUC




Collection Summary




KEUCO

Mirror cabinets / Light mirrors / Crystal mirrors




Edition 11 Planning

Example





Example



1) Light mirror Article No. 11196/ 003500

2) Varicor washbasin Article No. 31270/ 702103


3) Vanity Unit Article No. 31251/ 210000

4) Base cabinet module Article No. 31312/ 210000 2450 x 610 x 68 mm

Dimension A = 2100 mm Dimension B = 1575 mm

1050 x 350 x 535 mm body/front: white high-gloss varnish / white high-gloss varnish Color No. 21

2 x 1050 x 350 x 535 mm body/front: white high-gloss varnish / white high-gloss varnish Color No. 21



1) Light mirror Article No. 11196/ 002500

2) Varicor washbasin Article No. 31263/ 701402

1402 Dimension B1 = 350 mm, Dimension B2 = 1050 mm

1750 x 610 x 68 mm

Dimension A = 1400 mm

3) Vanity units Article No. 31241/ 440000 body/front: oak-platin / oak-platin Color No. 44

SKETCH

Please note: A sketch showing exact configuration of furniture is required with your order!

	•															
••••••	••••••	••••••	 •	••••••	•	•	•	 ••••••	•	 •	•	•	•	•	••••••	••••••

Furniture surfaces

ORDERING INFORMATION

When ordering please ensure to replace XX, YY or ZZ with appropriate number for the chosen body and front finish cominations (see example)!

PRICE GROUP 1 Colour No. Replace XX with number of finish required								
Body Structured laquer finish	d laquer finish							
	Truffle	White	Anthracite					
Truffle	37							
White		38						
Anthracite			39					

PRICE GROUP 2 Colour No. Replace YY with num						
Body veneer	Front veneer					
	Oak Platin	Oak Tobacco	Oak light			
Oak Platin	44					
Oak Tobacco		85				
Oak light			89			
Body Silky matt laquer finish	Front Glass cle	ar				
	Anthracite	Truffle	Cashmere	White	Violet	Black
Anthracite (RAL 7015)	11					
Truffle		14				
Cashmere			18			
White				30		
Violet (RAL 4007)					49	
Black						57
Body Silky matt laquer finish	Front Glas matt			•	<u>.</u>	•
	White	Cashmere]			
White	27					

28

PRICE GROUP 3 Colour No. Replace ZZ with number of finish required								
Body high-gloss laquer finish Front high-gloss laquer finish								
	White							
White	21							

KEUCO Varnished Surfaces

Cashmere

Are sanded, varnished, and polished in multiple work steps. The diligent treatment provides a particularly sleek, non-porous, and Colourful surface.

Structured laguer finish

Matt varnish. Characterized by its lightly structured and durable surface.

Veneer

KEUCO produces furniture with veneered surfaces when ordered. Wood is a product of nature aberrations in Colour and structure are part of its nature. Thus, each piece of furniture is unique.

Silky matt laquer finish

Matt-finished varnish. Characterized by its velvety and Colourful surface.

Glass

Glass fronts are not suected to lightrelated or environmental changes. Produced as safety glass (ESG), the glass has a Increased resistance to impact.

High-Gloss Varnish

High-gloss varnish. Characterized by its particularly sleek and brilliant surface.

KEUCO


Varicor Single Washbasin

The Varicor washbasin is custom-made in widths between 700 - 2800 mm.

Please note:

When ordering, we need you to provide us with dimensions A and B along with the Article No.!

Customization of Single Washbasin (Article No. 31240, 31270)



Dimension A = total width (700 - 2800 mm, in 350 mm steps) **Dimension B** = position of the wash basin bow (from left to centre of basin, in 350/175 mm increments)

	no tap hole	single tap hole	3 tap holes			
Dim. A	Article no. PG	Article no. PG	Article no. PG	Surface		
700	31240700700 2	31240700701 2	31240700703 2	arktis white silky-matt		
1050	31270701000 2	31270701001 2	31270701003 2	arktis white silky-matt		
1400	31270701400 2	31270701401 2	31270701403 2	arktis white silky-matt		
1750	31270701700 2	31270701701 2	31270701703 2	arktis white silky-matt		
2100	31270702100 2	31270702101 2	31270702103 2	arktis white silky-matt		
2450	31270702400 2	31270702401 2	31270702403 2	arktis white silky-matt		
2800	31270702800 2	31270702801 2	31270702803 2	arktis white silky-matt		

Note:

Varicor washbasins without tap holes do not have an overflow drain.

Basin waste Article No. 59904 can be ordered separately, see page 19.3

Otherwise the Varicor washbasins are supplied with the CLOU drain and overflow system.

Special sizes and solutions as well as special colors according to RAL Classic are available upon request.

Edition 11 Planning


Varicor Double Washbasin

The Varicor washbasin is custom-made in widths of 1400 - 2800 mm.

Please note:

When ordering, we need you to provide us with dimensions A, B1, and B2 along with the Article No.!

Customization of Double Washbasin (Article No. 31263, 31280)



- Dimension A = total width (1400 2800 mm, in 350 mm-steps)
- **Dimension B 1** = position of the wash basin bowl (from left to centre of basin, in 350/175 mm increments)
- **Dimension B 2** = position of the wash basin bowl 2 (from left to centre of basin, in 350/175 mm increments)

	no tap hole	2 x single tap hole	2 x 3 tap holes	
Dim. A	Article no. PG	Article no. PG	Article no. PG	Surface
1400	31263701400 2	31263701402 2	31263701406 2	arktis white silky-matt
1750	31280701700 2	31280701702 2	31280701706 2	arktis white silky-matt
2100	31280702100 2	31280702102 2	31280702106 2	arktis white silky-matt
2450	31280702400 2	31280702402 2	31280702406 2	arktis white silky-matt
2800	31280702800 2	31280702802 2	31280702806 2	arktis white silky-matt

Please note:

Varicor washbasins without tap holes do not have an overflow drain.

Basin waste Article No. 59904 can be ordered separately, see page 19.3


Otherwise the Varicor washbasins are supplied with the CLOU drain and overflow system.

Special sizes and solutions as well as special colors according to RAL Classic are available upon request.

Edition 11 Planning

KEUCO


Vanity units



PG = Price group

Editions


Vanity units



Edition 11 Planning

KEUCO


Vanity units



PG = Price group

Editions


Vanity units



Edition 11 Planning

KEUCO


Vanity units



PG = Price group

Editions


Vanity units



Edition 11 Planning

KEUCO


Vanity units



PG = Price group

Editions

Vanity units



Edition 11 Planning

KEUCO

Base cabinet module (to use only under Vanity units and Varicor washbasins)

	No.		Article	_	
	31310	XX0000 YY0000 ZZ0000	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Base cabinet module as above, but additionally with LED interior lighting	2 2 2	
350		XX0100 YY0100 ZZ0100	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	
535	31314		Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). Base cabinet module		
	31314	XX0000 YY0000 ZZ0000	2 drawer fronts with push-to-open mechanism Exterior measurement: 350 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	
350 00		XX0100 YY0100 ZZ0100	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2	

PG = Price group

Base cabinet module

(to use only under Vanity units and Varicor washbasins)

 No.		Article		
31311	XX0000 YY0000 ZZ0000 XX0100 YY0100 ZZ0100	Base cabinet module 1 drawer front with push-to-open mechanism Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm) Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Base cabinet module as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top and is thus only suitable as a base! Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).	2 2 2 2 2 2 2 2	
31315	XX0000 YY0000 ZZ0000	Base cabinet module 2 drawer fronts with push-to-open mechanism Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 700 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Base cabinet module as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top and is thus only suitable as a base! Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).	2 2 2 2 2 2 2 2 2	

06.22

Edition 11 Planning




Base cabinet module (to use only under Vanity units and Varicor washbasins)

	NL .		Antiala		_
	No.		Article		
	31312		Base cabinet module 1 drawer front with push-to-open mechanism		
			Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm)		
			Exterior measurement: 1050 x 350 x 535 mm		
		xx0000	Colour No. 37, 38, 39	2	
		YY0000 ZZ0000	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2	
	31312		Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h		
			Exterior measurement: 1050 x 350 x 535 mm		
		XX0100	Colour No. 37, 38, 39	2	
1050		YY0100 ZZ0100	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2	
			Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top and is thus only suitable as a base!		
			Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com).		
	31316		Base cabinet module 2 drawer fronts with push-to-open mechanism		
			Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm)		
			Exterior measurement: 1050 x 700 x 535 mm		
		VV0000	Colour No.	2	
		XX0000 YY0000	37, 38, 39	21	
		ZZ0000	11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2	
	31316			2	
			21 Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm	2	
1050	31316		21 Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm Colour No.	2 2	
1050	31316		21 Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm	2	
	31316	XX0100 YY0100	21 Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89	2 2 2 2 2	
	31316	XX0100 YY0100	21 Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top	2 2 2 2 2	
	31316	XX0100 YY0100	21 Base cabinet module idem, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Note: For use as base furniture. The base cabinet module does not have a pipe cutaway in the front. Moreover it does not have a top and is thus only suitable as a base! Power socket is required for LED interior lighting.	2 2 2 2 2	

PG = Price group

Base cabinet module

(to use only under Vanity units and Varicor washbasins)



06.24

Edition 11 Planning

Additional Furniture



KEUCO

Editions

Sideboards

	No.		Article		
		XX0000 YY0000 ZZ0000		2 2 2	
350 99 535		XX0100 YY0100 ZZ0100	Exterior measurement: 350 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31320/YY9000 is necessary to complete! Must be ordered separately, see page 06.30. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 06.4-06.5.	2 2 2	
	31321 31321	XX0000 YY0000 ZZ0000	Side unit 2 drawer fronts with push-to-open mechanism Exterior measurement: 350 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 2 kWh/1000h	2 2 2	
350 02 535		XX0100 YY0100 ZZ0100	Exterior measurement: 350 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31320/YY9000 is necessary to complete! Must be ordered separately, see page 06.30. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 06.4-06.5.	2 2 2 2	

Edition 11 Planning

KEUCO

Sideboards

	No.		Article		
	31322	XX0000 YY0000 ZZ0000	Side unit 1 drawer front with push-to-open mechanism Interior fittings: - 1 sliding storage box (190 x 70 x 413 mm) Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21	2 2 2	
700 05 535	31322	XX0100 YY0100 ZZ0100	Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h Exterior measurement: 700 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31322/YY9000 is necessary to complete! Must be ordered separately, see page 06.30. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 06.4-06.5.	2 2 2 2	
	31323	XX0000 YY0000 ZZ0000	21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 5 kWh/1000h		
		XX0100 YY0100 ZZ0100	Exterior measurement: 700 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31322/YY9000 is necessary to complete! Must be ordered separately, see page 06.30 Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com) For more built-under and add-on base unit combinations go to pages 06.4-06.5.	2 2 2	

PG = Price group

Editions

Sideboards

	No.	Ĩ	Article		
		XX0000 YY0000 ZZ0000	21	2 2 2	
1050 99 535	31324	XX0100 YY0100 ZZ0100	Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31324/YY9000 is necessary to complete! Must be ordered separately, see page 06.30. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 06.4-06.5.	2 2 2 2	
	31325	XX0000 YY0000 ZZ0000	Side unit 2 drawer fronts with push-to-open mechanism Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 7 kWh/1000h Exterior measurement: 1050 x 700 x 535 mm Colour No. 37, 38, 39		
		YY0100 ZZ0100		22	

06.28

Edition 11 Planning

KEUCO

Sideboards

	No.	,	Article	
	31326	XX0000 YY0000 ZZ0000	Side unit 1 drawer front with push-to-open mechanism Interior fittings: - 2 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1400 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit	2 2 2
1400 090 535		XX0100 YY0100 ZZ0100	as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 10 kWh/1000h Exterior measurement: 1400 x 350 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31326/YY9000 is necessary to complete! Must be ordered separately, see page 06.30. Power socket is required for LED interior lighting. See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 06.4-06.5.	2 2 2 2
	31327	XX0000 YY0000 ZZ0000 XX0100 YY0100 ZZ0100	Side unit 2 drawer fronts with push-to-open mechanism Interior fittings: - 4 sliding storage boxes (190 x 70 x 413 mm) Exterior measurement: 1400 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 Side unit as above, but additionally with LED interior lighting automatic on-off function, warm-white light colour EEK: A, 10 kWh/1000h Exterior measurement: 1400 x 700 x 535 mm Colour No. 37, 38, 39 11, 14, 18, 27, 28, 30, 49, 57, 44, 85, 89 21 When selecting combination of lacquered body/Front glass a glass top cover, article no. 31326/YY9000 is necessary to complete! Must be ordered separately, see page 06.30. Power socket is required for LED interior lighting.	2 2 2 2 2 2 2
535			See fitting instructions for details (go to www.keuco.com). For more built-under and add-on base unit combinations go to pages 06.4-06.5.	

Edition 11 Planning

Editions


Cover plates

	No.		Article			
352 524 m	31320	YY9000	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 352 x 3 x 524 mm	11, 14, 18, 27, 28, 30, 49, 57	2	
	31322	YY9000	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 702 x 3 x 524 mm	11, 14, 18, 27, 28, 30, 49, 57	2	
1052 #	31324	YY9000	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 1052 x 3 x 524 mm	11, 14, 18, 27, 28, 30, 49, 57	2	
	31326	YY9000	Cover plate crystalline glass, lacquered on base, for sideboard/vanity unit Exterior measurement: 1402 x 3 x 524 mm	11, 14, 18, 27, 28, 30, 49, 57	2	

Edition 11 Planning

KEUCC

Tall units (only use on its own)



PG = Price group


Editions

Accessories

No.		Article		
31300	510000	Storage box slides, compatible with the drawer fronts of the Edition 11 Exterior measurement: 190 x 70 x 413 mm white Note: For an additional order of the sliding storage box Article No. 31300, be aware that not every extractable front of the Edition 11 is equipped with the slide tracks necessary for this item (see notes of the respective piece of furniture). In general, an extractable front with a pipe cutaway and a width of 700 mm and an extractable front and a width 350 mm do not have slide tracks!	2	

Edition 11 Planning

KEUCO



Editions

	No.		Article			_
	21101		Mirror cabinet 1 lift-up double sided crystal glass mirrored door interior rear wall mirrored, 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) EEK: A+, 4 x 15 kWh/1000h			
			Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 sliding cosmetic mirror (180 x 550 mm) with height-adjustable cosmetic mirror - 3 adjustable glass shelves			
		171201	Exterior measurement / mirror width 1050 x 610 x 155 mm / 700 mm	body silver anodized	2	
742 155 019 019	21101		 Mirror cabinet idem, but with integrated Bluetooth soundsystem: Connection of smartphones/Tablets/PC's over a wireless bluetooth connection Possible connections: All devices with a conven Bluetooth transmission system are compatible Playback of audio files Bluetooth standard/profile: Bluetooth CSR 2.1/A Range from source to receiver device max. 8 m Device management up to 8 devices Control and volume via mobile device Speaker output 2 x 5 Watt EEK: A+, 4 x 15 kWh/1000h 	tional		
50		171202	Exterior measurement / mirror width 1050 x 610 x 155 mm / 700 mm	body silver anodized	2	
700 1050 1352			Please note: Width shown above is inclusive of light wing (does not include wing mirror).	24		

Edition 11 Planning

KEUCO


No.	Article	
21102	Mirror cabinet 1 lift-up double sided crystal glass mirrored door interior rear wall mirrored, 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) EEK: A+, 4 x 15 kWh/1000h Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 socket (external) - 3 adjustable cosmetic mirror - 3 adjustable glass shelves Exterior measurement / mirror width body 1400 x 610 x 155 mm / 1050 mm	
21102	Mirror cabinet idem, but with integrated Bluetooth soundsystem: - Connection of smartphones/Tablets/PC's over a wireless bluetooth connection - Possible connections: All devices with a conventional Bluetooth transmission system are compatible - Playback of audio files Bluetooth standard/profile: Bluetooth CSR 2.1/A2DP - Range from source to receiver device max. 8 m - Device management up to 8 devices - Control and volume via mobile device - Speaker output 2 x 5 Watt EEK: A+, 4 x 15 kWh/1000h Exterior measurement / mirror width 1400 x 610 x 155 mm / 1050 mm Silver anodized Please note: Width shown above is inclusive of light wing (does not include wing mirror). $\sqrt[2]{24}$	

Editions


No.	Article	
21103	Mirror cabinet 1 lift-up double sided crystal glass mirrored door interior rear wall mirrored, 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) EEK: A+, 4 x 15 kWh/1000h	
	Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 sliding cosmetic mirror (180 x 550 mm) with height-adjustable cosmetic mirror - 2 x 3 adjustable glass shelves	
171	Exterior measurement / mirror width body 1750 x 610 x 155 mm / 1400 mm silver anodized	2
21103	 Mirror cabinet Idem, but with integrated Bluetooth soundsystem: Connection of smartphones/Tablets/PC's over a wireless bluetooth connection Possible connections: All devices with a conventional Bluetooth transmission system are compatible Playback of audio files Bluetooth standard/profile: Bluetooth CSR 2.1/A2DP Range from source to receiver device max. 8 m Device management up to 8 devices Control and volume via mobile device Speaker output 2 x 5 Watt EEK: A+, 4 x 15 kWh/1000h Exterior measurement / mirror width body silver anodized Please note: Width shown above is inclusive of light wing (does not include wing mirror). 	2

Edition 11 Planning

KEUCO




Editions



Edition 11 Planning

KEUCO



Editions

	No.		Article		
	21213		Mirror cabinet 4 hinged double sided crystal mirror doors interior rear wall mirrored, horizontal illumination, mirrored front panel, room, mirror and interior illumination fluorescent light tubes (1 x 54 watt) EEK: A+, 59 kWh/1000h Interior fittings: Division of inner compartmens ideal for single washbasin Width of inner compartments: left 330 mm / middle 660 mm / right 330 mm - 1 exterior light switch - 4 interior sockets - 3 x 3 adjustable glass shelves - 1 universal shelf - buffer Exterior measurement: bod 1400 x 887 x 191 mm	y 2	
1400 191 191 191 191 191 191 191 1	21213		Mirror cabinet idem, but with integrated Bluetooth soundsystem: - Connection of smartphones/Tablets/PC's over a wireless bluetooth connection - Possible connections: All devices with a conventional Bluetooth transmission system are compatible - Playback of audio files - Bluetooth standard/profile: Bluetooth CSR 2.1/A2DP - Range from source to receiver device max. 8 m - Device management up to 8 devices - Control and volume via mobile device - Speaker output 2 x 5 Watt EEK: A+, 59 kWh/1000h		
		171302	Exterior measurement: bod 1400 x 887 x 191 mm silver anodize	y 2	
1400 191 162 348 348 348 348					

Edition 11 Planning



Order form Template

Electrical components	Add-on module without switch		Switch module with touch switch	Lighting module
without shaver socket	350 mm Art No. 21240	700 mm Art No. 21241		
1 shaver socket	700 mm Art No. 21241			
1 shaver socket			700 mm Art No. 21250	
1 shaver socket and music station			700 mm Art No. 21250	
Dimensions: 1750 mm 2100 mm				Art No. 21260

Please note:

Add-on and power-modules can be combined freely with each other. Please note the following:


- one power module is always required.
- (if not cabinet lighting has to be hardwired for switching via main room switch)
- circuit at the lighting is a 4-wire cable or 2 phases required
- select correct length of lighting module to complete cabinet configuration.
- available cominations from 1750-2800 mm possible
- when combining multiple switch modules an AC circuit is not possible!



Edition 11 Planning

Editions

Order form Template




Quantity	Article no.	Descripton	Dimension B x H x T	Description
1	21250 171302	Switch-module	700 x 770 x 152 mm	with touch switch, shaver socket and bluetooth soundsystem
1	21240 171101	Add-on Modul	350 x 770 x 152 mm	door r/hinge
1	21241 171301	Add-on Modul	700 x 770 x 152 mm	with sockets
1	21260 013002	Lighting module	1750 x 135 x 191 mm	with loud speaker

SKETCH

Please note:

A sketch showing exact configuration of furniture modules is required with your order!




Edition 11 Planning

KEUCO

	No.		Article		
	21240		Add-on module without light switch, without socket 1 hinged double sided crystal mirror door, interior rear wall mirrored Interior fittings: - 3 vertically adjustable glass shelves - 1 universal shelf - soft closing Exterior measurement: 350 x 770 x 152 mm		
		171100 171200	body/door hinge silver anodized/right hand silver anodized/left hand	2 2	
	21240		Add-on module as above, but with 1 shaver socket		
350		171101 171201	Exterior measurement: 350 x 770 x 152 mm body/door hinge silver anodized/right hand silver anodized/left hand Please note: To complete light box, article no. 21260 is absolutely necessary. Please order separately, see page 06.45.	2 2	
152 348			necessary. Please order separately, see page 06.45.		
	21241		Add-on module without light switch, without sockets 2 hinged double sided crystal mirror doors, interior rear wall mirrored		
			Interior fittings: - 3 vertically adjustable glass shelves - 1 universal shelf - soft closing		
			Exterior measurement: 700 x 770 x 152 mm body		
	21241	171300	silver anodized	2	
700	- 1 - 4 1		as above, but with 1 shaver socket		
		171301	Exterior measurement: 700 x 770 x 152 mm body silver anodized	2	
PE 152 348 348		17 1301	Please note: To complete light box, article no. 21260 is absolutely necessary. Please order separately, see page 06.45.	2	

Editions



Edition 11 Planning

KEUCO

	No.		Article		
	21260		Lighting module horizontal illumination, mirrored front panel, room, mirror and interior illumination fluorescent light tubes, with alu-side facias EEK: A+, 2 x 42 kWh/1000h		
		013501 014001	Exterior measurement: Wattage 1750 x 135 x 191 mm 2 x 39 watt 2100 x 135 x 191 mm 2 x 39 watt 2450 x 135 x 191 mm 2 x 54 watt 2800 x 135 x 191 mm 2 x 54 watt	2 2	
	21260		Lighting module as above, but with bluetooth soundsystem EEK: A+, 2 x 42 kWh/1000h		
1750 2100 2450 2800		013502 014002	Exterior measurement: Wattage 1750 x 135 x 191 mm 2 x 39 watt 2100 x 135 x 191 mm 2 x 39 watt 2450 x 135 x 191 mm 2 x 54 watt 2800 x 135 x 191 mm 2 x 54 watt	2 2	
1750 2100 2450 2800			Please note: To complete power module with bluetooth soundsystem, (article no. 21250 171302) please order light box with loud speakers.		
191					

Editions

Crystal Mirror / Light Mirror

	No.		Article		
		002000 002500 003000 003500 004000	Crystal mirror Exterior measurement: 700 x 610 x 26 mm 1050 x 610 x 26 mm 1400 x 610 x 26 mm 1750 x 610 x 26 mm 2100 x 610 x 26 mm 2450 x 610 x 26 mm 2800 x 610 x 26 mm	2 2 2 2 2 2 2 2 2	
019 26 019 26 019 26 019 26 019 26 019 26 019 26 019 26 019 26 019 26 019 26 019 26 019 2450 019 2450 019 2450 019 26 019 2450 019 26 019 20 019 26 019 20 019 26 019 20 01					

Edition 11 Planning

KEUCO

Crystal Mirror / Light Mirror


 No.		Article		
11196	001500 002000 002500 003000 003500 004000	Light mirror IP Rating 24 (Zone 2) 2 laterally illuminated side wings, each pivoting up to 90 degrees, with tilting mirror fluorescent light tubes (4 x 14 watt T5) concealed switch EEK: A+, 4 x 15 kWh/1000h Exterior measurement / mirror width 1050 x 610 x 68 mm / 700 mm 1400 x 610 x 68 mm / 1050 mm 1750 x 610 x 68 mm / 1400 mm 2100 x 610 x 68 mm / 2100 mm 2450 x 610 x 68 mm / 2450 mm 3150 x 610 x 68 mm / 2800 mm Please note: Width shown above is inclusive of light wing (does not include wing mirror).	2 2 2 2 2 2 2 2 2 2 2 2	



Edition 300 ACC/FIT


Edition 300

Editions




Edition 300





Edition 300

Editions




Edition 300



No.		Article		
53016	010200	Single lever basin mixer concealed, DN 15, mixing cartridge with ceramic sealing gaskets temperature controlled aerator M 21.5 x 1 flow rate reduced to 7,6 l/min. in combination with rough part 53016 chrome-plated Essential for installation: Rough concealed part, article 53016 000070, see below	1	
53016	000070	Rough part concealed, for single lever basin mixer, wall mounted	1	
53016	010071	Extension set 25 mm, for base structure 53016/000070 chrome-plated	1	


Edition 300

Editions




Edition 300

KEUCO




KEUCO Edition 300

Editions









No.		Article		Eution
53045	010000	Bath filler/spout DN20 suitable for all concealed fittings (Article No. 53071 - 53074) PA - IX 6727 / IB Projection: 164 mm chrome-plate Bath filler/spout DN20 suitable for all concealed fittings (Article No. 53071 - 53074) PA - IX 6727 / IB Projection: 214 mm chrome-plate		
53045	010002	Bath filler/spout DN20 suitable for all concealed fittings (Article No. 53071 - 53074) PA - IX 6727 / IB Projection: 164 mm chrome-plate Bath filler/spout DN20 suitable for all concealed fittings (Article No. 53071 - 53074) PA - IX 6727 / IB Projection: 214 mm chrome-plate		
53024	010100	Single lever shower mixer DN15 exposed mixing cartridge with ceramic sealing gaskets shower outlet connection DN 15 with backflow preventer gauge 150 +/- 14 mm suitable for flow heaters flow rate approx. 20 litre/min. PA - 6836 / IB chrome-plate	1	
53071	010181	Concealed single lever shower mixer set complete with: handle, sleeve, rosette and installation unit, suitable for rough part no. 59970 (Flexx Boxx) chrome-plate	1	

Edition 300

KEUCO




Edition 300





	No.		Article			
	51147	010000	Wall outlet for shower hose DN15 with backflow preventer suitable for all concealed fittings	chrome-plated	1	
	51191	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets, may be used on the left or right	chrome-plated	1	
Corpor	51192	010000	Wall outlet for shower hose DN15 with wall bracket for hand shower, for shower hoses with fitted conical end brackets, with backflow preventer, suitable for all concealed fittings	chrome-plated	1	
45 90 90 90 90 90 90 90 90 90 90						

Edition 300




Edition 300

 No.		Article			
51185	010900 011200	Hand shower sliding rail consisting of: - rail and hand-shower bracket height adjustable with handle, with adjustable tilt angle - spacer disc (5 mm) 900 mm 1200 mm	chrome-plated chrome-plated	1 1	
54980	010300	Hand shower with anti limescale device triple spray function: normal, soft, massage also suitable for combination boilers P- IX 6834 / IB	chrome-plated	1	
54995	011200 011600	Shower hose metal colour, kink protection, very flexible with double-sides DN 15 conical nuts, twist-protection at the shower head end 1250 mm 1600 mm 2000 mm	chrome-plated chrome-plated chrome-plated	1 1 1	
54991	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets	chrome-plated	1	

KEUCC

Edition 300




Edition 300

 No.		Article		
54943	000101	Stop valve DN20 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 3/4 inch	1	


KEUCC


Edition 300




Edition 300

KEUCO






Edition 300



KEU


Edition 300







Edition 300



Edition 300

Eattons					
	No.		Article		
	30202	171201	Mirror cabinet 1 puerta abatible de doble espejo, espejos laterales, 2 bombillas fluorescentes de 28 W T5 <u>Interior fittings:</u> - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 sliding cosmetic mirror (200 x 520 mm) - 7 adjustable glass shelves (4 shelves 750 x 90 and 3 shelves 375 x 90 mm) Exterior measurement: 1250 x 650 x 160 mm body silver anodized	2	
	30290	179300 179700	Spare part: Glass shelf with brackets only, with support 375 x 6 x 90 mm	2 2	


KEUQ

No.

30330

Ed	iti	ი	n	\$
Lu	IU	υ		3

7		



	A.:::-1-	
	Article	
	Base unit	
	single door, left hand hinged	
	Interior fittings:	
	 2 glass shelves 2 universal storage trays fitted to inside of door 	
	- soft closing	
	Exterior measurement: 350 x 650 x 385 mm	
	body/front	
212101	high-gloss white alpine/high-gloss white alpine high-gloss white alpine/white	2 2
213801 213901	high-gloss white alpine/white	2
214001	high-gloss white alpine/sahara	2
216801	high-gloss white alpine/walnut veneer	2
219001 219101	high-gloss white alpine/oak veneer high-gloss white alpine/olive veneer	2 2
212401	high-gloss white alpine/ebano veneer	2
		_
382101 383801	white/high-gloss white alpine white/white	2 2
383901	white/white white/anthracite	2
384001	white/sahara	2
386801 389001	white/walnut veneer white/oak veneer	2 2
389101	white/olive veneer	2
382401	white/ebano veneer	2
392101	anthracite/high-gloss white alpine	2
393801	anthracite/mgn-gloss white alphe	2
393901	anthracite/anthracite	2
394001	anthracite/sahara	2 2
396801 399001	anthracite/walnut veneer anthracite/oak veneer	2
399101	anthracite/olive veneer	2
392401	anthracite/ebano veneer	2
402101	sahara/high-gloss white alpine	2
403801	sahara/white	2
403901 404001	sahara/anthracite sahara/sahara	2 2
406801	sahara/walnut veneer	2
409001	sahara/oak veneer	2
409101 402401	sahara/olive veneer sahara/ebano veneer	2 2
402401	Please note:	2
	Cannot be attached to other furniture items	

Editions		_		_000
	No.		Article	
	30330		Base unit single door, right hand hinged Interior fittings: - 2 glass shelves - 2 universal storage trays fitted to inside of door - soft closing Exterior measurement: 350 x 650 x 385 mm body/front	
	2 2 2 2 2 2 2 2 2	212102 213802 213902 214002 216802 219002 219102 212402	high-gloss white alpine/high-gloss white alpine high-gloss white alpine/white high-gloss white alpine/anthracite high-gloss white alpine/sahara high-gloss white alpine/walnut veneer high-gloss white alpine/oak veneer high-gloss white alpine/olive veneer high-gloss white alpine/olive veneer	2 2 2 2 2 2 2 2 2 2 2 2 2
	3 3 3 3 3 3 3 3 3	382102 383802 383902 384002 386802 389002 389102 389102 382402	white/high-gloss white alpine white/white white/anthracite white/sahara white/walnut veneer white/oak veneer white/olive veneer white/ebano veneer	2 2 2 2 2 2 2 2 2 2 2
350	3 3 3 3 3 3 3 3 3 3	392102 393802 393902 394002 399002 396802 399102 392402	anthracite/high-gloss white alpine anthracite/white anthracite/anthracite anthracite/sahara anthracite/oak veneer anthracite/walnut veneer anthracite/olive veneer anthracite/ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2
315 70	4 4 4 4 4 4	102102 103802 103902 104002 106802 109002 109102 109102 102402	sahara/high-gloss white alpine sahara/white sahara/anthracite sahara/sahara sahara/walnut veneer sahara/oak veneer sahara/olive veneer sahara/ebano veneer	2
			Please note: Cannot be attached to other furniture items	

single door, left hand hinged

- 2 universal storage trays fitted to inside of door

Exterior measurement: 500 x 650 x 385 mm

Article

Base unit

Interior fittings: - 2 glass shelves

- soft closing

Please note:

Cannot be attached to other furniture items

body/front

white/white

white/anthracite

white/walnut veneer

white/oak veneer

white/olive veneer

anthracite/white

anthracite/sahara

sahara/white

sahara/sahara

sahara/anthracite

sahara/walnut veneer

sahara/oak veneer

sahara/olive veneer

sahara/ebano veneer

white/ebano veneer

anthracite/anthracite

anthracite/walnut veneer

anthracite/oak veneer

anthracite/olive veneer

anthracite/ebano veneer

sahara/high-gloss white alpine

white/sahara

2 2

2 2

2

2

2

2

2

2 2

2

2

2

2

2

2

2 2

2

2

2 2

2

2

2

2 2

high-gloss white alpine/high-gloss white alpine

high-gloss white alpine/white

white/high-gloss white alpine

anthracite/high-gloss white alpine

high-gloss white alpine/anthracite high-gloss white alpine/sahara

high-gloss white alpine/walnut veneer

high-gloss white alpine/oak veneer

high-gloss white alpine/olive veneer

high-gloss white alpine/ebano veneer

KEUCO


KEUCO		t
	No.	
	30331	
		212101 213801 213901 214001 216801 219001 219101 212401
		382101 383801 383901 384001 386801 389001 389101 382401
500		392101 393801 393901 394001 396801 399001 399101 392401
70		402101 403801 403901 404001 406801 409001 409101 402401

KEUCO

Editions		-		_000
	No.		Article	
	30331	212102 213802 213902 214002 216802 219002 219102 219102 212402	Base unit single door, right hand hinged <u>Interior fittings:</u> - 2 glass shelves - 2 universal storage trays fitted to inside of door - soft closing Exterior measurement: 500 x 650 x 385 mm body/front high-gloss white alpine/high-gloss white alpine high-gloss white alpine/white high-gloss white alpine/anthracite high-gloss white alpine/sahara high-gloss white alpine/walnut veneer high-gloss white alpine/oak veneer high-gloss white alpine/olive veneer high-gloss white alpine/olive veneer high-gloss white alpine/olive veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		382102 383802 383902 384002 389002 389102 392102 393802 393802 3994002 3994002 402102 403802 403902 404002 409002 409002 402402	white/high-gloss white alpine white/wainut veneer white/oak veneer white/oak veneer white/oak veneer white/oak veneer anthracite/high-gloss white alpine anthracite/wainut veneer anthracite/wainut veneer anthracite/oak veneer anthracite/oak veneer anthracite/oak veneer sahara/white sahara/white sahara/white sahara/white sahara/white sahara/oak veneer sahara/oak veneer sahara/bah veneer sa	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Edition 300

		L			Editions
	No.		Article		
	30332		Base unit single door, left hand hinged		
			Interior fittings: - 1 drawer - 1 laundry basket - 2 universal storage trays fitted to inside of door - soft closing		
		212101 213801 213901 214001 216801 219001 219101 212401 382101	Exterior measurement: 350 x 650 x 385 mm body/front high-gloss white alpine/high-gloss white alpine/white high-gloss white alpine/anthracite high-gloss white alpine/anthracite high-gloss white alpine/oak veneer high-gloss white alpine/oak veneer high-gloss white alpine/olive veneer high-gloss white alpine/olive veneer high-gloss white alpine/bano veneer white/high-gloss white alpine/bano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
		383801 383901 384001 386801 389001 389101 382401	white/white white/anthracite white/sahara white/walnut veneer white/oak veneer white/olive veneer white/ebano veneer	2 2 2 2 2 2 2 2	
350		392101 393801 393901 394001 396801 399001 399101 392401	anthracite/high-gloss white alpine anthracite/white anthracite/anthracite anthracite/sahara anthracite/walnut veneer anthracite/oak veneer anthracite/olive veneer anthracite/ebano veneer	2 2 2 2 2 2 2 2 2 2 2	
315		402101 403801 403901 404001 406801 409001 409101 402401	sahara/high-gloss white alpine sahara/white sahara/anthracite sahara/sahara sahara/walnut veneer sahara/oak veneer sahara/olive veneer sahara/ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2	
			Please note: Cannot be attached to other furniture items		




KEUC	C
------	---

	Na		A	
	No.		Article	
	30332		Base unit single door, right hand hinged	
			Interior fittings: - 1 drawer - 1 laundry basket - 2 universal storage trays fitted to inside of door - soft closing	
		212102 213802 213902 214002 216802 219002 219102 212402	Exterior measurement: 350 x 650 x 385 mm body/front high-gloss white alpine/high-gloss white alpine/white high-gloss white alpine/anthracite high-gloss white alpine/anthracite high-gloss white alpine/sahara high-gloss white alpine/oak veneer high-gloss white alpine/oak veneer high-gloss white alpine/olive veneer high-gloss white alpine/olive veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		382102 383802 383902 384002 386802 389002 389102 382402	white/high-gloss white alpine white/white white/anthracite white/sahara white/walnut veneer white/oak veneer white/olive veneer white/ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2
350		392102 393802 393902 394002 396802 399002 399102 392402	anthracite/high-gloss white alpine anthracite/white anthracite/anthracite anthracite/sahara anthracite/walnut veneer anthracite/oak veneer anthracite/olive veneer anthracite/ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2
315 70		402102 403802 403902 404002 406802 409002 409102 402402	sahara/high-gloss white alpine sahara/white sahara/anthracite sahara/sahara sahara/walnut veneer sahara/oak veneer sahara/olive veneer sahara/ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2
			Please note: Cannot be attached to other furniture items	



No.		Article		
30310		Tall unit		
		single door, left hand hinged		
		Interior fittings: - 5 glass shelves		
		- 6 universal storage trays fitted to inside of door		
		- soft closing		
		Exterior measurement: 350 x 1800 x 385 mm		
	212101	body/front high-gloss white alpine/high-gloss white alpine	2	
	213801	high-gloss white alpine high-gloss white alpine/white	2	
	213901	high-gloss white alpine/anthracite	2	
	214001 216801	high-gloss white alpine/sahara high-gloss white alpine/walnut veneer	2 2	
	219001	high-gloss white alpine/oak veneer	2	
	219101 212401	high-gloss white alpine/olive veneer high-gloss white alpine/ebano veneer	2 2	
	212401	Tigh-gloss white alphie/ebano veneer	2	
	382101	white/high-gloss white alpine	2	
	383801 383901	white/white white/anthracite	2 2	
	384001	white/sahara	2	
	386801 389001	white/walnut veneer white/oak veneer	2 2	
	389101	white/olive veneer	2	
	382401	white/ebano veneer	2	
	392101	anthracite/high-gloss white alpine	2	
	393801	anthracite/white	2	
	393901 394001	anthracite/anthracite anthracite/sahara	2 2	
	396801	anthracite/walnut veneer	2	
	399001	anthracite/oak veneer	2	
	399101 392401	anthracite/olive veneer anthracite/ebano veneer	2 2	
	402101	aphara/high globa white albiga	2	
	402101	sahara/high-gloss white alpine sahara/white	2	
	403901	sahara/anthracite	2	
	404001 406801	sahara/sahara sahara/walnut veneer	2 2	
	409001	sahara/oak veneer	2	
	409101 402401	sahara/olive veneer sahara/ebano veneer	2 2	
			-	
		Please note: Cannot be attached to other furniture items		
	l			



N	D.	Article		
	10 212102 213802 213902 214002 216802 219002 219102 212402 383802 383902 383902 389102 388402 389102 38902 389102 399102 399102 399402 399102 399402 399102 399402 399102 399402 392402 402102 403802 409002 409002 409102 402402 406802 409102 402402	Tall unit single door, right hand hinged Interior fittings: • 5 glass shelves • 5 universal storage trays fitted to inside of door - soft closing Exterior measurement: 350 x 1800 x 385 mm bdgh-gloss white alpine/high-gloss white alpine/shara high-gloss white alpine/shara high-gloss white alpine/shara high-gloss white alpine/shara high-gloss white alpine/shara high-gloss white alpine/shara high-gloss white alpine/shara white/high-gloss white alpine/shara white/high-gloss white alpine/shara white/high-gloss white alpine/shara white/ligh-gloss white alpine/shara white/walnut veneer white/shara authracite/walnut veneer white/shara authracite/white anthracite/white anthracite/shara anthracite/sh	2	



Edition 300

\mathbf{U}		L			Ed
	No.		Article		
	30311	212101 213801 213901 214001 219101 219101 212401 382101 383801 389001 389001 399001 399301 399001 390000000000	Article Tal unit single door, left hand hinged Interior fittings: - 3 glass shelves - 1 drawer - 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	


-∏-70

Editions

No.	Article	
	Tall unit single door, right hand hinged Interior fittings: - 3 glass shelves - 1 drawer - 1 laundry basket - 6 universal storage trays fitted to inside of door - soft closing Exterior measurement: 350 x 1800 x 385 mm body/front 213802 high-gloss white alpine/high-gloss white alpine/anthracite 214002 high-gloss white alpine/anthracite 214002 high-gloss white alpine/anthracite 214002 high-gloss white alpine/olaw reneer 214002 high-gloss white alpine/olaw reneer 219102 high-gloss white alpine/olaw reneer 2182102 white/high-gloss white alpine/olaw reneer 383802 white/high-gloss white alpine/alpine/alpine 383802 white/high-gloss white alpine/alpine 384002 white/alpine 384002 white/alpine 384002 white/alpine 384002 white/alpine 384002 white/alpine 384002 anthracite/high-gloss white alpine 384002 anthracite/alpine 389002 anthracite/anthracite	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

KEU

Edition 300







No.	1	Article		
	310003	Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010020, chapter 08	2	
	310013	3 tap holes (gauge 300 mm), complete with Clou drain and overflow system Exterior measurement: 650 x 155 x 525 mm white alpine Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010030, chapter 08	2	
		Cast mineral basin only in combination with vanity frame, Art. No. 30362 and 30364 see page 09.20 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.23		
30380	310000	Cast mineral washbasin no tap hole, with freeflow waste Exterior measurement: 950 x 155 x 525 mm white alpine Cast mineral basin only in combination with vanity frame, Art. No. 30382 and 30384 see page 09.21 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.23	2	
	30360	30360 30360 30360 310013 310013	30360 Cast mineral washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system 310003 Exterior measurement: 650 x 155 x 525 mm suitable brassware see Art. No. 53015 / 010000 and 53015 / 010020, chapter 08 30360 Cast mineral washbasin 3 tap holes (gauge 300 mm), complete with Clou drain and overflow system 30360 Cast mineral washbasin 3 tap holes (gauge 300 mm), complete with Clou drain and overflow system 310013 Exterior measurement: 650 x 155 x 525 mm white alpine 310013 Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010030, chapter 08 310013 Cast mineral basin only in combination with vanity frame, Art. No. 30362 and 30364 see page 09.20 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.23 30380 Cast mineral washbasin no tap hole, with freeflow waste Exterior measurement: 950 x 155 x 525 mm 310000 310000 Cast mineral basin only in combination with vanity frame, Art. No. 30382 and 30384 see page 09.21 Please note: If the cast mineral basin only in combination with vanity frame, Art. No. 30382 and 30384 see page 09.21 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special	30360 Cast mineral washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system 2 310003 Exterior measurement: 650 x 155 x 525 mm white alpine 2 310003 Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010020, chapter 08 2 30360 Cast mineral washbasin 3 tap holes (gauge 300 mm), complete with Clou drain and overflow system 2 310013 Cast mineral washbasin 3 tap holes (gauge 300 mm), complete with Clou drain and overflow system 2 Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010030, chapter 08 white alpine 2 Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010030, chapter 08 Cast mineral basin only in combination with vanity frame, Art. No. 30362 and 30364 see page 09.20 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.23 2 30380 Cast mineral washbasin no tap hole, with freeflow waste Exterior measurement: 950 x 155 x 525 mm xite alpine 2 310000 Cast mineral basin only in combination with vanity frame, Art. No. 30382 and 30384 see page 09.21 2 Cast mineral basin only in combination with vanity frame, Art. No. 30382 and 30384 see page 09.21 2

 No.		Article		
30380	310001	Cast mineral washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 950 x 155 x 525 mm white alpine Suitable brassware see Art. No. 53002 / 010000 and 53015 / 010020, chapter 08 Cast mineral basin only in combination with vanity frame, art. no. 30382 and 30384, see page 09.21 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.23	2	
30380	310003	Cast mineral washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system Exterior measurement: 950 x 155 x 525 mm white alpine Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010020, chapter 08 Cast mineral washbasin 3 tap holes (gauge 300 mm), complete with Clou drain and overflow system Exterior measurement: 950 x 155 x 525 mm white alpine Suitable brassware see Art. No. 53015 / 010000 and 53015 / 010030, chapter 08 Cast mineral basin only in combination with vanity frame, art. no. 30382 and 30384, see page 09.21 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.213		





Edition 300





No.		Article		
30371	310006	Cast mineral double washbasin 2 x 3 tap holes (gauge 200 mm), with freeflow waste and basin waste Exterior measurement: 1250 x 155 x 525 mm white alpine Suitable brassware see Art. No. 53015 / 010100 and 53015 / 010120, chapter 08 Mineral Cast Basin only in combination with vanity frame, Art. No. 30372 and 30374, see page 09.22 Please note: If the cast mineral basin is not combined with the vanity frame, it is essential to order a special bracket-set (Art. No. 30360 / 510000), see page 09.23	2	

Edition 300

 No.		Article		
30362	002100 003800 003900 004000 006800 009000 009100 002400	Vanity unit in combination with mineral washbasin 30360, complete with installation frame and sorting unit Exterior measurement: 650 x 155 x 525 mm high-gloss white alpine white anthracite sahara walnut veneer olive veneer ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2	
30364	212100 213800 213900 214000 216800 219100 212400 382100 383800 384000 389100 392100 393800 393900 393900 399100 399400 3999100 399400 402100 402100 403800 404000 409000 402400	Vanity unit in combination with mineral washbasin art. no. 30360, 2 front pull-outs with soft closing Exterior measurement: 650 x 315 x 525 mm body/front high-gloss white alpine/anthracite high-gloss white alpine/anthracite high-gloss white alpine/anthracite high-gloss white alpine/anthracite high-gloss white alpine/walnut veneer high-gloss white alpine/oak veneer high-gloss white alpine/oak veneer high-gloss white alpine/oak veneer high-gloss white alpine/oak veneer high-gloss white alpine/bano veneer white/high-gloss white alpine/bano veneer white/walnut veneer white/anthracite white/anthracite white/oak veneer white/oak veneer white/oak veneer white/oak veneer white/oak veneer anthracite/high-gloss white alpine anthracite/white anthracite/sahara anthracite/sahara anthracite/oak veneer anthracite/oak veneer sahara/nthracite sahara/anthracite sahara/oak veneer sahara/oak veneer saha	22222222 2222222 2222222 2222222 222222	

Edition 300

Editions					
	No.		Article		
	30382	002100 003800 003900 004000 006800 009000 009100 002400	Vanity unit in combination with mineral washbasin 30380, complete with installation frame and sorting unit Exterior measurement: 950 x 155 x 525 mm high-gloss white alpine white anthracite sahara walnut veneer olive veneer ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2	
		212100 213800 213900 214000 219100 219100 219100 382100 383800 389000 389100 392100 393800 393900 399100 3994000 3999100 3994000 402100 402100 402400 402100 402400	Vanity unit in combination with mineral washbasin art. no. 30380, 2 front pull-outs with soft closing Exterior measurement: 950 x 315 x 525 mm bdy/front high-gloss white alpine/high-gloss white alpine/white high-gloss white alpine/anthracite high-gloss white alpine/anthracite high-gloss white alpine/loss white alpine/anthracite high-gloss white alpine/loss white/walnut veneer high-gloss white alpine/loss white alpine white/loss white/walnut veneer white/loak veneer white/loak veneer white/loak veneer white/loak veneer white/loak veneer anthracite/logs white alpine anthracite/logs white alpine anthracite/logive veneer sahara/white sahara/walnu	22222222 2222222 2222222 2222222 222222	

KEUC

Edition 300

No.		Article		
30372	002100 003800 003900 004000 009000 006800 009100 002400	Vanity unit in combination with cast mineral washbasin 30370, complete with installation frame and sorting unit Exterior measurement: 1250 x 155 x 525 mm high-gloss white alpine white anthracite sahara oak veneer walnut veneer olive veneer ebano veneer	22222222	
30374	212100 212400 213800 213900 214000 219000 219100 382100 382800	Vanity unit in combination with mineral washbasin art. no. 30370, 2 front pull-outs with soft closing Exterior measurement: 1250 x 315 x 525 mm body/front high-gloss white alpine/high-gloss white alpine high-gloss white alpine/ebano veneer high-gloss white alpine/ebano veneer high-gloss white alpine/white high-gloss white alpine/sahara high-gloss white alpine/sahara high-gloss white alpine/oak veneer high-gloss white alpine/olive veneer white/high-gloss white alpine/olive veneer white/high-gloss white alpine/olive veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	383900 384000 386800 389000 389100 392100 392100 393800 393800 393900 394000 396800 399000 399100	white/anthracite white/sahara white/oak veneer white/olive veneer white/olive veneer white/olive veneer white/olive veneer anthracite/high-gloss white alpine anthracite/white anthracite/anthracite anthracite/anthracite anthracite/walnut veneer anthracite/oak veneer anthracite/olive veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	392400 402100 403800 403900 404000 406800 409000 409100 402400	anthracite/ebano veneer sahara/high-gloss white alpine sahara/white sahara/anthracite sahara/sahara sahara/walnut veneer sahara/oak veneer sahara/olive veneer sahara/ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	

Editions

Edition 300



 No.		Article		
30360	510000	Washbasin bracket matching all cast mineral basins of the Edition 300 (artno. 30360 - 30380) white	2	


KEUCO Edition 300

Editions

	No.		Article			
	30560	310000	Cast mineral washbasin with tap hole on right and freeflow waste in combination with vanity units 30561 - 30563 Exterior measurement: 525 x 131 x 320 mm Suitable brassware see Art. No. 53004, chapter 08 Please notice: Suitable vanity units artno. 30561-30563 please order separately, see pages 09.25-09.27	white alpine	2	
525 7 525 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7						
	30560	310001	Cast mineral washbasin without tap hole, with freeflow waste in combination with vanity units 30561 - 30563 Exterior measurement: 525 x 131 x 320 mm Please notice: Suitable vanity units artno. 30561-30563 please order separately, see pages 09.25-09.27	white alpine	2	
525 320 EE						

Editions

Edition 300



KEUC

Edition 300

Editions

 		A _ 61 - 1 -		
 No.	1	Article		
30562	002100 003800 004000 009000 009100 002400	Vanity unit in combination with mineral washbasin 30560 with pull-out and towel bin on the left hand side, complete with mounting frame Exterior measurement: 525 x 410 x 320 mm high-gloss white alpine white anthracite sahara walnut veneer oak veneer olive veneer ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
30562	002101 003801 003901 004001 009001 009101 002401	Vanity unit in combination with mineral washbasin 30560 with pull-out, handle and towel bin on the left hand side, complete with mounting frame Exterior measurement: 525 x 410 x 320 mm high-gloss white alpine white anthracite sahara walnut veneer olive veneer ebano veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	

Editions

Edition 300

 No.		Article		
30563	002100 003800 004000 006800 009000 009100 002400	Vanity unit single door, right hand hinged in combination with mineral washbasin 30560 Exterior measurement: 525 x 470 x 320 mm high-gloss white alpine white anthracite sahara walnut veneer oak veneer olive veneer ebano veneer	2 2 2 2 2 2 2 2	
30563	002101 003801 003901 004001 009001 009101 002401	Vanity unit single door, right hand hinged, with handle in combination with mineral washbasin 30560 Exterior measurement: 525 x 470 x 320 mm high-gloss white alpine white anthracite sahara walnut veneer oak veneer olive veneer ebano veneer	2 2 2 2 2 2 2 2	


KEUCC

Collection Elegance



KEUCO

Collection Elegance




Collection Elegance

 No.		Article			
51611	010000	Infrared basin mixer 120 with pop-up waste 1 1/4 inch single hole installation infrared sensor, manual water-stop for cleaning, with temperature control aerator M 24x1 2 pc. pressure hoses 420 mm G 3/8 inch Battery 6 Volt, approx. 2 year life span Flow rate at 0.3 Mpa 6 l/min. also suitable for a flow heater PA - IX 6949 / IO	chrome-plated	1	
51611	010100	Infrared basin mixer 120 without pop-up waste single hole installation infrared sensor, manual water-stop for cleaning, with temperature control aerator M 24x1 2 pc. pressure hoses 420 mm G 3/8 inch Battery 6 Volt, approx. 2 year life span Flow rate at 0.3 Mpa 6 l/min. also suitable for a flow heater PA - IX 6949 / IO	chrome-plated	1	
51611	010001	Infrared basin mixer 120 with pop-up waste 1 1/4 inch single hole installation infrared sensor, manual water-stop for cleaning, with temperature control aerator M 24x1 2 pc. pressure hoses 420 mm G 3/8 inch Mains operated 230 Volts (230V / 6V) Flow rate at 0.3 Mpa 6 l/min. also suitable for a flow heater PA - IX 6949 / IO	chrome-plated	1	
51611	010101	Infrared basin mixer 120 without pop-up waste single hole installation infrared sensor, manual water-stop for cleaning, with temperature control aerator M 24x1 2 pc. pressure hoses 420 mm G 3/8 inch Mains operated 230 Volts (230V / 6V) Flow rate at 0.3 Mpa 6 l/min. also suitable for a flow heater PA - IX 6949 / IO	chrome-plated	1	

KEUC

Collection Elegance




Collection Elegance


KEUCO

 No.		Article		
51616	010200	Single lever basin mixer concealed, DN 15, mixing cartridge with ceramic sealing gaskets temperature controlled aerator SLIM SSR M 24x1 flow rate limited to 7,6 l/min. in combination with rough part 59916/000070 Projection: 221 mm chrome-plated Note: Suitable Rough part ArtNo. 59916/000070, see below. Please order separately!	1	
59916	000070	Rough part concealed, for single lever basin mixer, wallmounted flexible arrangement of lever and spout possible during assembly Note: Suitable for ArtNo. 51516 010201 51516 010200 51516 010202 51116 010201 51116 010200 51116 010202 51616 010200	1	

Collection Elegance




Collection Elegance



KEUC

Collection Elegance




Collection Elegance

 No.		Article			
51624	010100	Single lever shower mixer DN15 exposed cartridge with ceramic discs shower outlet connection DN 15 with backflow preventer gauge 150 +/- 14 mm suitable for combination boilers PA - IX 6853 / IB	chrome-plated	1	
51626	010100	Thermostatic mixer for shower DN15 exposed handle with 50% water consumption regulation, safety cut-off at 38°, depth gauge 150 +/- 14 mm, intrinsically safe against backflow PA - IX 6868 / IB	chrome-plated	1	
51624	010200	Single lever shower mixer with head shower exposed, head shower swivelling, ø 180 mm, hand shower with normal-, and soft jet with sliding bracket, wall bracket and shower hose of diverter head shower/filler with ceramic discs cartridge with ceramic discs shower outlet connection DN 15 with backflow preventer gauge 150 +/- 14 mm suitable for combination boilers		1	


KEUC

KEUCO Collection Elegance




Collection Elegance






KEUCO Collection Elegance




Collection Elegance





KEUCO Collection Elegance



Collection Elegance




	No.		Article			
	54991	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets	chrome-plated	1	
	59991	010000	Wall bracket for hand shower with adjustable tilt angle 20-65°, for shower hoses with fitted conical end brackets	chrome-plated	1	
97 20°-65°						
	54941	010101	Exposed part for angle valve DN15/DN20 set complete with: handle, sleeve, rosette and adjustable extension, suitable for stop cock No. 54942, 54943	chrome-plated	1	
	54942		Stop valve DN15 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 1/2 inch		1	
G 1/2"						

KEUCO Collection Elegance


 No.		Article		
54943	000101	Stop valve DN20 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 3/4 inch	1	

Collection Elegance






KEUCO Collection Elegance




Collection Elegance





Collection Elegance



Collection Elegance

Article No. Towel ring Projection: 95 mm 11621 010000 chrome-plated 1 205 240 11649 Foam soap dispenser for installation in vanity or vanity unit Capacity: approx. 500 ml length over all 93 mm 010100 chrome-plated 1 Included in delivery: 2 bottles of ph-neutral foamed soap, each 500 ml Spare parts: 04990 Foam soap fragrance Marin, 500 ml 000100 1 04990 Foam soap fragrance Neria, 500 ml 000200 1 11649 Pump for foamed-soap, only 000100 1 ø47 <u>ø26</u> 11649 Lotion dispenser for installation in vanity or vanity unit for liquid soap Capacity: approx. 500 ml length over all 93 mm <u>ø47</u> 010101 chrome-plated 63 1 <u>ø26</u> mox.45 ø72



Collection Elegance

No.		Article		
11650	019000	Tumbler holder complete with crystal glass tumbler chrome-plated Spare part: Crystal glass tumbler matt, only	1	
11650	019001	Tumbler holder table model, complete with crystal glass tumbler matt chrome-plated <u>Spare part:</u> Crystal glass tumbler matt, only	1	
11652	019000	Lotion dispenser crystal glass matt, complete with holder and pump for liquid soap Capacity: approx. 180 ml Dosage: approx. 0,5ml/stroke chrome-plated <u>Spare part:</u> Cup crystal glass matt, only	1	
11652	010100	Lotion dispenser acrylic cup matt, complete with holder and pump for liquid soap Capacity: approx. 180 ml Dosage: approx. 0,5ml/stroke chrome-plated Spare part: Cup synthetic matt, only	1	


KEUCO

Collection Elegance

Accessories / Fittings	С	olle	ection Elegance K	El	SCO
	No.		Article		
	11653	019000	Foam soap dispenser crystal glass matt, complete with holder and pump for foamed-soap Capacity: approx. 220 ml chrome-plated Included in delivery: 2 bottles of ph-neutral foamed soap, each 500 ml	1	
	11653 11653		<u>Spare parts:</u> Foam soap dispenser opal glass matt, only Pump for foamed-soap, only	1	
	04990 04990	000100	chrome-plated Foam soap fragrance Marin, 500 ml Foam soap	1	
		000200	fragrance Neria, 500 ml	1	
	11653	019001	Foam soap dispenser table model, opal glass matt, complete with holder and pump for foamed-soap Capacity: approx. 220 ml chrome-plated Included in delivery: 2 bottles of ph-neutral foamed soap, each 500 ml Spare parts:	1	
	11653 11653	009001	Lotion dispenser opal glass matt, only Pump	1	
	04990	010000	for foamed-soap, only chrome-plated Foam soap fragrance Marin, 500 ml	1	
	04990	000100	Foam soap fragrance Neria, 500 ml	1	


Collection Elegance

Accessories / Fittings




KEUCC

Collection Elegance




KEU


Collection Elegance



Collection Elegance



Collection Elegance




Collection Elegance

	No.	r	Article	Ĩ	_
559/5E9 360/700/950/ 1300	11695	001500 002000 002500 003000	Crystal mirror with all round facet cut (3 mm) Exterior measurement: 360 x 635 mm 700 x 750 mm 950 x 635 mm 1300 x 635 mm	2 2 2 2	
	11696		Light mirror Elegance IP Rating 20 (Zone 3) horizontal illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (2 x 14 Watt T5) EEK: A+, 2 x 15 kWh/1000h Exterior measurement: 700 x 820 x 66 mm		
	11696	012000	Fluorescent light above/below white/white Light mirror Elegance IP Rating 20 (Zone 3) horizontal illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (2 x 21 Watt T5) EEK: A+, 2 x 23 kWh/1000h Exterior measurement: 950 x 705 x 66 mm	2	
	11696	012500	Fluorescent light above/below white/white Light mirror Elegance IP Rating 20 (Zone 3) horizontal illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (2 x 28 Watt T5) EEK: A+, 2 x 31 kWh/1000h	2	
202 ///////////////////////////////////		013000	Exterior measurement: 1300 x 705 x 66 mm Fluorescent light above/below white/white Note: Standard fluorescent tubes type T5. Also available in blue, green and red	2	

KEUC

Collection Elegance




Collection Elegance



KEUCO


KEUCO Collection Elegance




Editions

Collection Elegance

KFI



KEUCO Collection Elegance



Editions

Collection Elegance



 No.		Article		
No. 31610		Article Base unit single door, left hand hinged Interior fittings: - 2 glass shelves - 2 universal storage trays fitted to inside of door - soft closing		
	363601 362401 369101 366801 383801 383901 382401 389101 386801	Exterior measurement: 400 x 614 x 380 mm body/front high-gloss white/high-gloss white high-gloss white/ebano veneer high-gloss white/olive veneer high-gloss white/walnut veneer white/white white/anthracite white/ebano veneer white/olive veneer white/olive veneer white/walnut veneer	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
31628		anthracite/white anthracite/anthracite anthracite/ebano veneer anthracite/olive veneer anthracite/olive veneer anthracite/walnut veneer Please note: The cover plate 31628 is neccessary in order to complete the medium level unit. Please order separately! Cover plate crystalline glass, undersurface lacquered, fits with medium level unit 31610, 31620 400 x 10 x 380 mm white lacquered Please note:	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
		Cannot be attached to other furniture items		

Collection Elegance

REULU	Cone				Editions
	No.	I	Article		
	31610		Base unit single door, right hand hinged		
			Interior fittings: - 2 glass shelves - 2 universal storage trays fitted to inside of door - soft closing		
			Exterior measurement: 400 x 614 x 380 mm		
		363602 362402 369102 366802	body/front high-gloss white/high-gloss white high-gloss white/ebano veneer high-gloss white/olive veneer high-gloss white/walnut veneer	2 2 2 2	
		383802 383902 382402 389102 386802	white/white white/anthracite white/ebano veneer white/olive veneer white/walnut veneer	2 2 2 2 2	
		393802 393902 392402	anthracite/white anthracite/anthracite anthracite/ebano veneer	2 2 2 2	
		399102 396802	anthracite/olive veneer anthracite/walnut veneer	2 2	
400			Please note: The cover plate 31628 is neccessary in order to complete the medium level unit. Please order separately!		
614	31628	540000	Cover plate crystalline glass, undersurface lacquered, fits with medium level unit 31610, 31620		
300 80		519000	400 x 10 x 380 mm white lacquered Please note: Cannot be attached to other furniture items	2	
400 380					

Editions

Collection Elegance

KEUG	0
------	---


Eattons				
	No.		Article	
	No. 31620		Article Middle unit single door, left hand hinged Interior fittings: - 3 glass shelves - 3 universal storage trays fitted to inside of door - soft closing Exterior measurement: 400 x 894 x 380 mm	
		363601 362401 369101 366801	body/front high-gloss white/high-gloss white high-gloss white/ebano veneer high-gloss white/olive veneer high-gloss white/walnut veneer	2 2 2 2
		383801 383901 382401 389101 386801	white/white white/anthracite white/ebano veneer white/olive veneer white/walnut veneer	2 2 2 2 2 2
400		393801 393901 392401 399101 396801	anthracite/white anthracite/anthracite anthracite/ebano veneer anthracite/olive veneer anthracite/olive veneer Please note: The cover plate 31628 is neccessary in order to complete the medium level unit. Please order separately!	2 2 2 2 2
80 300	31628	519000	Cover plate crystalline glass, undersurface lacquered, fits with medium level unit 31610, 31620400 x 10 x 380 mmwhite lacqueredPlease note: Cannot be attached to other furniture items	2
380				

Collection Elegance

KEUCO	C		CUON LIEGANCE		Editions
	No.	1	Article		
	31620		Middle unit single door, right hand hinged		
			Interior fittings: - 3 glass shelves - 3 universal storage trays fitted to inside of door - soft closing		
			Exterior measurement: 400 x 894 x 380 mm		
		363602 362402 369102 366802	body/front high-gloss white/high-gloss white high-gloss white/ebano veneer high-gloss white/olive veneer high-gloss white/walnut veneer	2 2 2 2	
		383802 383902 382402 389102 386802	white/white white/anthracite white/ebano veneer white/olive veneer white/walnut veneer	2 2 2 2 2	
		393802 393902 392402	anthracite/white anthracite/anthracite anthracite/ebano veneer	2 2 2	
400		399102 396802	anthracite/olive veneer anthracite/walnut veneer	2 2	
9			Please note: The cover plate 31628 is neccessary in order to complete the medium level unit. Please order separately!	-	
894	31628		Cover plate crystalline glass, undersurface lacquered, fits with medium level unit 31610, 31620		
300 80		519000	400 x 10 x 380 mm white lacquered Please note: Cannot be attached to other furniture items	2	
400 380					

No.

KEI



body/front

white/white

white/anthracite

anthracite/white

white/ebano veneer

white/walnut veneer

anthracite/anthracite

anthracite/ebano veneer

anthracite/walnut veneer

anthracite/olive veneer

white/olive veneer

high-gloss white/high-gloss white

high-gloss white/ebano veneer

high-gloss white/walnut veneer

high-gloss white/olive veneer

2 2

2

2

2

2

2

2

2


2

2


2

2

2



KEUC



Editions

2

2

2

2

2

2

2

2

2

2

2

2

2

2


No. Article 31631 Tall unit single door, right hand hinged Interior fittings: - 3 glass shelves - 1 drawer - 1 laundry basket - 6 universal storage trays fitted to inside of door - soft closing Exterior measurement: 400 x 1684 x 380 mm body/front 363602 high-gloss white/high-gloss white 362402 high-gloss white/ebano veneer 369102 high-gloss white/olive veneer 366802 high-gloss white/walnut veneer 383802 white/white 383902 white/anthracite 382402 white/ebano veneer 389102 white/olive veneer 386802 white/walnut veneer 393802 anthracite/white 393902 anthracite/anthracite 400 392402 anthracite/ebano veneer 399102 anthracite/olive veneer 396802 anthracite/walnut veneer Please note: Cannot be attached to other furniture items l684 300 80

KEUC

Editions

Collection Elegance





KEUCO Collection Elegance

	No.		Article		
1300 510	31671	310000	Cast mineral washbasin no tap holes, with freeflow waste Exterior measurement: 1300 x 137 x 510 mm white alpine Cast mineral washbasin to combine with vanity unit article no. 31680, see page 10.18	2	
	31671	310001	Cast mineral washbasin Single tap hole, complete with freeflow waste Exterior measurement: 1300 x 137 x 510 mm white alpine Suitable single lever basin mixer, see article no. 51602 / 010000, chapter 09. Glass washbasin to combine with vanity unit article no. 31680, see page 10.18	2	
	31671	310002	Cast mineral double washbasin 2 single tap holes, complete with freeflow waste Exterior measurement: 1300 x 137 x 510 mm white alpine Suitable single lever basin mixer, see article no. 51602 / 010000, chapter 09. Glass washbasin to combine with vanity unit article no. 31680, see page 10.18	2	

Editions

Collection Elegance




	N1.2		Article			
	No.		Article			
700 50 492	31680	900700	Glass washbasin no tap hole, for freeflow waste Exterior measurement: 700 x 125 x 492 mm Glass washbasin to combine with vanity unit article no. 31640, see page 10.17	white lacquered	2	
700 51 492	31680	900701	Glass washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 700 x 125 x 492 mm Suitable brassware, see Art. No. 51602 / 010000, chapter 09 Glass washbasin to combine with vanity unit article no. 31640, see page 10.17	white lacquered	2	
950 504	31680	900900	Glass washbasin no tap holes, with freeflow waste Exterior measurement: 950 x 125 x 504 mm Glass washbasin to combine with vanity unit article no. 31650, see page 10.17	white lacquered	2	
950 504	31680	900901	Glass washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 950 x 125 x 504 mm Suitable brassware, see Art. No. 51602 / 010000, chapter 09 Glass washbasin to combine with vanity unit article no. 31650, see page 10.17	white lacquered	2	

KEUCO Collection Elegance

	No.		Article			
1300 510	31671	900000	Glass washbasin no tap holes, with freeflow waste Exterior measurement: 1300 x 130 x 510 mm Glass washbasin to combine with vanity unit article no. 31680, see page 10.18	white lacquered	2	
	31671	900001	Glass washbasin Single tap hole, complete with freeflow waste Exterior measurement: 1300 x 130 x 510 mm Suitable brassware, see Art. No. 51602 / 010000, chapter 09 Cast mineral washbasin to combine with vanity unit article no. 31680, see page 10.18	white lacquered	2	
	31671	900002	Glass double washbasin 2 single tap holes, complete with freeflow waste Exterior measurement: 1300 x 130 x 510 mm Suitable brassware, see Art. No. 51602 / 010000, chapter 09 Cast mineral washbasin to combine with vanity unit article no. 31680, see page 10.18	white lacquered	2	






KEUCC

4

360

870 630

No. Article 31680 Vanity unit fits with cast mineral washbasin article no. 31671/310002 and glass washbasin article no. 31671/900002, front pull-out with soft closing incl. odour trap made of plastic 1 1/4 x 32 Exterior measurement: 1300 x 360 x 508 mm body/front 363600 high-gloss white/high-gloss white 2 362400 high-gloss white/ebano veneer 2 369100 2 high-gloss white/olive veneer 366800 high-gloss white/walnut veneer 2 383800 white/white 2 2 508 383900 white/anthracite 2 382400 white/ebano veneer 2 389100 white/olive veneer 2 386800 white/walnut veneer 393800 2 anthracite/white 393900 anthracite/anthracite 2 392400 anthracite/ebano veneer 2 399100 anthracite/olive veneer 2 396800 anthracite/walnut veneer 2



Editions

Collection Elegance

KEUCO


 No.	r	Article		
49001	170200	Alu-Storage Divider Set complete with magnetic holders Exterior measurement: 200 x 120 mm aluminium silver anodized (E6 EV1) Alu-Storage Divider Set complete with magnetic holders Exterior measurement: 300 x 120 mm aluminium silver anodized (E6 EV1) Please note: Sets can only be used in combination with Elegance vanity units model-Nos. 31650 or 31680. Recommendation for vanity unit, model no. 31650: 2 x Alu-Divider 200 mm 2 x Alu-Divider 300 mm Recommendation for vanity unit, model no. 31680: 3 x Alu-Divider 300 mm For vanity units, supplied before November 2010, it is imperative to order adaptation sets as shown below.		
31650	010000	Adaption-Set 1 suitable for vanity unit Elegance, model no. 31650 consists of: - 1 plastic mat, silver - 1 metal inlay Please note: Alu-Storage Divider Set to be ordered separately Adaption-Set 2 suitable for vanity unit Elegance, model no. 31680 consists of: - 1 plastic mat, silver - 1 metal inlay Please note: Alu-Storage Divider Set to be ordered separately	2	

Collection Plan




Collection Plan

Accessories / Fittings



Accessories / Fittings


Collection Plan



KELK

Collection Plan

Accessories / Fittings



Accessories / Fittings


Collection Plan

 No.	Article		
54912	Infrared basin mixer 80 without pop-up waste single hole installation modular mono bloc solid brass body Infrared sensor (automatic settings) reliable magnetic valve aerator M 24x1, vandal proof 2 pc. pressure hoses 350 mm G 3/8 inch Back flow preventer (fitted) adjustable flow timer Mains operated 230 Volts (230V / 6V) working pressure 0,3 - 10 bar P - IX 9581 / IA chrome-plated stainless steel finish aluminium finish	1	

KEUC

Collection Plan

Accessories / Fittings




PG = Price group

Collection Plan

No.		Article		
54972	010281	Concealed single lever bath tub mixer with safety device set complete with: handle, sleeve, diverter, rosette and installation unit, mixing cartridge with ceramic sealing gaskets temperature controlled, suitable for rough part no. 59970 (Flexx Boxx) chrome-plated	1	
54974	010181 070181 170181	Thermostatic mixer DN15/DN20 with ceramic stop valve and diverter, safety cut-off at 38°, set complete with: handle, sleeve, diverter, rosette and installation unit, suitable for rough part no. 59970 (Flexx Boxx) chrome-plated stainless steel finish aluminium finish	1 1 1	
54945	010000 070000	Bath filler/spout DN20 suitable for all concealed fittings (items no. 54971 - 54974) P - IX 7924 / IC Projection: 135 mm chrome-plated	1	
54945	170000	stainless steel finish aluminium finish Bath filler/spout DN20 suitable for all concealed fittings (items no. 54971 - 54974) P - IX 7924 / IC Projection: 185 mm chrome-plated stainless steel finish aluminium finish	1 1 1 1 1	

KEUC


Collection Plan



Accessories / Fittings


Collection Plan





Collection Plan


Accessories / Fittings



Accessories / Fittings


Collection Plan





Collection Plan

Accessories / Fittings



KEUC

Accessories / Fittings

Collection Plan



2

2

2

2

2

2

2

2

2


2

2

2


chrome-plated

aluminium silver anodized (E6 EV1)/



Collection Plan

Accessories / Fittings



Accessories / Fittings

Collection Plan

	No.		Article		
	54995	011600 012000 071200 071600 072000 171200 171600	Shower hose metal colour, kink protection, very flexible with double-sides DN 15 conical nuts, twist-protection at the shower head end chrome-plated chrome-plated chrome-plated chrome-plated stainless steel finish 1600 mm stainless steel finish stainless steel finish aluminium finish 2000 mm1250 mm 1250 mm 2000 mmaluminium finish aluminium finish aluminium finish	1 1 1 1 1 1 1 1	
	54991	010000 070000 170000	Wall bracket for hand shower for shower hoses with fitted conical end brackets chrome-plated stainless steel finish aluminium finish	1 1 1	
	59991	010000	Wall bracket for hand shower with adjustable tilt angle 20-65°, for shower hoses with fitted conical end brackets chrome-plated	1	
97 20°-65°					
	54941	010101 070101 170101	Exposed part for angle valve DN15/DN20 set complete with: handle, sleeve, rosette and adjustable extension, suitable for stop cock No. 54942, 54943 chrome-plated stainless steel finish aluminium finish	1 1 1	

KEUCO

Collection Plan

Accessories / Fittings

	No.		Article		
$G \frac{1/2^{n}}{G \frac{58}{60}} + \frac{28}{60}$	54942		Stop valve DN15 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 1/2 inch	1	
	54943	000101	Stop valve DN20 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 3/4 inch	1	

Collection Plan


Accessories / Fittings

	No.		Article		
651/851	14901	010800 070600 070800 170600	Towel rail 600 mm chrome-plated 800 mm chrome-plated 600 mm stainless steel 800 mm aluminium silver anodized (E6 EV1)/chrome-plated 800 mm aluminium silver anodized (E6 EV1)/chrome-plated	1 1 1 1 1 1	
	14907	070000	Grab bar 300 mm chrome-plated 300 mm aluminium silver anodized (E6 EV1)/chrome-plated Constant of the state of the stat	1 1 1	
	14910	005200 005300	Shelf bracket without shelf chrome-plated stainless steel aluminium silver anodized (E6 EV1)/chrome-plated Crystalline glass shelf without green tinged edge, underside matt, only 220 x 8 x 100 mm 350 x 8 x 120 mm 550 x 8 x 120 mm Please order separately!	1	
	14911	010000 070000 170000	Towel hook with door buffer, black chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	

KEUC


Collection Plan

Accessories / Fittings



Collection Plan


KEUCO




Collection Plan

KEUCO		Сс	ellection Plan Accessorie	es /	Fittings
	No.	r	Article		
	14950 14950 14950	019000 079000 179000 010100 170100 009000 000100	Tumbler holder complete with crystal glass tumbler chrome-plated aluminium silver anodized (E6 EV1)/chrome-plated Tumbler holder complete with acrylic glass tumbler aluminium silver anodized (E6 EV1)/chrome-plated Spare parts: Crystal glass tumbler only Acrylic glass only	111 1 1 1	
	14953	019000 079000 179000 009000 010001 070001 170001	Lotion dispenser crystal glass matt, complete with holder and pump Capacity: approx. 250 ml Dosage: approx. 0,5 ml/stroke chrome-plated stainless steel aluminium silver anodized (E6 EV1)/chrome-plated Spare parts: Lotion dispenser for liquid soap opal glass matt, only Pump for liquid soap, only chrome-plated stainless steel finish aluminium silver anodized (E6 EV1)	1 1 1 1 1 1 1	







Collection Plan







Collection Plan



Collection Plan

KEUC 7

No.		Article		
14963	010000 070000 170000	Spare paper holder chrome-plated stainless steel aluminium silver anodized (E6 EV1)/chrome-plated	1	
14964 14964 14964 10064	010100 070100 170100	Toilet brush set complete with synthetic insert, brush and spare brush head chrome-plated stainless steel aluminium silver anodized (E6 EV1) <u>Spare parts:</u> Synthetic insert only black Toilet brush with handle only chrome-plated stainless steel aluminium silver anodized (E6 EV1) Toilet brush head only	1 1 1 1 1	

Collection Plan

Accessories / Fittings

	No.		Article		
	14972	010100 170100	Toilet brush set complete with opaque synthetic insert, brush and spare brush head chrome-plated aluminium silver anodized (E6 EV1)	1 1	
	14972	010200 070100	Toilet brush set complete with opaque synthetic insert black, brush and spare brush head chrome-plated stainless steel	1	
	14972	170200	aluminium silver anodized (E6 EV1) <u>Spare parts:</u> Synthetic insert only white	1	
	4 4 0 7 0	000200	black	1	
	14972	014000	Toilet brush with handle only chrome-plated	1	
	14972	174000	Toilet brush with handle only	1	
	14972	014001 074000 174001	chrome-plated stainless steel aluminium finish Toilet brush head	1 1 1	
		004100 004000	only white black	1 1	
	04976 04976	010000 070000 170000	Hygiene bag dispenser ABS plastic for max. 25 bags incl. first 25 bags chrome-plated stainless steel finish aluminium finish Sanitary bags	1 1 1	
		000100	suitable for above dispenser contents: 25 bags per box packing unit 50 boxes containing white	2	
Ť	14966	010000 070000 170000	Doorplate Symbol Ladies chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1 1 1	


KEUCO

Collection Plan


KEUCO

No.		Article		
14967	010000 070000 170000	Doorplate Symbol Gents chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	
14968	010000 070000 170000	Doorplate Symbol Disabled chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	
14971	010000 070000 170000	Doorplate Symbol Ladies / Gents chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	
14977	010000 070000 170000	Sanitary waste bin wall mounted Capacity: 3 I chrome-finish (polished stainless steel) stainless steel aluminium silver anodized (E6 EV1)	1	


Collection Plan








Collection Plan




Collection Plan

KEUCO



Collection Plan


Example to order Shower curtain rails



	pieces	ArtNo.	Naming
1	3	14935 / 010000	Wall mounting set (e.g. chrome)
2	2	14930 / 010900	Shower curtain rail (e.g. 900 mm, chrome)
<u>3</u> *	1	14924 / 010000	Tube angle piece 90° for four corner shower tray (e.g. chrome)
4	1	14930 / 010400	Shower curtain rail, ceiling support (e.g. 400 mm, chrome)
(5)	3	14927 / 000103	Curtain ring (packing unit 10 pieces, e.g. white)
6	1	14931 / 010000	Connecting piece (e.g. chrome)
*		14925 / 010000	or alternativ, tube angle piece 90° for four round shower tray (e.g. chrome)

		No.	Article	PG	€
	14930		Shower curtain rail		
			(also useful as ceiling support)		
		010300	300 mm chrome-plated	1	
		010400	400 mm chrome-plated	1	
		010500	500 mm chrome-plated	1	
		010600	600 mm chrome-plated	1	
		010700	700 mm chrome-plated	1	
		010800	800 mm chrome-plated	1	
		010900	900 mm chrome-plated	1	
<u>↓ 423</u>		0111000	1000 mmchrome-plated1100 mmchrome-plated	1 1	
		011200	•	1	
300 25		011200		1	
			1500 mm chrome-plated	1	
			1800 mm chrome-plated	1	
			2000 mm chrome-plated	1	
		070300	300 mm stainless steel		
		070400		1	
		070500	500 mm stainless steel	1	
		070600	600 mm stainless steel	1	
		070700	700 mm stainless steel	1	
		070800	800 mm stainless steel	1	
		070900	900 mm stainless steel	1	
		071000	1000 mm stainless steel	1	
		071100	1100 mm stainless steel	1	
		071200	1200 mm stainless steel	1	
		071400	1400 mm stainless steel	1	
		071500	1500 mm stainless steel	1	
			1800 mm stainless steel	1	
			2000 mm stainless steel	1	
		170300	300 mm aluminium silver anodized (E6 EV1)	1	
		170400	· · · · · · · · · · · · · · · · · · ·	1	
		170500	500 mm aluminium silver anodized (E6 EV1)	1	
		170600	aluminium silver anodized (E6 EV1)	1	
		170700	700 mm aluminium silver anodized (E6 EV1)	1	
		170800	800 mm aluminium silver anodized (E6 EV1)	1	
		170900	900 mm aluminium silver anodized (E6 EV1) 1000 mm aluminium silver anodized (E6 EV1)	1 1	
		1711000		1	
			1100 mmaluminium silver anodized (E6 EV1)1200 mmaluminium silver anodized (E6 EV1)	1	
			1400 mm aluminium silver anodized (E6 EV1)	1	
			1500 mm aluminium silver anodized (E6 EV1)	1	
			1800 mm aluminium silver anodized (E6 EV1)	1	
			2000 mm aluminium silver anodized (E6 EV1)		





Collection Plan


 No.		Article		
14925	010000 070000 170000	Tube angle piece 90° for round corner shower tray chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	
14931	010000 570000	Connecting piece for ceiling support-tubular arch or ceiling support-tube chrome-plated dark grey (RAL 7021)	1	
14932	010000 070000 170000	Connecting tube complete with thread for ceiling mounted support or extension of straight curtain rail chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	

Collection Plan


	No.		Article		
	14941	010300 010400 010500 010600 070300 070400 070500 070600 070700 170300 170300 170500 170600 170700	Ceiling support (set) complete, consisting of: 1 x Wall mounting set 1 x Shower curtain rail 1 x Connecting piece 300 mm chrome-plated 500 mm chrome-plated 600 mm chrome-plated 600 mm chrome-plated 800 mm stainless steel/dark grey (RAL 7021) 400 mm stainless steel/dark grey (RAL 7021) 500 mm stainless steel/dark grey (RAL 7021) 500 mm stainless steel/dark grey (RAL 7021) 600 mm stainless steel/dark grey (RAL 7021) 500 mm stainless steel/dark grey (RAL 7021) 500 mm atuminium silver anodized (E6 EV1)/chrome-plated 500 mm aluminium silver anodiz	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
AND	14936	010800 070800 170800	Set of shower curtain rails for four corner shower tray 800 x 800 mm complete, consisting of: 3 x Wall mounting set 2 x Shower curtain rail 700 mm 1 x Tube angle piece 90° for square shower tray 1 x Ceiling support 400 mm 2 x Shower curtain rings, white (unit of 10 pieces) 1 x Connecting piece chrome-plated stainless steel/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/chrome-plated	1	
A CONTRACTOR OF THE SECOND	14937	010900 070900 170900	Set of shower curtain rails for four corner shower tray 900 x 900 mm complete, consisting of: 3 x Wall mounting set 2 x Shower curtain rail 800 mm 1 x Tube angle piece 90° for square shower tray 1 x Ceiling support 400 mm 2 x Shower curtain rings, white (unit of 10 pieces) 1 x Connecting piece chrome-plated stainless steel/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/chrome-plated	1	

KEUC


KEUCO Collec









Collection Plan



Collection Plan

KEUCO






Collection Plan

Accessories / Fittings					
	No.		Article		
Huno mm 2000 mm 3000 mm	14943	000420	Shower curtain PLAN Flame CS highgrade flame resistance DIN 4102/B1 100% trevira, 80g/m², vertical seams reinforced for stainless steel eyelets Distance between eyelets appr. 200 mm Weighted seam 50 g per metre impregnated, fungicide, antibacterial, antistatic, washable at 30°, shrinkage appr. 1-2% tested acc. to OEKO-Tex Standard 100 complete with white curtain rings length over all 1800 mm 1400 x 1800 mm 0ff-white/8 eyelets 2000 x 1800 mm off-white/11 eyelets 3000 x 1800 mm off-white/16 eyelets Information concerning the measurements: All dimensions refer to actual finished size. In order for the shower curtain not to touch bottom of bath tub or the floor we recommend the following: Distance between centre of curtain pole and top edge of curtain appr. 30 mm. Distance between centre of curtain pole and top edge of curtain appr. 40 mm. Please allow appr. 1.3 to 1.5 times curtain pole length when calculating required width of curtain.	2	
THOO MM 2000 mm 3000 mm	14944	000420	Shower curtain PLAN Flame CS highgrade flame resistance DIN 4102/B1 100% trevira, 80g/m², vertical seams reinforced for stainless steel eyelets Distance between eyelets appr. 200 mm Weighted seam 50 g per metre impregnated, fungicide, antibacterial, antistatic, washable at 30°, shrinkage appr. 1-2% tested acc. to OEKO-Tex Standard 100 complete with white curtain rings length over all 2000 mm 1400 x 2000 mm off-white/11 eyelets 3000 x 2000 mm off-white/16 eyelets Information concerning the measurements: All dimensions refer to actual finished size. In order for the shower curtain not to touch bottom of bath tub or the floor we recommend the following: Distance between floor and bottom edge of curtain appr. 30 mm. Distance between centre of curtain pole and top edge of curtain appr. 40 mm. Please allow appr. 1.3 to 1.5 times curtain pole length when calculating required width of curtain.	2	

KEUC





	No.		Article		
	14945	000000	Shower curtain PLAN all sizes are custom made the following information is required: Quality levels: Shower curtain PLAN uni 100% trevira, 80g/m ² Colour: white, light beige or light grey or Shower curtain PLAN Flame CS high-grade flame resistance according to DIN 4102/B1 100% trevira, 76 g/m ² , colour: off-white The following applies to all quality types: vertical seams, reinforced stainless steel eyelets distance between eyelets ca. 20 cm roll hem stainless-steel weighted, 50 g per metre shower-proof, fungicide, antibacterial, antistatic, calendered, washable at 30°, shrinkage rate 1-2%, complete with white curtain rings tested acc. to OEKO-Tex Standard 100 Information concerning the measurements: All dimensions refer to actual finished size. In order for the shower curtain not to touch bottom of bath tub or the floor we recommend the following: Distance between floor and bottom edge of curtain appr. 30 mm. Distance between centre of curtain pole and top edge of curtain appr. 40 mm. Please allow appr. 1.3 to 1.5 times curtain pole length when calculating required width of curtain.	2	
800 mm	34948	000110	Shower curtain PLAN maxxi suits the shower splash guard (Art. No. 34940) 100% polyester, 75 g/m², vertical seams, reinforced stainless steel eyelets distance between eyelets ca. 20 cm roll hem stainless-steel weighted, 50 g per metre shower-proof, fungicide, antibacterial washable at 30°, shrinkage rate ca. 3% complete with white curtain rings length over all 670 mm 800 x 670 mm white/5 eyelets Information concerning the measurements: All dimensions refer to actual finished size. In order for the shower curtain not to touch bottom of bath tub or the floor we recommend the following: Distance between floor and bottom edge of curtain appr. 30 mm. Distance between centre of curtain pole and top edge of curtain appr. 40 mm. Please allow appr. 1.3 to 1.5 times curtain pole length when calculating required width of curtain.	2	


Collection Plan blue



Plan blue

KEUCO

Collection Plan blue




Collection Plan blue


KEUC Article No. 53902 Single lever basin mixer 210 without pop-up waste single hole installation 107 cartridge with ceramic discs temperature controlled M 24x1 aerator, adjustable +/- 8° restricted flow rate 6 l/min. 2 pc. pressure hoses 570 mm G 3/8 inch 010103 chrome-plated 1 20 **max.40** WELL 140 IG3/8 53905 Single lever basin mixer 200 with pop-up waste 1 1/4 inch, spout swivelling +/- 60°, cartridge with ceramic discs, M 24x1 aerator, 2 pc. pressure hoses 440 mm G 3/8 inch, restricted flow rate 6 l/min. 010000 chrome-plated 1 WELL Home Water Efficiency Labo applied

3 3 3 3 3 3 3 3 3 3			

KEUCO Collection Plan blue




Collection Plan blue



KEU

Collection Plan blue




Collection Plan blue

Article No. 51688 Arm for shower head wall mounted G 1/2, with round decorative disc Projection: 312 mm 010300 chrome-plated 1 51688 Arm for shower head wall mounted G 1/2, with round decorative disc Projection: 462 mm 010400 chrome-plated 1 GI/2 300/450 312/462 51689 Arm for shower head ceiling mounted G 1/2, with round decorative disc Projection: 100 mm GI/2 010100 chrome-plated 1 51689 Arm for shower head 00/300 ceiling mounted G 1/2, with round decorative disc Projection: 300 mm 010300 chrome-plated 1 GI/2" (C 51686 Shower head round, Ø 180 mm, restricted flow rate 15 l/min. 010100 chrome-plated 1 ø180 53947 Wall outlet for shower hose DN15 with backflow preventer suitable for all concealed fittings 010000 chrome-plated 1

KEU

KEUCO Collection Plan blue



Collection Plan blue

No.		Article			
53980	010300	Hand shower with anti limescale device triple spray function: normal, soft, massage suitable for combination boilers restricted flow rate 9 l/min.	chrome-plated	1	
54995	011200 011600	1600 mm	chrome-plated chrome-plated chrome-plated	1 1 1	
54991	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets	chrome-plated	1	
59991	010000	Wall bracket for hand shower with adjustable tilt angle 20-65°, for shower hoses with fitted conical end brackets	chrome-plated	1	

KEUC

Collection Plan blue

KEUCO


Accessories / Fittings

	No.		Article		
	54941	010101	Exposed part for angle valve DN15/DN20 set complete with: handle, sleeve, rosette and adjustable extension, suitable for stop cock No. 54942, 54943 chrome-plated	1	
$G \frac{1/2"}{60}$	54942	000101	Stop valve DN15 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 1/2 inch	1	
	54943	000101	Stop valve DN20 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 3/4 inch	1	



Plan Integral


Accessories / Fittings



Accessories / Fittings

Plan Integral

KEUCO



Plan Integral


Accessories / Fittings

 No.		Article		
	011701 011702 015101 015102	Washbasin module 1 for recessed installation front: aluminium lacquered as desired aluminium silver (RAL 9006) or white (RAL 9010) recessed body: sheet steel zinc-plated and lacquered complete, consisting of: - Waste bin Exterior measurement: 326 x 625 x 143 mm Front / Door hinge chrome-plated/aluminium lacquered/left chrome-plated/aluminium lacquered/left chrome-plated/white lacquered/left chrome-plated/white lacquered/right	2 2	

Accessories / Fittings

Plan Integral


KEUCO
















REUCO	Ŭ	0110			Care
	No.		Article		
Left hand model	34903	010737 010738 010751 170737 170738 170751	chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035) aluminium silver anodized (E6 EV1)/white (RAL 9010) It is essential for installation to order the correct screws / bolts depending on type of wall, please see below: 2 x mounting set 2 (Art. No. 34991/000100) or	2 2 2 2 2 2 2 2 2	
			2 x mounting set 5 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or		
			1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28		
	34903		Drop down supporting rail for WC with synthetic covered support, movable to vertical position, with removable toilet paper holder (with roll brake) Projection: 850 mm		
		010837 010838 010851 170837 170838 170851	chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035) aluminium silver anodized (E6 EV1)/white (RAL 9010)	2 2 2 2 2 2 2	
Ť Ť			It is essential for installation to order the correct screws / bolts depending on type of wall, please see below:		
			2 x mounting set 2 (Art. No. 34991/000100) or 2 x mounting set 5 (Art. No. 34991/000200) or		
			2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100)		
			Please order additionally, see pages 14.23 - 14.28		
			TOPROLATION		

Collection Plan Care

KEUCO


	No.	1	Article		
	34903		Drop down supporting rail for WC right hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.55, 115.869.14.55, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 lift up arm, cushioned model, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 700 mm		
Left hand model		011737 011738 011751 171737 171738 171751	aluminium silver anodized (E6 EV1)/light grey (RAL 7035)	2 2 2 2 2 2 2	
100/850 1 1101			2 x mounting set 2 (Art. No. 34991/000100) or 2 x mounting set 5 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28		
	34903	011837 011838 011851 171837 171838 171851	Drop down supporting rail for WC right hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.55, 115.869.14.55, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 lift up arm, cushioned model, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 850 mm chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7021) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035)	2 2 2 2	

Collection Plan Care

Care

	No.		Article		
►ft hand model	34903	012737 012738 012751 172737 172738 172751	Drop down supporting rail for WC left hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.65, 115.869.14.65, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 lift up arm, cushioned model, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 700 mm chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7035) chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/white (RAL 9010) It is essential for installation to order the correct screws / bolts depending on type of wall, please see below: 2 x mounting set 2 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	34903	012837 012838 012851 172837 172838 172851	Drop down supporting rail for WC left hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.65, 115.869.14.65, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 lift up arm, cushioned model, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 850 mm chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7021) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035)	2 2 2 2 2 2 2 2	






					Care
	No.	1	Article		
Left hand model	34905	011737 011738 011751 171737 171738 171751	Supporting rail for WC right hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.85, 115.869.14.85, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.00.0000, 03.582.00.0000 Tece: 9.240.354, 9.240.355 Viega: 696 177 fixed arm, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 700 mm chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7021) chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7021) screws / bolts depending on type of wall, please see below: 2 x mounting set 2 (Art. No. 34991/000100)	2 2 2 2 2 2 2 2 2	
	34905		or 2 x mounting set 5 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28 Supporting rail for WC right hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.85, 115.869.14.85, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 fixed arm, support area with plastic covering, with removable toilet paper holder (with roll brake)		
		011837 011838 011851 171837 171838 171851	Projection: 850 mm chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7035) chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035) aluminium silver anodized (E6 EV1)/white (RAL 9010) It is essential for installation to order the correct screws / bolts depending on type of wall, please see below: 2 x mounting set 2 (Art. No. 34991/000100) or 2 x mounting set 5 (Art. No. 34991/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28	2 2 2 2	



	No.		Article		
	34905		Supporting rail for WC left hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.95, 115.869.14.95, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 fixed arm, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 700 mm		
Left hand model		012737 012738 012751 172737 172738 172751	chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7035) chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035) aluminium silver anodized (E6 EV1)/white (RAL 9010) It is essential for installation to order the correct screws / bolts depending on type of wall, please see below:	2 2 2 2 2 2	
			2 x mounting set 2 (Art. No. 34991/000100) or 2 x mounting set 5 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28		
	34905		Supporting rail for WC left hand model with integrated radio-controlled flush switch, complete with membrane keypad and battery power (SL-360 LTC battery) fits with: Geberit: 115.867.14.95, 115.869.14.95, 115.897.00.1, 115.898.00.1 Grohe: 38 759 SD0 Sanit: 03.082.000000, 03.582.000000 Tece: 9.240.354, 9.240.355 Viega: 696 177 fixed arm, support area with plastic covering, with removable toilet paper holder (with roll brake) Projection: 850 mm		
		012837 012838 012851 172837 172838 172851	chrome-plated/dark grey (RAL 7021) chrome-plated/light grey (RAL 7035) chrome-plated/white (RAL 9010) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/light grey (RAL 7035) aluminium silver anodized (E6 EV1)/white (RAL 9010) It is essential for installation to order the correct screws / bolts depending on type of wall, please see below: 2 x mounting set 2 (Art. No. 34991/000100) or	2 2 2 2 2 2 2	
			or 2 x mounting set 5 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28		

KEUCO Collection Plan Care




Care

Collection Plan Care

 No.		Article		
34902	010000 170000	Cover plate for wall bracket, for fixed and pivoted supporting rails chrome-plated aluminium silver anodized (E6 EV1)/chrome-plated It is essential for installation to order the correct screws / bolts depending on type of wall, please see below: 2 x mounting set 2 (Art. No. 34991/000100) or 2 x mounting set 5 (Art. No. 34991/000200) or 2 x mounting set 8 (Art. No. 34994/000200) or 1 x mounting set 10 (Art. No. 34996/000100) Please order additionally, see pages 14.23 - 14.28	22	

KEUC






Collection Plan Care

Article No. 34906 Angle bar 90° may be used on the left or right Exterior measurement A / B 010306 465/765 mm chrome-plated 2 170306 465/765 mm aluminium silver anodized (E6 EV1)/ 2 chrome-plated Included in delivery: 3 x mounting set 1 (Art. No. 34990/000100) Further mounting sets (depending on type of wall): 3 x mounting set 4 (Art. No. 34990/000200), or 3 x mounting set 7 (Art. No. 34993/000200) Please order additionally, see pages 14.23 - 14.28 May be combined with toilet paper holder (Art. No. 34962), see below Suitable tile compensation plate (Art.-No. 34912), see page 14.19 Please order additionally! 34962 **Toilet paper holder** for mounting on rail system 010000 chrome-plated 2 170000 aluminium silver anodized (E6 EV1)/chrome-plated 2 <u>ø</u>33 44


KEU

KEUC




Collection Plan Care

KEUCO




Collection Plan Care






KFUCC






KEUCO Collection Plan Care

Care









54995	011600 012000 071200 071600 072000 171200 171600	Shower hose metal colour, kink protection, very flexible with double-sides DN 15 conical nuts, twist-protection at the shower head end 1250 mm chrome-plated 1600 mm chrome-plated 2000 mm stainless steel finish 1600 mm aluminium finish 2000 mm aluminium finish 1250 mm aluminium finish 2000 mm aluminium finish 1250 mm aluminium finish 1250 mm aluminium finish 1250 mm aluminium finish 1250 mm aluminium finish 1260 mm s	1 1 1 1 1 1 1 1	
34964 34964 10064	010100 170100 014000 174000 004000	Toilet brush set complete with synthetic insert, brush with extended handle and spare brush head chrome-plated aluminium silver anodized (E6 EV1) Spare parts: Toilet brush with handle only chrome-plated aluminium silver anodized (E6 EV1) Toilet brush head only	2 2 2 1	
34979 34979	010600 170600 000037 000038 000051	Back rest for WC, consisting of: Rail Width: 600 mm chrome-plated aluminium silver anodized (E6 EV1) Back rest for rail system, hinged dark grey (RAL 7021) light grey (RAL 7035) white (RAL 9010)	2 2 2	
		Please order both articles separately! It is essential for installation to order the correct screws / bolts depending on type of wall, please see below: 1 x mounting set 2 (Art. No. 34991/000100) or 1 x mounting set 5 (Art. No. 34991/000200) or 1 x mounting set 8 (Art. No. 34994/000200) Please order additionally, see pages 14.23 - 14.28		

Collection Plan Care



KEI K





KEUCO


Fixing sets for Collection Plan

Wall Types: Concrete Brickwork Breezeblock and others Natural stone Limestone

	No.		Article		
∞ ∞ 50 70 50 50 70	34990	000100	Mounting set No. 1 consisting of: 3 x woodscrews with round head DIN 7996 6x70 V2A 3 x universal wall plugs UX 8 R Essential for mounting the following articles: Art. No. 34901, 34906, 34907, 34908, 34911, 34912, 34914, 34915 Please order additionally, see pages 14.2 - 14.22	2	
	34991	000100	Mounting set No. 2 consisting of: 2 x woodscrews 10x80 V2A 2 x universal wall plugs UX 12 Essential for mounting the following articles: Art.No. 34902, 34903, 34904, 34905, 34979, 34982 and 34983 Please order additionally, see pages 14.2 - 14.22	2	
N 02 1 4000 1 1 0 0 0 70 -15.5	34992	000100	Mounting set No. 3 consisting of: 2 x woodscrews DIN 571 10x70 St 2 x universal wall plugs UX 12 Essential for mounting the following article: Art. No. 32303 Please order separately, see page 14.10	2	

Fixing sets for Collection Plan

Wall Types: Concrete P2/P4 Plasterboard



Care

KEUCO


Fixing sets for Collection Plan Wall Types: Concrete P2/P4 Plasterboard


	No.		Article		
$\begin{array}{c} 20 \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ 130 \end{array}$	34997	000100	Mounting set No. 11 consisting of: 2 x wood screw DIN 571 10 x 100 2 x anchor sleeve, plastic FIS H 16 x 100 K 2 x screw-inserts FIS E 10 x 95 K 1 x injection cartridge FIS VS 150 C 2 x centring slave PBZ Essential for mounting the following article: Art. No. 32303 Please order additionally, see page 13.4 If not available in stock, please order separately Art. No. 34998, see below	2	
	34998	000100	Drill bit for natural pores concrete (Fa. Fischer Befestigungssysteme, Waldachtal) consisting of: 1 x cone drill PBB	2	


Care



Wall Types: Partitioning wall with plywood or hardwood facia (minimum thickness 20 mm)








KEUC

Fixing sets for Collection Plan

Wall Types: Concrete Brickwork Breezeblock and others Natural stone Limestone




PG = Price group

Collection Moll



Collection Moll


Accessories / Fittings



Accessories / Fittings


Collection Moll

KEUCO




Collection Moll

Accessories / Fittings




Collection Moll






KEUCO Collection Moll

Accessories / Fittings




Collection Moll





Collection Moll

Accessories / Fittings



Collection Moll

Article No. Flexx Boxx universal box DN20 suitable for all concealed bath & shower mixers concealed thermostat with/without shut-off valve 59970 000070 1 52785 Hand shower sliding rail consisting of: - rail 900 mm and hand-shower bracket, height adjustable - spacer disc (5 mm) 010900 900 mm chrome-plated 1 942 Š R 51680 Hand shower with anti limescale device ø106 double spray function: normal, soft restricted flow rate 12 l/min. also suitable for combination boilers 010300 chrome-plated 1

KEUC

Collection Moll

Accessories / Fittings

	No.		Article			
	54995	011600	Shower hose metal colour, kink protection, very flexible with double-sides DN 15 conical nuts, twist-protection at the shower head end 1250 mm 1600 mm 2000 mm	chrome-plated chrome-plated chrome-plated	1 1 1	
	54991	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets	chrome-plated	1	
	59991	010000	Wall bracket for hand shower with adjustable tilt angle 20-65°, for shower hoses with fitted conical end brackets	chrome-plated	1	
97 20°-65• 0						
	54941	010101	Exposed part for angle valve DN15/DN20 set complete with: handle, sleeve, rosette and adjustable extension, suitable for stop cock No. 54942, 54943	chrome-plated	1	


Collection Moll

 No.		Article		
54942		Stop valve DN15 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 1/2 inch	1	
54943	000101	Stop valve DN20 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 3/4 inch	1	

KEUC


Collection Moll

Accessories / Fittings




Collection Moll

KEUCO




Collection Moll

Accessories / Fittings




Collection Moll






Collection Moll

Accessories / Fittings




Collection Moll






Collection Moll

Accessories / Fittings



KEUC



Product advantages

Compressed function

The fittings system IXMO compresses usual functions like hose connection, wall brackets for Hand showerr and diverter




Maximising possibilities

IXMO offers a high degree of design flexibility because the units can be freely positioned.

Design standard

IXMO offers a high degree of design flexibility because the units can be freely positioned.






IXMO offers a multitude of technical advantages. For instance IXMO fittings are adapting to the structural circumstances.







IXMO


KEUCO

Product overview

	Single lever mixer								
	1 Way (further details from page 16.8)							
Single lever mixer	Wall outlet for shower hose	Wall outlet for shower hose with hand shower bracket							
	Ways (further details from page 16.1	3)							
2-way diverter valve	2-way diverter valve	2-way diverter valve with wall outlet							
	with wall outlet for shower hose	for shower hose							
		and hand shower bracket							
3	Ways (further details from page 16.1	8)							
3-way diverter valve	3-way diverter valve with wall outlet for shower hose	3-way diverter valve with wall outlet for shower hose and hand shower bracket							


IXMO

Product overview





Order Example for IXMO applications with single lever mixer (shower)



1 Way SQUARE				
17	1 x Single lever mixer set	Art.No. 59551 019502		
	1 x Installation unit for single lever mixer	Art.No. 59551 000070		
	1 x Wall outlet for shower hose	Art.No. 59547 010002		
	additional products: hand shower sliding rail, hand shower, shower hose Please order separately!			

2 Ways ROUND

2 Ways ROUND		-	
1	1 x Single lever mixer set	Art.No. 59551 019501	
	1 x Installation unit for single lever mixer	Art.No. 59551 000070	
	1 x 2-way diverter with wall outlet for shower hose and hand shower bracket	Art.No. 59556 010201	
18 (S)	1 x Installation unit for 2-way diverter	Art.No. 59556 000170	Ĩ.
0	additional products: shower head, wall o hand shower, shower hose. Please order s	5	er head,

2 Ways SQUARE		
~	1 x Single lever mixer set	Art.No. 59551 019502
	1 x Installation unit for single lever mixer	Art.No. 59551 000070
	1 x 2-way diverter with wall outlet for shower hose and hand shower bracket	Art.No. 59556 010202
	1 x Installation unit for 2-way diverter	Art.No. 59556 000170
	additional products: shower head, wall or shower, shower hose. Please order separat	ceiling mounted arm for shower head, hand tely!

٦

Order Example for IXMO applications with single lever mixer (bathtub)

2 Ways ROUND						
	1 x Single lever mixer set	Art.No. 59551 019501				
	1 x Installation unit for single lever mixer	Art.No. 59551 000070				
	1 x 2-way diverter with wall outlet for shower hose and hand shower bracket	Art.No. 59556 010201				
	1 x Installation unit for 2-way diverter	Art.No. 59556 000170				
	additional products: Bath filler/spout, hand shower, shower hose (Use tube interrupter in combination with fill drain and overflow systems). Please order separately!					
2 Ways SQUARE						
	1 x Single lever mixer set	Art.No. 59551 019502				
	1 x Installation unit for single lever mixer	Art.No. 59551 000070				
	1 x 2-Way diverter with wall outlet for shower hose and hand shower bracket	Art.No. 59556 010202				
	1 x Installation unit for 2-Way diverter	Art.No. 59556 000170				
	additional products: Bath filler/spout, hand (Use tube interrupter in combination with fill Please order separately!					



Order Example for IXMO applications with thermostat (shower)

2 Ways ROUND			
1	1 x Thermostat set	Art.No. 59553 010001	
	1 x Installation unit for thermostat	Art.No. 59553 000070	
	1 x 2-way stop and diverter valve with wall outlet for shower hose and hand shower bracket	Art.No. 59557 010201	
	1 x Installation unit for 2-way stop and diverter valve	Art.No. 59556 000170	
\bigcirc	additional products: Shower head, wall a hand shower, shower hose. Please order s		ower head,

2 Ways SQUARE		
5	1 x Thermostat Set	Art.No. 59553 010002
<u></u>	1 x Thermostat Installation unit	Art.No. 59553 000070
	1 x 2-way stop and diverter valve with wall outlet for shower hose and hand shower bracket	Art.No. 59557 010202
r: (5	1 x Installation unit for 2-Way stop and diverter valve	Art.No. 59556 000170
\bigcirc	additional products: Shower head, wall ar hand shower, shower hose. Please order se	

Accessories / Fittings

Single lever mixer

No.		Article		
59551	019501	Single lever mixer DN15 Mixing cartridge with ceramic sealing gaskets temperature controlled set complete with: handle, sleeve, rosette (round) and installation unit, suitable for rough part no. 59551 000070 chrome-plated	1	
59551	019502	Single lever mixer DN15 Mixing cartridge with ceramic sealing gaskets temperature controlled set complete with: handle, sleeve, rosette (square) and installation unit, suitable for rough part no. 59551 000070 chrome-plated	1	
59551	000070	Installation unit for single lever mixer DN15 Rough part for recessed installation Note suitable for Article No: 59551 019501 59551 019502	1	

Thermostatic mixer

No.		Article		
59553	010001	Thermostatic mixer DN15 Set complete with: handle, sleeve and rosette (round) suitable for rough part no. 59553 000070 chrome-plated	1	
59553		Thermostatic mixer DN15 Set complete with: handle, sleeve and rosette (square) suitable for rough part no. 59553 000070 chrome-plated	1	
59553	000070	Installation unit for thermostatic mixer DN15 Rough part for recessed installation Note suitable for Article No: 59553 010001 59553 010002	1	

Wall outlet for shower hose with/without hand shower bracket

 No.		Article		
59547	010001	Wall outlet for shower hose DN15 with round decorative disc, intrinsically safe against backflow chrome-plated	1	
59547	010002	Wall outlet for shower hose DN15 with square decorative disc intrinsically safe against backflow chrome-plated	1	
59592	010001	Wall outlet for shower hose with hand shower bracket DN15 for shower hoses with fitted conical end brackets, with round decorative disc, intrinsically safe against backflow chrome-plated	1	
59592	010002	Wall outlet for shower hose with hand shower bracket DN15 for shower hoses with fitted conical end brackets, with square decorative disc, intrinsically safe against backflow chrome-plated	1	

Accessoires / Armaturen

IXMO

KEUCO

Stop valves

 No.		Article		
59541	010001	Stop valve DN15 Set complete with: handle, casing, rosette (round) and stop cock suitable for rough part no. 59541 000070 chrome-plated	1	
59541	010002	Stop valve DN15 Set complete with: handle, casing, rosette (square) and stop cock suitable for rough part no. 59541 000070 chrome-plated	1	
59541	000070	Installation unit for stop valve DN15 Rough part for recessed installation Note suitable for Article No: 59541 010001 59541 010002	1	

IXMO

Accessories / Fittings

Stop valves with wall outlet for shower hose

 No.		Article		
59541	010101	Stop valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (round) and stop cock, intrinsically safe against backflow, suitable for rough part no. 59541 000170 chrome-plated	1	
59541	010102	Stop valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (square) and stop cock, intrinsically safe against backflow, suitable for rough part no. 59541 000170 chrome-plated	1	
59541	000170	Installation unit for stop valve with wall outlet for shower hose DN15 Rough part for recessed installation Note suitable for Article No: 59541 010101 59541 010102	1	



2-way diverter valves

No.		Article		
59556	010001	2-way diverter valve DN15 Set complete with: handle, casing, rosette (round) and diverter valve suitable for rough part no. 59556 000070 chrome-plated	1	
59556	010002	2-way diverter valve DN15 Set complete with: handle, casing, rosette (square) and diverter valve suitable for rough part no. 59556 000070 chrome-plated	1	

Accessories / Fittings

2-way stop and diverter valves

 No.		Article		
59557	010001	2-way stop and diverter valve DN15 Set complete with: handle, casing, rosette (round) and stop and diverter valve suitable for rough part no. 59556 000070 chrome-plated	1	
59557	010002	2-way stop and diverter valve DN15 Set complete with: handle, casing, rosette (square) and stop and diverter valve suitable for rough part no. 59556 000070 chrome-plated	1	
59556	000070	Installation unit for 2-way diverter valve DN15 Rough part for recessed installation Note suitable for Article No: 59556 010001 59556 010002 59557 010001 59557 010002	1	

IXMO



2-way diverter valves with wall outlet for shower hose with / without hand shower bracket

No.		Article		
59556	010101	2-way diverter valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (round) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59556 000170	1	
59556	010102	2-way diverter valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (square) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	
59556	010201	2-way diverter valve with wall outlet for shower hose and hand shower bracket DN15 for shower hoses with fitted conical end brackets Set complete with: handle, casing, rosette (round) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	
59556	010202	2-way diverter valve with wall outlet for shower hose and hand shower bracket DN15 for shower hoses with fitted conical end brackets Set complete with: handle, casing, rosette (square) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	

2-way stop and diverter valves with wall outlet for shower hose with / without hand shower bracket

No.		Article		
59557	010101	2-way stop and diverter valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (round) and stop and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	
59557	010102	2-way stop and diverter valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (square) and stop and diverter valve intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	
59557	010201	2-way stop and diverter valve with wall outlet for shower hose and hand shower bracket DN15 for shower hoses with fitted conical end brackets Set complete with: handle, casing, rosette (round) and stop and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	
59557	010202	2-way stop and diverter valve with wall outlet for shower hose and hand shower bracket DN15 for shower hoses with fitted conical end brackets Set complete with: handle, casing, rosette (square) and stop and diverter valve intrinsically safe against backflow, suitable for rough part no. 59556 000170 chrome-plated	1	

KEUCO

2-way stop and diverter valves with wall outlet for shower hose

 No.		Article		
59556	000170	Installation unit for 2-way diverter valve with wall outlet for shower hose DN15 Rough part for recessed installation Note suitable for Article No: 59556 010101 59556 010201 59556 010202 59557 010101 59557 010201 59557 010201	1	

Accessories / Fittings

3-way diverter valves

No.		Article		
59548	010001	3-way diverter valve DN15 Set complete with: handle, casing, rosette (round) and diverter valve suitable for rough part no. 59548 000070 chrome-plated	1	
59548	010002	3-way diverter valve DN15 Set complete with: handle, casing, rosette (square) and diverter valve suitable for rough part no. 59548 000070 chrome-plated	1	
59548	000070	Installation unit for 3-way diverter valve DN15 Rough part for recessed installation Note suitable for Article No: 59548 010001 59548 010002	1	

IXMO



3-way diverter valves with / without wall outlet for shower hose and hand shower bracket

 No.		Article		
59548	010101	3-way diverter valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (round) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59548 000170 chrome-plated	1	
59548	010102	3-way diverter valve with wall outlet for shower hose DN15 Set complete with: handle, casing, rosette (square) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59548 000170 chrome-plated	1	
59548	010201	3-way diverter valve with wall outlet for shower hose and hand shower bracket DN15 for shower hoses with fitted conical end brackets, Set complete with: handle, casing, rosette (round) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59548 000170 chrome-plated	1	
59548	010202	3-way diverter valve with wall outlet for shower hose and hand shower bracket DN15 for shower hoses with fitted conical end brackets, Set complete with: handle, casing, rosette (square) and diverter valve, intrinsically safe against backflow, suitable for rough part no. 59548 000170 chrome-plated	1	

3-way diverter valves with wall outlet for shower hose

No.		Article		
59548	000170	Installation unit for 3-way diverter valve with wall outlet for shower hose DN15 Rough part for recessed installation Note suitable for Article No: 59548 010101 59548 010201 59548 010202	1	

IXMO

KEUCO

Single lever mixer variants

No.		Article			
59551	014901 013901 012701 011601 011501 013001	PLAN blue COLLECTION MOLL ELEGANCE EDITION 400 EDITION 300	chrome-plated chrome-plated chrome-plated chrome-plated chrome-plated chrome-plated	1 1 1 1	



Accessories / Fittings

Extension sets

No.		Article		
59551	000071	Extension set for single lever mixer 30 mm (installation depth 110 - 140 mm), for base structure 59551 000070 Note suitable for Article No: 59551 019501 59551 019502	1	
59553	000071	Extension set for thermostatic mixer 30 mm (installation depth 110 - 140 mm), for base structure 59553 000070 Note suitable for Article No: 59553 010001 59553 010002	1	
59556	000071	Extension set for stop and diverter valve 30 mm (installation depth 110 - 140 mm), for base structure 59541 000070, 59556 000070, 59548 000070 Note suitable for rough part 59541 010001 59548 010001 59548 010002 59556 010001 59556 010002 59557 010001 59557 010002	1	
59556	000171	Extension set for stop and diverter valve with wall outlet for shower hose 30 mm (installation depth 110 - 140 mm), for base structure 59541 000170, 59556 000170, 59548 000170 Note suitable for rough part 59541 010101 59556 010102 59544 010102 59556 010201 59548 010101 59556 010202 59548 010102 59557 010101 59548 010201 59557 010102 59548 010202 59557 010202 59556 010101 59557 010202	1	

Accessories / Fittings

IXMO

KEUCO

Tube interrupter

No.		Article		
59949	000070	Tube interrupter in accordance with DIN EN 1717 in a wall mounting box with chrome-plated cover Note: Behind the tube interrupter is no shutoff allowed. Installation only in a vertical position.	1	

Accessories / Fittings

Extension rosettes

No.		Article		
59553	010281	Extension rosette 25 mm, round, brass, for installation between tiles and finish set for installation of the thermostat battery in walls with a low wall thickness, installation depth 55 - 80 mm chrome-plated Note suitable for rough part 59553 000070	1	
59553	010282	Extension rosette 25 mm, square, brass, for installation between tiles and finish set for installation of the thermostat battery in walls with a low wall thickness, installation depth 55 - 80 mm chrome-plated Note suitable for rough part 59553 000070	1	
59551	010281	Extension rosette 25 mm, round, brass, for installation between tiles and finish set for installation of stop and diverter valve in walls with a low wall thickness, installation depth 55 - 80 mm chrome-plated Note suitable for rough part 59541 000070 59548 000070 59556 000070 59556 000070	1	
59551	010282	Extension rosette 25 mm, square, brass, for installation between tiles and finish set for installation of the stop and diverter valve in walls with a low wall thickness, installation depth 55 - 80 mm chrome-plated Note suitable for rough part 59541 000070 59544 000070 59548 000070 59548 000070 59556 000070	1	

Extension rosettes

No.	Article			
59551	Extension rosette 25 mm, round, brass, mit Rot/Blau Markierung for installation between tiles and finish set for installation of the single lever mixer in walls with a low wall thickness, installation depth 55 - 80 mm Note suitable for rough part 59551 000070	chrome-plated	1	
59551	Extension rosette 25 mm, square, brass, mit Rot/Blau Markierung for installation between tiles and finish set for installation of the single lever mixer in walls with a low wall thickness, installation depth 55 - 80 mm Note suitable for rough part 59551 000070	chrome-plated	1	

meTime_spa



meTime_Spa



meTime_spa

Accessories / Fittings

	No.		Article		
00	56161		Thermostat unit DN20 Finish set for the regulation of 1 user complete with: - Mounting frame - Panel made of ESG glass, with frame and one shelf made of aluminium - Temperature control with safety cut-off at 38°C - Shut-off Exterior measurement: 800 x 200 mm		
800 800 75 100 500		011101 011401 011801 013001 014301 012701 012801 000001	Model: handles right anthracite, clear truffle, clear cashmere, clear white, clear petrol (RAL 5020), clear white, satin cashmere, satin Custom-made Design in special RAL-Colour Model: handles right	1 1 1 1 1 1 1	
		011102 011402 011802 013002 014302 012702 012802 000002	anthracite, clear truffle, clear cashmere, clear white, clear petrol (RAL 5020), clear white, satin cashmere, satin Custom-made Design in special RAL-Colour Essential for installation: UP installation unit, ArtNo. 56161/000071, see page 17.6	1 1 1 1 1 1 1	
			Please order separately! Please go to www.keuco.com for detailed instructions and advice		

Accessories / Fittings

meTime_spa

	No.		Article	r
00	56162	011101	Thermostat unit DN20 Finish set for the regulation of 2 users complete with - Mounting frame - Panel made of ESG glass with frame and one shelf made of aluminium - Temperature control with safety cut-off at 38°C - Shut-off/diverter Exterior measurement: 800 x 200 mm Model: handles right	1
		011401 011801 013001 014301 012701 012801 000001 011102 011402 011802 013002 014302 012702	truffle, clear cashmere, clear white, clear petrol (RAL 5020), clear white, satin cashmere, satin Custom-made Design in special RAL-Colour Model: handles right anthracite, clear truffle, clear cashmere, clear white, clear petrol (RAL 5020), clear white, satin	1 1 1 1 1 1 1 1 1 1 1 1
- 050		012802 000002	cashmere, satin Custom-made Design in special RAL-Colour Essential for installation: UP installation unit, ArtNo. 56162/000072, see page 17.6 Please order separately! Please go to www.keuco.com for detailed instructions and advice	1

meTime_spa


Accessories / Fittings

	No.		Article		
000	56163		Thermostat unit DN20 Finish set for the regulation of 3 users complete with: - Mounting frame - Panel made of ESG glass wth frame and one shelf made of aluminium - Temperature control with safety cut-off at 38°C - Shut-off - Diverter Exterior measurement: 800 x 200 mm		
		011101 011401 011801 013001 014301 012701 012801 000001	Model: handles right anthracite, clear truffle, clear cashmere, clear white, clear petrol (RAL 5020), clear white, satin cashmere, satin custom-made Design in special RAL-Colour Model: handles right	1 1 1 1 1 1 1	
		011102 011402 011802 013002 014302 012702 012802 000002	anthracite, clear truffle, clear cashmere, clear white, clear petrol (RAL 5020), clear white, satin cashmere, satin Custom-made Design in special RAL-Colour Essential for installation: UP installation unit, ArtNo. 56163/000073, see page 17.7	1 1 1 1 1 1 1	
			Please order separately! Please go to www.keuco.com for detailed instructions and advice		

Accessories / Fittings


meTime_spa





meTime_spa

Accessories / Fittings



Accessories / Fittings


meTime_spa

Article No. 56163 UP installation unit DN20 compatible with: Thermostat battery for 3 users Installation unit complete with: - Rough part with thermostatic regulator - Ceramic stop valve Ceramic stop valve Ceramic 3-way diverter valve Recessed installation box Connector hoses G 1/2 32C 000073 1 Please go to www.keuco.com for detailed instructions and advice 6

KEUC

meTime_spa


Accessories / Fittings



Accessories / Fittings


meTime_spa





meTime_spa

Accessories / Fittings



Accessories / Fittings

meTime_spa

Article No. Shower head square, 250 x 250 mm, restricted flow rate 15 l/min. 53086 00 010100 chrome-plated 1 11111 GI/2' 53 □250 51185 Hand shower sliding rail consisting of: - rail and hand-shower bracket 76 height adjustable with handle, with adjustable tilt angle - spacer disc (5 mm) 923/1223 900/120C chrome-plated chrome-plated 010900 900 mm 1 1 111 011200 1200 mm 1 **[**45 56080 Round pencil hand shower with normal jet 010100 chrome-plated 1 187 <u>GI/2</u> 51180 Hand shower with anti limescale device with normal jet flow rate 12 l/min. for combination boilers \$105 010300 chrome-plated 1

KEUC

meTime_spa

Accessories / Fittings


	No.		Article			
	54995	011600 012000 071200 071600 072000 171200 171600	1600 mm stain 2000 mm stain 1250 mm a 1600 mm a	chrome-plated chrome-plated chrome-plated less steel finish less steel finish aluminium finish aluminium finish aluminium finish	1 1 1 1 1 1 1 1	
	51147	010000	Wall outlet for shower hose DN15 with backflow preventer suitable for all concealed fittings	chrome-plated	1	
	51191	010000	Wall bracket for hand shower for shower hoses with fitted conical end brackets, may be used on the left or right	chrome-plated	1	
CONS	51192	010000	Wall outlet for shower hose DN15 with wall bracket for hand shower, for shower hoses with fitted conical end brackets, with backflow preventer, suitable for all concealed fittings	chrome-plated	1	
45 90 30 GI/2"						

PG = Price group

Showers and shower accessories



Showers and shower accessories



KEUC

Editions Accessories / Fittings

Showers and shower accessories

KEU

54947 Wall outlet for shower hose DN15 with backflow preventer suitable for all concealed fittings 010000 chrome-plated 1 stainless steel finish 070000 1 170000 aluminium finish 1 51191 Wall bracket for hand shower for shower hoses with fitted conical end brackets, may be used on the left or right 010000 chrome-plated 1 54991 Wall bracket for hand shower for shower hoses with fitted conical end brackets 010000 chrome-plated 1 070000 stainless steel finish 1 170000 aluminium finish 1 59991 Wall bracket for hand shower with adjustable tilt angle 20-65°, for shower hoses with fitted conical end brackets 010000 chrome-plated 1 97 20•-65


Showers and shower accessories

Editions Accessories / Fittings

		A	Accessori		
No.	1	Article			
54995	011200 011600 012000 071200 071600 072000 171200 171600	Shower hose metal colour, kink protection, very flexible with double-sides DN 15 conical nuts, twist-protection at the shower head end 1250 mm 1600 mm 2000 mm 1250 mm 1600 mm 2000 mm 2200 mm 1250 mm	chrome-plated chrome-plated chrome-plated stainless steel finish stainless steel finish stainless steel finish aluminium finish aluminium finish	1 1 1 1 1 1 1 1 1 1 1 1	
51180	010300	Hand shower with anti limescale device with normal jet flow rate 12 l/min. for combination boilers	chrome-plated	1	
51680	010300	Hand shower with anti limescale device double spray function: normal, soft restricted flow rate 12 l/min. also suitable for combination boilers	chrome-plated	1	
53980	010300	Hand shower with anti limescale device triple spray function: normal, soft, massage suitable for combination boilers restricted flow rate 9 l/min.	chrome-plated	1	

ings Showers and shower accessories


Editions Accessories / Fittings



KEU


KEUCO Shower

Showers and shower accessories




Editions Accessories / Fittings


Showers and shower accessories



KEUC

Showers and shower accessories





Showers and shower accessories

2


2

2

2

2


2



KEUC

Showers and shower accessories

Editions Accessories / Fittings




KFL J

Showers and shower accessories

	No.		Article		
A series	51687	010000	Shower set consisting of: - rail 900 mm and hand-shower bracket height adjustable - spacer disc (5 mm) - hand shower with normal-, and soft jet - shower hose, 1600 mm 900 mm chrome-plated	1	
	53987	010000	Shower set consisting of: - rail 800 mm and hand-shower bracket height adjustable - spacer disc (5 mm) - hand shower with normal-, soft-, and massage jet - shower hose, 1600 mm 800 mm chrome-plated	1	
	54987	010000	Shower set consisting of: - rail 800 mm and hand-shower bracket height adjustable - spacer disc (5 mm) - hand shower with normal-, soft-, and massage jet - shower hose, 1600 mm 800 mm chrome-plated	1	
	51688	010300	Arm for shower head wall mounted G 1/2, with round decorative disc Projection: 312 mm chrome-plated Arm for shower head wall mounted G 1/2, with round decorative disc Projection: 462 mm chrome-plated	1	


³ Showers and shower accessories

Editions Accessories / Fittings



KEI K

Showers and shower accessories



Editions **Accessories / Fittings**

Showers and shower accessories

KEUC 59948 3-way diverter valve withhout stop valve, for concealed mounting, G 1/2 inch 000070 1 59948 Exposed part for 3-way diverter valve UP set complete with: handle, sleeve, rosette (round) suitable for 3-way diverter valve (art. no. 59948 000070) 010001 chrome-plated 1 59948 Exposed part for 3-way diverter valve UP set complete with: handle, sleeve, rosette (square) suitable for 3-way diverter valve (art. no. 59948 000070) 010002 chrome-plated 1

Generic Fittings

KEUCO



 No.		Article		ritings
59901	010000 070000 170000	Supply pipe straight length copper piping, 10 mm 520 mm in length (1 piece) G 3/8 inch x 10 mm complete with squeezing screw chrome-plated stainless steel finish aluminium finish	1	
59912	010000	Aerator adjustable chrome-plated	1	
59902	010000 070000 170000	Basin waste plug with manual close function, unslotted chrome-plated stainless steel finish aluminium finish	1	
59903	010000 070000 170000	Waste cover for basin waste chrome-plated stainless steel finish aluminium finish see next page	1	

Editions Accessories / Fittings

KEU	
-----	--

 No.		Article		
59904	010000	Basin waste 1 1/4 inch x 60 x 50 mm unslotted freeflow waste with button cover in chrome/ABS plastic chrome-plated	1	
59990	310000	Ceramic Valve Cover suitable for all KEUCO ceramic wash basins combined with Clou drain and overflow system, with CleanPlus surface Diameter 80 mm white	1	
59990	310001	Ceramic Valve Cover suitable for all KEUCO ceramic wash basins combined with free-flow basin waste without overflow, with CleanPlus surface Diameter 80 mm white Suitable for Art. No. 59904, see above	1	
54942	000101	Stop valve DN15 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 1/2 inch	1	


No.		Article		
54943	000101	Stop valve DN20 for concealed installation, lever head action 90°, with ceramic discs, threaded connection G 3/4 inch	1	
54941	010101 070101 170101	Exposed part for angle valve DN15/DN20 set complete with: handle, sleeve, rosette and adjustable extension, suitable for stop cock No. 54942, 54943 chrome-plated stainless steel finish aluminium finish	1	
54941	010102	Exposed part for angle valve DN15/DN20 set complete with: handle, sleeve, rosette and adjustable extension, suitable for stop cock No. 54942, 54943 chrome-plated	1	

Editions Accessories / Fittings

Generic Fittings

Accessories / Fittings			9		
	No.		Article		
	59970	000070	Flexx Boxx universal box DN20 suitable for all concealed bath & shower mixers concealed thermostat with/without shut-off valve	1	
	59970	000071	Extension set 30 mm, suitable for rough part no. 59970 (Flexx Boxx)	1	
\bigcirc	59970	010181	Extension rosette for installation between tiles and finish set for installation of the Flexx Boxx in walls with a low wall thickness	1	


KEUC



Editions Accessories / Fittings

Generic Fittings





Generic Fittings

	No.		Article		
r	NO.	r	Article		
-76-	59970	000801	Adaptor suitable for rough part no. 59970 (Flexx Boxx) and thermostat battery, for interchanged water supply (cold and warm water supply interchanged)	1	
	54970	010401 070401 170401	Adaptor suitable for rough part no. 59970 (Flexx Boxx) and single lever basin mixer, for interchanged water supply (cold and warm water supply interchanged) chrome-plated stainless steel finish aluminium finish	1 1 1	
	59961	000801	Adaptor suitable for rough part no. 5616X for interchanged water supply (cold and warm water supply interchanged)	1	
	53016	000070	Rough part concealed, for single lever basin mixer, wall mounted	1	
**					

Editions Accessories / Fittings


Generic Fittings

KEUCO

 No.		Article		
53016	010071	Extension set 25 mm, for base structure 53016/000070 chrome-plated	1	
56020	010070	Floor mounting kit for freestanding bath tub mixer, essential for installation with article 56020/010100 1/2 inch, basic construction set consists of: under plaster body, basic cover, water sealing ring, drain plug, attachment kit	1	
51127	010070	Floor mounting kit for freestanding bath tub mixer, essential for installation with article 51127/010100 1/2 inch, basic construction set consists of: under plaster body, basic cover, water sealing ring, drain plug, attachment kit	1	

Generic Fittings


Editions Accessories / Fittings



Editions Accessories / Fittings

Generic Fittings






Collection Astor





Collection Astor




Collection Astor

KEUCO

 No.		Article		
02116	010000	Robe hook chrome-plated Suitable decor wall disc Art. No. 02191, see page 20.7	1	
02117	010000	Towel holder fixed Projection: 434 mm chrome-plated Suitable decor wall disc Art. No. 02191, see page 20.7	1	
02118	010000	Towel holder two arms, swivelling Projection: 465 mm chrome-plated Suitable decor wall disc Art. No. 02191, see page 20.7	1	
02121	010000	Towel ring Chrome-plated	1	
		Suitable decor wall disc Art. No. 02191, see page 20.7		

Collection Astor




Collection Astor

KEUCO


 No.		Article			
02158	010000	Sponge wire basket Suitable decor wall disc Art. No. 02191, see page 20.7	chrome-plated	1	
02160	010000	Toilet paper holder with lid Suitable decor wall disc Art. No. 02191, see page 20.7	chrome-plated	1	
02164	019000	Toilet brush set complete with crystal glass insert matt and brush Suitable decor wall disc Art. No. 02191, see page 20.7	chrome-plated	1	
01669 01864	009000	<u>Spare parts from September 2010</u> Crystal glass insert matt, only Toilet brush with handle only	chrome-plated	1	
01864	004000	Toilet brush head only	white	1	

KEUCO Collection Astor



Collection Astor





KEUCO Collection Astor


Accessories / Fittings

 No.		Article			
17621	019001	Cosmetic mirror illuminated, 1 light colour 6000 kelvin (day light) cable switch, spiral cord (block length 400 mm) on pivoted rail adjustable in three dimensios one-sided mirror, magnification x 5 Operation: cable switch Power supply: Mains connection via plug-in power supply unit 12 V Plug-in power supply unit, input 100-240 V, Standby consumption: <0,3 watt Illumination: LED 4,5 watt (lifespan >50.000 hours) lamps non-exchangeable EEK: A, 5 kWh/1000h Diameter: 212 mm Suitable decor wall disc Art. No. 02191, see page 20.7	chrome-plated	2	
06541	019000	Wall light Astor IP Rating 20 (Zone 3) complete with light shade opal glass matt supplied without light bulb Suitable decor wall disc Art. No. 02195, see page 20.7 Suitable light bulb: 1 x 40 watt (E14) <u>Spare part:</u> Light shade opal glass matt, only	chrome-plated	2	




City.2

Collection City.2




Collection City.2

KEUCO




Collection City.2




Collection City.2





Collection City.2



Collection City.2


 No.		Article		
07790	002000 002500	Crystal mirror with facet cut (5 mm) and polished edges Exterior measurement: 450 x 800 mm 650 x 900 mm * * = for horizontal or vertical fixing	2 2	

KEUCC



	No.		Article		
	24901	010000	Soap wire basket	1	
Munum 1	24902	010000	Sponge wire basket chrome-plated	1	
	24903	010000	Soap wire basket for corner installation Projection: 127 mm chrome-plated	1	
WWWWWWW	24904	010000	Sponge basket for corner installation Projection: 170 mm chrome-plated	1	







 No.		Article		
24944	010000	Sponge basket for corner installation removable, with concealed fastening screws Projection: 186 mm chrome-plated	1	
24944	010100	Sponge basket for corner installation removable, with concealed fastening screws Projection: 186 mm chrome-plated	1	
11657	010000 010001 000100 000101	Shower basket for corner installation two parts: metal basket and detachable synthetic insert, soap resistant, unbreakable, uv-protected Projection: 180 mm chrome-plated/white chrome-plated/anthracite Spare parts: Synthetic insert only white anthracite		
11658	010000 010001 000100 000101	Shower basket two parts: metal basket and detachable synthetic insert, soap resistant, unbreakable, uv-protected chrome-plated/white chrome-plated/anthracite Spare parts: Synthetic insert only white anthracite	1 1 1	

Editions Accessories / Fittings





Baskets











Collection Smart



Collection Smart






Collection Smart

 No.		Article		
02321	010000	Towel ring chrome-plated	1	
02350 02350	019000 010000	Tumbler holder complete with crystal glass tumbler chrome-plated Holder only chrome-plated	1	
02350 00850	009000 000100	Spare parts: Crystal glass tumbler only Acrylic glass only	1	
02355 02350	019000 010000	Soap holder complete with crystal glass soap dish chrome-plated Holder only chrome-plated	1	
02355 00855	009000 000100	<u>Spare parts:</u> Crystal soap dish only Acrylic glass soap dish only	1	

Collection Smart



No.		Article			
02351		Double holder			
	010000	only	chrome-plated	1	
02350		Crystal glass tumbler	childine-plated	•	
	000000	only			
00850	009000	Acrylic glass		1	
00050		only			
	000100			1	
02355		Crystal soap dish only			
	009000			1	
00855		Acrylic glass soap dish only			
	000100			1	
02353		Lotion dispenser opaque synthetic matt, complete with pump Capacity: approx. 160 ml			
	010100	Dosage: approx. 0,5 ml/stroke	chrome-plated	1	
02753		Lotion dispenser crystal glass matt, complete with pump Capacity: approx. 250 ml			
	019000	Dosage: approx. 0,5 ml/stroke	chrome-plated	1	
		Please note: Holder and glasses to be ordered separately!			
04053		<u>Spare parts:</u> Lotion dispenser opaque synthetic matt, only			
	000100			1	
02753		Lotion dispenser crystal glass matt, only			
	009000			1	
02353		Pump only			
	010000		chrome-plated	1	


KEUCO

KEUCO Collection Smart


	No.	r	Article		
	02352		Lotion dispenser opaque synthetic, matt, complete with pump and holder Capacity: approx. 160 ml, Dosage: approx. 0,5 ml/stroke		
F-H-	02350	010100	chrome-plated Holder	1	
		010000	only chrome-plated	1	
	02353		Lotion dispenser opaque synthetic matt, complete with pump Capacity: approx. 160 ml Dosage: approx. 0,5 ml/stroke		
	02753	010100	chrome-plated Lotion dispenser crystal glass matt, complete with pump Capacity: approx. 250 ml Dosage: approx. 0,5 ml/stroke	1	
		019000	chrome-plated	1	
1321	04053		<u>Spare parts:</u> Lotion dispenser opaque synthetic matt, only		
	02753	000100	Lotion dispenser	1	
		009000	crystal glass matt, only	1	
φ <u></u> φ φ <u></u> φ	02353		Pump only		
		010000	chrome-plated	1	
	02360		Toilet paper holder		
0		010000	with lid chrome-plated	1	
	02362		Toilet paper holder open form		
		010000	chrome-plated	1	

Collection Smart






Collection Smart Care



KEUCO

KEUCO Collect

Collection Smart Care



Care

Care

KEUCO

Fixing sets for Collection Plan

Wall Types: Concrete Brickwork Breezeblock and others Natural stone Limestone

	No.	 Article		
N 0 N 0 N 0 N 0 N 0 N 0 N 0 N 0	34992	Mounting set No. 3 consisting of: 2 x woodscrews DIN 571 10x70 St 2 x universal wall plugs UX 12 Essential for mounting the following article: Art. No. 32303 Please order separately, see page 24.2	2	

Fixing sets for Collection Plan

Wall Types: Concrete P2/P4 Plasterboard

 No.		Article		
34997	000100	Mounting set No. 11 consisting of: 2 x wood screw DIN 571 10 x 100 2 x anchor sleeve, plastic FIS H 16 x 100 K 2 x screw-inserts FIS E 10 x 95 K 1 x injection cartridge FIS VS 150 C 2 x centring slave PBZ Essential for mounting the following article: Art. No. 32303 Please order additionally, see page 24.2 If not available in stock, please order separately Art. No. 34998, see below	2	
34998	000100	Drill bit for natural pores concrete (Fa. Fischer Befestigungssysteme, Waldachtal) consisting of: 1 x cone drill PBB	2	

Care

Care


KEUCO

Fixing sets for Collection Plan

Wall Types: Partitioning wall with plywood or hardwood facia (minimum thickness 20 mm)

 No.		Article		
34992	000200	Mounting set No. 6 consisting of: 2 x woodscrews DIN 571 10x70 St for direct fixing without plugs Essential for mounting the following article: Art. No. 32303 Please order separately, see page 24.2	2	

Care



 No.		Article		
34995	000200	Mounting set No. 9 consisting of: 2 x screws DIN EN 24017 M10x60 V2A for direct fixing without plugs Essential for mounting the following article: Art. No. 32303 Please order separately, see page 24.2	2	

Care

KEUCO

Fixing sets for Collection Plan

Wall Types: Concrete Brickwork Breezeblock and others Natural stone Limestone

3499	2	Mounting set		
	000100	No. 3 consisting of: 2 x woodscrews DIN 571 10x70 St 2 x universal wall plugs UX 12	2	


Universal items





Universal items

Accessories / Fittings



Accessories / Fittings

Universal items


	No.		Article	- r	
	11653	019001	Foam soap dispenser table model, opal glass matt, complete with holder and pump for foamed-soap Capacity: approx. 220 ml chrome-plated Included in delivery: 2 bottles of ph-neutral foamed soap, each 500 ml <u>Spare parts:</u> Lotion dispenser opal glass matt, only	1	
	11653		Pump		
			for foamed-soap, only		
		010000	chrome-plated	1	
	04990	000100	Foam soap fragrance Marin, 500 ml	1	
	04990	000200	Foam soap fragrance Neria, 500 ml	1	
↓↓↓↓ ♦ 67 ♦					
	11655 11655	019001	Soap holder table model, complete with crystal soap dish matt chrome-plated Spare part: Crystal soap dish matt, only	1	
		009000		1	
	14949	010200 070200 170200	Lotion dispenser for installation in vanity or vanity unit Capacity: approx. 500 ml Dosage: approx. 0,5 ml/stroke chrome-plated stainless steel aluminium finish	1	

ø72

KEUCC

Universal items

Accessories / Fittings



Accessories / Fittings


Universal items

Article No. Foam soap dispenser table model, with plastic insert and pump, capacity: approx. 150 ml 16052 010100 chrome-plated 1 Included in delivery: 2 bottles of ph-neutral foamed soap, each 500 ml Spare parts: 16052 Pump only 000100 1 04990 Foam soap fragrance Marin, 500 ml 000100 1 04990 Foam soap fragrance Neria, 500 ml 000200 1 ø65 04990 Foam soap fragrance Marin, 500 ml 000100 1 04990 Foam soap fragrance Neria, 500 ml 000200 1 04960 Toilet paper holder for recessed installation 010000 chrome-plated 1



Universal items


Accessories / Fittings



Accessories / Fittings


Universal items






Universal items

Accessories / Fittings



Universal items





KEUCO Universal items Accessories / Fittings

No. Article Hair dryer IP Rating 20 (Zone 3) 14995 not recommended for use other than in dressing areas and bedrooms complete with wall mounting element, 230 Volt Description: - on/off switch with control light on wall bracket - 3 temperature settings up to 1800 Watt - 2 speed settings - cold air switch - protected against overheating 010037 chrome-plated/dark grey (RAL 7021) 2 stainless steel finish/dark grey (RAL 7021) aluminium silver anodized (E6 EV1)/dark grey (RAL 7021) 070037 2 2 170037 IMPORTANT: The use of a hairdryer in a bathroom location might not be allowed. Always check country regulations! 14966 Doorplate Symbol Ladies 010000 chrome-plated 1 070000 stainless steel 1 170000 aluminium silver anodized (E6 EV1) 1 14967 Doorplate Symbol Gents 010000 chrome-plated 1 070000 stainless steel 1 170000 aluminium silver anodized (E6 EV1) 1

100

Accessories / Fittings


Universal items




 No.		Article		
14968	010000 070000 170000	Doorplate Symbol Disabled chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	
14971	010000 070000 170000	Doorplate Symbol Ladies / Gents chrome-plated stainless steel aluminium silver anodized (E6 EV1)	1	
16062	010000	Toilet paper double holder for roll width of 100/120 mm chrome-plated	1	
16064 16064 10064	019000 009000	Toilet brush set floor-standing model, complete with genuine matt crystal insert, brush with handle and spare brush head chrome-plated <u>Spare parts:</u> Crystal glass insert matt, only Toilet brush head only	1	

Universal items

Accessories / Fittings



Universal items



KEU

Universal items


Accessories / Fittings

	No.		Article		
	11172	380000	Guest towel basket removable, MDF white lacquered Exterior measurement: 200 x 350 x 200 mm white/chrome-plated	2	
And and a second	04991	000100	Care product for cast mineral washbasins	1	

Lights / Crystal Mirrors / Light Mirrors KEUCO



Wall lights




Editions Accessories / Fittings

Crystal Mirrors

	No.		Article		
	07749		Crystal mirror Plan with all round facet cut (3 mm) Exterior measurement: 220 x 800 mm Note: for wall or corner installation	2	
	07790	002000	Crystal mirror Solo with facet cut (5 mm) and polished edges Exterior measurement: 450 x 800 mm 650 x 900 mm * * = for horizontal or vertical fixing	2 2	
360/700/950/ I300	11695	001500 002000 002500 003000	Crystal mirror Elegance with all round facet cut (3 mm) Exterior measurement: 360 x 635 mm 700 x 750 mm 950 x 635 mm 1300 x 635 mm	2 2 2 2	
	10095	002000 002500	Crystal mirror Edition 100 with all round facet cut (3 mm) Exterior measurement: 350 x 850 mm 550 x 850 mm 750 x 850 mm	2 2 2	


KEUC

Crystal Mirrors




Light Mirrors





Light Mirrors




Editions Accessories / Fittings

Light Mirrors

KEUCO

	11698		Light mirror Elegance IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h			
	11698	012000	Exterior measurement: 700 x 635 x 66 mm Fluorescent light external/internal white/white Light mirror Elegance	2		
			IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h			
		012500	Exterior measurement: 950 x 635 x 66 mm Fluorescent light external/internal white/white	2		
	11698		Light mirror IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h			
700/950/1050/1300/1400		012800	Exterior measurement: 1050 x 635 x 66 mm Fluorescent light external/internal white/white	2		
835	11698	11698		Light mirror Elegance IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h		
		013000	Exterior measurement: 1300 x 635 x 66 mm Fluorescent light external/internal white/white	2		
	11698		Light mirror IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h			
		013500	Exterior measurement: 1400 x 635 x 66 mm Fluorescent light external/internal white/white	2		
			Note: Standard fluorescent tubes type T5. Also available in blue, green and red			
			/ -77			


Light Mirrors




Editions Accessories / Fittings

Light Mirrors

KEUCO








Cosmetic Mirrors

KEUCO



Cosmetic Mirrors

Accessories / Fittings



Cosmetic Mirrors

17606 **Cosmetic mirror Bella Vista** illuminated, table model, cable (1.70 m), one-sided mirror, concave, 1 x 8 watt LED lighting, maintenance-free LED lighting magnification factor x 3 EEK: A, 9 kWh/1000h Diameter: 218 mm 50 ølī ച 019000 chrome-plated 2 ø166 17676 **Cosmetic mirror Elegance** illuminated, wall mounted, mains voltage, one-sided mirror, concave 1 x 8 watt, magnification factor x 5 EEK: A, 9 kWh/1000h Diameter: 207 mm 019000 chrome-plated 2 Recommended light bulb: Megaman Typ 33805 E14 - 8W **Z** 4 17676 **Cosmetic mirror Elegance** illuminated, wall mounted, mains voltage, one-sided mirror, concave, with spiral cord and plug, 1 x 8 watt, magnification factor x 5 EEK: A, 9 kWh/1000h Diameter: 207 mm 019001 chrome-plated 2 Recommended light bulb: Megaman Typ 33805 E14 - 8W **₹**∐ 24 a9. 17677 **Cosmetic mirror Elegance** illuminated, table model, cable (1.70 m), one-sided mirror, concave 1 x 8 watt, magnification factor x 5 EEK: A, 9 kWh/1000h Diameter: 207 mm 019000 chrome-plated 2 430 Recommended light bulb: Megaman Typ 33805 E14 - 8W **z** _ 24

KEUC

iLook_move

Accessories / Fittings

Collection Summery

Variants:

	5 Light	colour	1 Light colour				
non illuminated	Glass control panel with	capcitive touch sensor	Operation by light switch	Cable switch			
	In-wall cable layout	Spiral cord	In-wall cable layout	Spiral cord			
	NEW		NEW				
17612 010000	17612 019002	17612 019000	17612 019003	17612 019001			
	NEW		NEW				
17613 010000	17613 019002	17613 019000	17613 019003	17613 019001			


Accessories / Fittings

Cosmetic Mirrors

KEUC


 No.		Article			
17612		Cosmetic mirror iLook_move non illuminated, on pivoted rail adjustable in three dimensions, one-sided mirror, magnification factor x 5 Diameter: 212 mm chrome	-plated	2	
17613	010000	Cosmetic mirror iLook_move non illuminated, on pivoted rail adjustable in three dimensions, one-sided mirror, magnification factor x 5 Exterior measurement: 200 x 200 mm chrome	-plated	2	

KEUCO Cosmetic Mirrors




Cosmetic Mirrors






Cosmetic Mirrors



Accessories / Fittings


Cosmetic Mirrors

KEUCO



Cosmetic Mirrors

Accessories / Fittings



Accessories / Fittings

Cosmetic Mirrors

No. Article 17612 Cosmetic mirror iLook_move illuminated, 1 light colour 6500 kelvin (day light), cable switch, spiral cord (block length 400 mm), on pivoted rail adjustable in three dimensions, one-sided mirror, magnification x 5 Operation: Cable switch Power supply: Mains connection via plug-in power supply unit, 12 V Plug-in power supply unit, input 100-240 V, Standby consumption: < 0,3 watt Illumination: LED 4,5 watt (lifespan > 50.000 hours) lamps non-exchangeable EEK: A, 5 kWh/1000h Diameter: 212 mm 019001 chrome-plated 2 Note: The wall power supply is included in delivery. 2 65 17613 Cosmetic mirror iLook move illuminated, 1 light colour 6500 kelvin (day light), cable switch, spiral cord (block length 400 mm), on pivoted rail adjustable in three dimensions, one-sided mirror, magnification x 5 Operation: Cable switch Power supply: Mains connection via plug-in power supply unit, 12 V Plug-in power supply unit, input 100-240 V, Standby consumption: < 0,3 watt Illumination: LED 7 watt (lifespan > 50.000 hours) lamps non-exchangeable EEK: A, 8 kWh/1000h Exterior measurement: 200 x 200 mm 019001 chrome-plated 2 Note: The wall power supply is included in delivery. ß

KEI K



Royal mirror cabinets / Furniture




Dimensions Mirror Cabinets (Width/mm)

	200	300	350	388	400	450	489	500	591	600	650	700	800	900	950	1000	1050	1200	1250	1300	1400	1500	1600	1750
EDITION 400 (215) 02.29 - 02.38												•					•				•			
EDITION 11 (211/212) 06.34 - 06.40												•					•				•			•
EDITION 300 (302) 08.2 - 08.3											•				•				•					
ELEGANCE (216) 10.2 - 10.4								•				•			•			•		•				
ROYAL T1 (126) 28.3								•			•													
ROYAL 10 (054) 28.4										•				•										
ROYAL 30 (056) 28.5 - 28.10			•							•			•				•			•			•	
ROYAL 35 (135) 28.11 - 28.12										•			•			•					•			
ROYAL T2 (138) 28.13												•		•										
ROYAL METROPOL (140) 28.14 - 28.15													•			•				•				
ROYAL MATCH (128) 28.16 - 28.18											•		•			•		•		•				
ROYAL MODULAR (250) 29.3 - 28.16	•	•			•			•		•														
ROYAL INTEGRAL (260) 30.3 - 30.7						•				•				•				•				•		
ROYAL REFLEX (240) 31.2 - 31.4								•			•		•			•				•				
ROYAL UNIVERSE (127) 32.2 - 32.4								•			•		•			•				•			•	
	200	300	350	388	400	450	489	500	591	600	650	700	800	900	950	1000	1050	1200	1250	1300	1400	1500	1600	1750


KEUCO

Royal T1




Royal mirror cabinets

Mirror Cabinets / Furniture




KEUCO




Royal mirror cabinets

Mirror Cabinets / Furniture



KEUCO



Royal mirror cabinets

Mirror Cabinets / Furniture

No.		Article		
05610	171000	Mirror cabinet Royal 30 in combination with the mirror cabinets of Royal 30, 1 hinged double sided crystal mirror door with sealed edges, exterior body sides mirrored, can be used left or right hand hinged (opening 130°) Interior fittings: - 6 adjustable glass shelves Exterior measurement: 350 x 1600 x 143 mm body silver anodized	2	
05611	171000	Mirror cabinet Royal 30 in combination with the mirror cabinets of Royal 30, 1 hinged double sided crystal mirror door with sealed edges, exterior body sides mirrored, can be used left or right hand hinged (opening 130°) Interior fittings: - 6 adjustable glass shelves Exterior measurement: 350 x 1600 x 250 mm body silver anodized	2	

KEUCO


	No.		Article			
	05621		Mirror cabinet Royal 30 1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, left hand hinged Interior fittings: - 3 adjustable glass shelves Exterior measurement: 350 x 600 x 143 mm			
,	05621	171200	Mirror cabinet Royal 30 1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, right hand hinged Interior fittings: - 3 adjustable glass shelves	body silver anodized	2	
869 143 350		171100	Exterior measurement: 350 x 600 x 143 mm	body silver anodized	2	
	05622	171200	Mirror cabinet Royal 30 1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, left hand hinged Interior fittings: - 3 adjustable glass shelves Exterior measurement: 350 x 700 x 143 mm	body silver anodized	2	
	05622		Mirror cabinet Royal 30 1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, right hand hinged <u>Interior fittings:</u> - 3 adjustable glass shelves Exterior measurement: 350 x 700 x 143 mm			
869 143 350		171100		body silver anodized	2	

Royal mirror cabinets

Mirror Cabinets / Furniture


05623 Imped double sided crystal miror door with seaded dougs (opening 130°). exterior body sides mirored. left hard hinged 2 0111111111111111111111111111111111111		No.		Article		
1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, right hand hinged 1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, right hand hinged Interior fittings: - 3 adjustable glass shelves Exterior measurement: 350 x 800 x 143 mm body silver anodized 171100 silver anodized		05623		1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, left hand hinged Interior fittings: - 3 adjustable glass shelves Exterior measurement: 350 x 800 x 143 mm body	2	
model 171100 silver anodized 2 143 143		05623		1 hinged double sided crystal mirror door with sealed edges, (opening 130°), exterior body sides mirrored, right hand hinged Interior fittings: - 3 adjustable glass shelves Exterior measurement: 350 x 800 x 143 mm		
	143		171100	body silver anodized	2	

KEUCO




Royal mirror cabinets

Mirror Cabinets / Furniture



KEUCO

Royal T2



Royal mirror cabinets


Mirror Cabinets / Furniture

Royal Metropol

 No.		Article			
14001	171201	Mirror cabinet Protection class IP 24 1 lift up double sided crystal glass mirrored door, interior rear wall mirrored, flourescent light tube 2 x 24 watt T5 EEK: A, 2x 25 kWh/1000h Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 sliding cosmetic mirror (180 x 550 mm) - 3 adjustable glass shelves Exterior measurement: 800 x 610 x 155 mm	body silver anodized	2	
14002	171201	Mirror cabinet Protection class IP 24 1 lift up double sided crystal glass mirrored door, interior rear wall mirrored, flourescent light tube 2 x 24 watt T5 EEK: A, 2x 25 kWh/1000h Interior fittings: - 1 light switch (external) - 2 sockets (internal) - 1 socket (external) - 1 sliding cosmetic mirror (180 x 550 mm) - 3 adjustable glass shelves Exterior measurement: 1000 x 610 x 155 mm	body silver anodized	2	

KEUCO

Royal Metropol



Royal mirror cabinets


Mirror Cabinets / Furniture

Royal Match

No.		Article		1	
12801		Mirror cabinet Royal Match 2 hinged double sided crystal mirror doors, body in aluminium silver anodized, rear panel in back-lacquered white glass Operation: control panel with capacitive touch sensor, optional to be operated via the light switch Illumination: LED 2 x 12,5 watt (lifespan > 30.000 hours), light colour 4000 kelvin (neutral white), infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 2x12,5 kWh/1000h Interior fittings: - 2 sockets (internal) - 2 x 3 adjustable glass shelves - interior lighting Exterior measurement: 650 x 700 x 160 mm			
	171301		body silver anodized	2	
12802	171301	Mirror cabinet Royal Match 2 hinged double sided crystal mirror doors, body in aluminium silver anodized, rear panel in back-lacquered white glass Operation: control panel with capacitive touch sensor, optional to be operated via the light switch Illumination: LED 2 x 12,5 watt (lifespan > 30.000 hours), light colour 4000 kelvin (neutral white), infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 2x 12,5 kWh/1000h Interior fittings: - 2 sockets (internal) - 2 x 3 adjustable glass shelves - interior lighting Exterior measurement: 800 x 700 x 160 mm	body silver anodized	2	

KEUCO

Royal Match



Royal mirror cabinets

Mirror Cabinets / Furniture

Royal Match


No.		Article		
12805	171301	Mirror cabinet Royal Match 1 fixed mirror unit (centric) 2 hinged double sided crystal mirror doors, body in aluminium silver anodized, rear panel in back-lacquered white glass Operation: control panel with capacitive touch sensor, optional to be operated via the light switch Illumination: LED 2 x 12,5 watt (lifespan > 30.000 hours), light colour 4000 kelvin (neutral white), infinitely dimmable, lamps non-exchangeable EEK: A++, A+, A, 2x 12,5 kWh/1000h Interior fittings: - 2 sockets (internal) - 2 x 3 adjustable glass shelves - interior lighting Exterior measurement: 1300 x 700 x 160 mm body silver anodized	2	





Royal Modular

Order form template




Quant	Item No.:	Description:		
1	25005-000201	Centre Module for recessed installation	500 x 700 x 160 mm	with pull-cord and shaver socket
1	25005-000202	Centre Module for recessed installation	500 x 700 x 160 mm	with shaver socket
1	25003-000206	Add-on Module for recessed installation	300 x 700 x 160 mm	
2	25000-000008	Light Module Halogen 2 x 20 Watt		


Measurements for recessed installation

Calculation of recessed installation

To calculate width of recess deduct 12 mm from the total overall width of Module/s To calculate height of recess deduct 42 mm from height of Module/s

ATTENTION: Modules with an installation height of 700 mm cannot be combined with modules with a 1000 mm installation height! (Refer to the online planner at www.royal.modular.de)







1633	42 11111
Height of Module	700 / 1000 mm
less	42 mm

Mirror cabinets / Furniture

Royal Modular

KEUCO







Mirror cabinets / Furniture

Royal Modular

KEUCO







Mirror cabinets / Furniture

Royal Modular


KEUCO






Mirror cabinets / Furniture









Mirror cabinets / Furniture









Mirror cabinets / Furniture








Royal Modular

KEUC

25000	000008	Lighting module Halogen lights 2 x 20 watt EEK: C, 2 x 21 kWh/1000h Exterior measurement: 250 x 50 x 106 mm silver anodized/matt white Please note: Only in combination with Centre Modules with light switch. Can be used with both wall hung & recessed modules!	2	
25000	000109	Lighting module as above but recessed EEK: A+, 15 kWh/1000h Exterior measurement: 50 x 700 x 105 mm		

Royal Modular





Order form Template

Size (WxH) / mm	without light	with light	Size of wall opening
450 x 700	x		444 x 694
450 x 1000	x		444 x 994
600 x 700	x		594 x 694
600 x 1000	x	x	594 x 994
900 x 700		x	894 x 694
1200 x 700		x	1194 x 694
1500 x 700		x	1494 x 694

Mounting tips and installed dimensions

Royal Integral built-in mirror cabinets consist of the mounting frame, the mirror cabinet body with door(s) and covering strips. The mounting frame of the mirror cabinet is first placed in the opening.

The mirror cabinet body is connected to the power cables, inserted in the mounting frame and screwed into place.

The covering strips are then placed over the mounting frame. The doors are then adjusted and the glass shelves inserted in the rear wall slots.

The cabinet and covering strip should be selected to match the expected accuracy where the edges of the mounting frame and wall lining meet.

- For plastered and papered walls, we recommend a covering strip 8.5 mm wide.


- For tiled walls, we recommend a covering strip 15 mm wide.

Please refer to the table above for recessed installation dimensions for mounting frames. The sizes allow for height and width tolerances of 1 mm.

Article No. 26004 Mirror cabinet for recessed installation 1 hinged double sided crystal mirror door, carcass in aluminium silver anodized, aluminium rear wall with 6 slots for glass shelves, high-gloss anodized covering strip Interior fittings: - 4 variably adjustable glass shelves - 2 sockets Covering strip/door hinge 8,5 mm / right 171103 448 x 698 x 170 mm 2 15,0 mm / right 171104 461 x 711 x 170 mm 2 8,5 mm / left 171203 448 x 698 x 170 mm 2 171204 461 x 711 x 170 mm 15,0 mm / left 2 443 170 26004 **Recessed installation frame** suitable to complete mirror cabinets article no. 26004 71 170000 443 x 693 mm 2 698 693 Please note: A recessed installation frame is required to complete the mirror cabinet. Please order separately. 448 / 461 An 8.5 mm covering strip is recommended for installation in papered or plastered walls. 444 A 15 mm covering strip is recommended for installation in tiled walls. 694 180 26014 **Mirror cabinet** for recessed installation 1 hinged double sided crystal mirror door, carcass in aluminium silver anodized, aluminium rear wall with 10 slots for glass shelves, high-gloss anodized covering strip Interior fittings: - 6 variably adjustable glass shelves - 2 sockets Covering strip/door hinge 8,5 mm / right 171103 448 x 998 x 170 mm 2 15,0 mm / right 171104 461 x 1011 x 170 mm 2 8,5 mm / left 171203 448 x 998 x 170 mm 2 171204 461 x 1011 x 170 mm 15,0 mm / left 2 170 26014 **Recessed installation frame** suitable to complete mirror cabinets article no. 26014 170000 443 x 993 mm 2 101 398 993 Please note: A recessed installation frame is required to complete the mirror cabinet. Please order separately. An 8.5 mm covering strip is recommended for 448 / 461 installation in papered or plastered walls. A 15 mm covering strip is recommended for installation in tiled walls. 964


KFI K

Royal Integral




30.4






Royal Integral



Mirror cabinets / Furniture

Royal Integral

KEUCO




Royal Reflex



Royal Reflex


Mirror cabinets / Furniture



Mirror cabinets / Furniture


Royal Reflex

KEUCO



Royal Reflex

Mirror cabinets / Furniture




Mirror cabinets / Furniture

Royal Reflex

KEUCO

Light mirrors



Order form Template

Furniture Range

How to order

When ordering please ensure to replace XX or YY with appropriate number for the chosen Body and front finish cominations (see example)!

Front Finishes

Royal Reflex fronts are distinguished by their glass surface.

Glass-Fronts

Glass is a modern material, easy to look after and extremely durable due to its toughened properties.

Manufactured from toughened	
Royal Reflex glass fronts a	re available in seven finishes:
Lacquered back:	White, Magnolia, Anthracite (RAL 7015), Mocca (RAL 8014), Titanium (RAL 7040), Truffle, Black
Matching Body finishes:	
Silky-matt lacquer:	Anthracite, Mocca, Titanium, Truffle, Black
High-gloss decor:	White, Magnolia
All fronts feature vertical all	uminium trims


Lacquered Surfaces

All lacquered surfaces undergo a lengthy manufacturing process of sanding, lacquering and final polishing. Ultimately, through the intricate and complex workings a deep coloured, smooth, non-poreous surface is achieved.

PRICE GROUP 1 Replace XX with number of finish required										
Body High-Gloss Decor Front Glass										
	White	Magnolia	Mirror*							
White	21		41							
Magnolia		22	42							

PRICE GROUP 2 Replace YY with number of finish required												
Silky matt lacquered Body	Front Glass	ront Glass										
	Anthracite	Мосса	Titanium	Truffle	Black	Mirror*						
Anthracite	11					31						
Мосса		12				32						
Titanium			13			33						
Truffle				14		34						
Black					57	35						

* Mirrored door option only available for tall unit article-no. 34030 and 34031



Please note: Exterior measurement = width x height x depth.

Mirror cabinets / Furniture

Royal Reflex

KEUCO


Furniture

No.		Article	r	
	XX0000 YY0000 519000			
34010	170000	Interior-Set suitable for sideboard, model no. 34010 consists of: - 1 x metal inlay - 2 x Alu-Divider (200 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see page 31.19	2	

Royal Reflex

Mirror cabinets / Furniture

Furniture



Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.

Mirror cabinets / Furniture

Royal Reflex

KEUCO

Furniture

 No.		Article		
Y X	(X0001 (Y0001 (X0002 (Y0002	Tall unit single door, with soft closing Interior fittings: - 3 glass shelves - 1 drawer - 1 laundry basket Exterior measurement: 350 x 1670 x 335 mm LH hinge / Colour No. 21, 22, 41, 42 11, 12, 13, 14, 57, 31, 32, 33, 34, 35 RH hinge / Colour No. 21, 22, 41, 42 11, 12, 13, 14, 57, 31, 32, 33, 34, 35 When ordering please ensure to replace XX or YY with appropriate number for the chosen body and front finish combinations (see example)!	2 2	

Royal Reflex


Mirror cabinets / Furniture

	No.		Article			
500 350 30	34091	315000	Cast mineral washbasin no tap hole, without overflow Exterior measurement: 500 x 30 x 350 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34090, page 31.14	white alpine	2	
	34091	315001	Cast mineral washbasin single tap hole, without overflow Exterior measurement: 500 x 30 x 350 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34090, page 31.14	white alpine	2	
	34041	315000	Cast mineral washbasin no tap hole, without overflow Exterior measurement: 500 x 30 x 490 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34040, page 31.14	white alpine	2	
	34041	315001	Cast mineral washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 500 x 30 x 490 mm Note: Cast mineral washbasin suitable for vanity unit, article no. 34040, page 31.14	white alpine	2	

	No.		Article			
	34051	316500	Cast mineral washbasin no tap hole, without overflow Exterior measurement: 650 x 30 x 490 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34050, page 31.15	white alpine	2	
650 490 30	34051	316501	Cast mineral washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 650 x 30 x 490 mm Note: Cast mineral washbasin suitable for vanity unit, article no. 34050, page 31.15	white alpine	2	
800 490 30	34061	318000	Cast mineral washbasin no tap hole, without overflow Exterior measurement: 800 x 30 x 490 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34060, page 31.16	white alpine	2	
	34061	318001	Cast mineral washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 800 x 30 x 490 mm Note: Cast mineral washbasin suitable for vanity unit, article no. 34060, page 31.16	white alpine	2	

Royal Reflex


Mirror cabinets / Furniture



	No.		Article			
1300 1300 490 30	34081	311301	Cast mineral washbasin single tap hole, complete with Clou drain and overflow system Exterior measurement: 1300 x 30 x 490 mm Note: Cast mineral washbasin suitable for vanity unit, article no. 34080, page 31.18	white alpine	2	
1300 1300 490 30	34081	311303	Cast mineral washbasin 3 tap holes, complete with Clou drain and overflow system Exterior measurement: 1300 x 30 x 490 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34080, page 31.18	white alpine	2	
1300 600 490 30	34082	311302	Cast mineral double washbasin 2 x single tap hole, without overflow Exterior measurement: 1300 x 30 x 490 mm Note: Free-flow basin waste, article no. 59904 (order separately/see chapter 19) Cast mineral washbasin suitable for vanity unit, article no. 34080, page 31.18	white alpine	2	

Royal Reflex

Mirror cabinets / Furniture



Mirror cabinets / Furniture

Royal Reflex

KEUCO

No.		Article		
34050	XX0000 YY0000	Vanity unit fits with cast mineral washbasin Article No. 34051/316501 front pull-out with soft closing incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 1 storage box in solid beech wood (550 x 120 x 80 mm) - 1 plastic mat white Exterior measurement: 646 x 450 x 487 mm Colour No. 21, 22 11, 12, 13, 14, 57 When ordering please ensure to replace XX or YY with appropriate number for the chosen body and front finish combinations (see example)!	2 2	

Royal Reflex

Mirror cabinets / Furniture

No.		Article		
	XX0000 YY0000	Vanity unit fits with cast mineral washbasin Article No. 34061/318001 front pull-out with soft closing incl. odour trap made of plastic 1 1/4 x 32 <u>Interior fittings:</u> - 1 storage box in solid beech wood (550 x 120 x 80 mm) - 1 plastic mat white Exterior measurement: 796 x 450 x 487 mm Colour No. 21, 22 11, 12, 13, 14, 57 When ordering please ensure to replace XX or YY with appropriate number for the chosen body and front finish combinations (see example)!	2 2	
34060	170000	Interior-Set suitable for vanity unit consists of: - 1 x metal inlay - 2 x Alu-Divider (300 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see page 31.19	2	



No.		Article		
	XX0000 YY0000		2 2	
34070	170000	Interior-Set suitable for vanity unit consists of: - 1 x metal inlay - 3 x Alu-Divider (300 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see page 31.19	2	

Royal Reflex

Mirror cabinets / Furniture

No.		Article	_	
	XX0000 YY0000	Vanity unit fits with cast mineral washbasin Article No. 34081/311301 and 34082/311302, front pull-out with soft closing incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 2 storage boxes in solid beech wood (each 550 x 120 x 80 mm) - 1 plastic mat white Exterior measurement: 1296 x 450 x 487 mm Colour No. 21, 22 11, 12, 13, 14, 57 When ordering please ensure to replace XX or YY with appropriate number for the chosen body and front finish combinations (see example)!		
34080	170000	Interior-Set suitable for vanity unit consists of: - 1 x metal inlay - 3 x Alu-Divider (300 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see page 31.19	2	

Mirror cabinets / Furniture

Royal Reflex

KEUCO

Accessories

 No.		Article	
1 9001	170200	Alu-Storage Divider Set complete with magnetic holders Exterior measurement: 200 x 120 mm aluminium silver anodized (E6 EV1) Alu-Storage Divider Set complete with magnetic holders Exterior measurement: 300 x 120 mm aluminium silver anodized (E6 EV1)	

Royal Universe



Royal Universe


Mirror cabinets / furniture

No.		Article	_	
12701	171101 171201	Mirror cabinet Protection class IP 24 1 hinged double sided crystal mirror door, exterior carcass sides mirrored, LED lamp (1 x 6,5 Watt) EEK: A, 7 KWh/1000h Interior fittings: - 1 exterior light switch - 1 interior socket - 3 adjustable glass shelves Exterior measurement: 500 x 752 x 143 mm body/light shades right hand hinged silver anodized/chrome-plated left hand hinged Silver anodized/chrome-plated left hand hinged Silver anodized/chrome-plated	2	
12702	171301	Mirror cabinet Protection class IP 24 2 hinged double sided crystal mirror doors, exterior carcass sides mirrored, LED lamp (2 x 6,5 Watt) EEK: A, 2 x 7 kWh/1000h Interior fittings: - 1 exterior light switch - 2 interior sockets - 2 x 3 adjustable glass shelves Exterior measurement: 650 x 752 x 143 mm body/light shades silver anodized/chrome-plated	2	

Mirror cabinets / furniture


Royal Universe

KEUCO



Royal Universe

Mirror cabinets / furniture



Royal Universe

Royal Universe order information

How to order

When ordering please ensure to replace XX or YY with appropriate number for the chosen Body and front finish cominations (see example)!

Glass-Fronts

Glass is a modern material, easy to look after and extremely durable due to its toughened properties. Manufactured from toughened safety Glass (ESG)

Price Group 1

Replace color code for XX in article no.

Body Melamine decor	Front Glass c	lear (4 mm)
	White	
White Gloss	21	
BodyDecor matt	Front Glass m	att (4 mm)
	White	Cashmere
White matt	27	
Cashmere matt		28

Price Group 2								
Replace color code for YY in article no.								
Body Silky-matt lacquer	Body Silky-matt lacquer Front Glass matt (4 mm)							
	Anthracite	Titanium	Truffle					
Anthracite matt	15							
Titanium matt		16						
Truffle matt			17					

KEUC

Royal Universe

Mirror cabinets / furniture

	No.		Article		
	32791	315000	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 505 x 16 x 355 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32790, page 32.13	2	
505					
	32791		Ceramic washbasin		
6.0		315001	single tap hole, without overflow, with CleanPlus surface Exterior measurement: 505 x 16 x 355 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32790, page 32.13	2	
505 355 9					

	No.		Article		
	32751	316500	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 655 x 16 x 495 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32750, page 32.13	2	
655 495 ©					
	32751	316501	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 655 x 16 x 495 mm white Note: Ceramic washbasin can be combined with Vanity unit Article No. 32750, page 32.13	2	
655 495 g					

Royal Universe

Mirror cabinets / furniture

	No.		Article		
	32751	316503	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 655 x 16 x 495 mm white Note: Ceramic washbasin can be combined with Vanity unit Article No. 32750, page 32.13	2	
655 495 9					
	32761	318000	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 805 x 16 x 495 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32760, page 32.14	2	
805 495 90					

Royal Universe

KEUCO

	No.	0	Article			
	32761	318001	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 805 x 16 x 495 mm whi Note: Ceramic washbasin can be combined with Vanity unit Article No. 32760, page 32.14	e :	2	
805						
	32761	318003	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 805 x 16 x 495 mm whi Note: Ceramic washbasin can be combined with Vanity unit Article No. 32760, page 32.14	e :	2	
805 495 9 9						


Royal Universe

Mirror cabinets / furniture

	No.		Article		
	32771	311000	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 1005 x 16 x 495 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32770, page 32.15	2	
1005 495 9					
	32771	311001	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 1005 x 16 x 495 mm white Note: Ceramic washbasin can be combined with Vanity unit Article No. 32770, page 32.15	2	
1005 495 9					

Royal Universe

KEUCO



Royal Universe

Mirror cabinets / furniture

	No.		Article		
	32781	311301	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 1305 x 16 x 495 mm white Note: Ceramic washbasin can be combined with Vanity unit Article No. 32780, page 32.16	2	
1305 495 9					
	32781	311303	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1305 x 16 x 495 mm white Note: Ceramic washbasin can be combined with Vanity unit Article No. 32780, page 32.16	2	
1305 495 9					

Royal Universe


KEUCO

	No.		Article		
	32781	311302	Ceramic double-washbasin 2 single tap holes, without overflow, with CleanPlus surface Exterior measurement: 1305 x 16 x 495 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32780, page 32.16	2	
1305 550 9 9					
	32781	311306	Ceramic double-washbasin 2 x 3 tap holes (gauge 200 mm), without overflow, with CleanPlus surface Exterior measurement: 1305 x 16 x 495 mm white Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Article No. 32780, page 32.16	2	

Royal Universe

Mirror cabinets / furniture

Vanity Units



Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.

Mirror cabinets / furniture

Royal Universe

KEUCO

Vanity Units

No.		Article		
32760	XX0000 YY0000	Vanity unit compatible with ceramic washbasin Article No. 32761 front pull-out with soft closing incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 1 plastic mat white Exterior measurement: 796 x 450 x 487 mm Colour No. 21, 27, 28 15, 16, 17		
34060	170000	Interior-Set suitable for vanity unit consists of: - 1 x metal inlay - 2 x Alu-Divider (300 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see page 32.17	2	

PG = Price group

Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.

Royal Universe

Mirror cabinets / furniture

Vanity Units


 No.		Article		
32770	XX0000 YY0000	Vanity unit compatible with ceramic washbasin Article No. 32771 front pull-out with soft closing incl. odour trap made of plastic 1 1/4 x 32 Interior fittings: - 1 plastic mat white Exterior measurement: 996 x 450 x 487 mm Colour No. 21, 27, 28 15, 16, 17	2 2	
34070	170000	Interior-Set suitable for vanity unit consists of: - 1 x metal inlay - 3 x Alu-Divider (300 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see page 32.17	2	

Mirror cabinets / furniture

Royal Universe

KEUCO

Vanity Units



Accessories

 No.		Article		
34080	170000	Interior-Set suitable for vanity unit consists of: - 1 x metal inlay - 3 x Alu-Divider (300 x 120 mm), incl. magnetic holders aluminium silver anodized (E6 EV1) Please note: Additional aluminium dividers, article no. 49001, can be ordered separately, see below	2	
49001	170200	Alu-Storage Divider Set complete with magnetic holders Exterior measurement: 200 x 120 mm aluminium silver anodized (E6 EV1) Alu-Storage Divider Set complete with magnetic holders Exterior measurement: 300 x 120 mm aluminium silver anodized (E6 EV1)		

Royal Universe

KEUCO

Furniture

	No.		Article		
	32710	XX0001 YY0001 XX0002 YY0002		2 2	
	34020	519000	Please note: The cover plate 34020 is neccessary in order to complete the baselevel unit. Please order separately! Cover plate crystalline glass, lacquered on base 355 x 10 x 338 mm white lacquered	2	
	32720		Middle unit		
	32720	XX0001 YY0001 XX0002 YY0002	single door, soft-closing Interior fittings: - 2 glass shelves Exterior measurement: 350 x 845 x 335 mm LH hinge / Colour No. 21, 27, 28 15, 16, 17 RH hinge / Colour No. 21, 27, 28 15, 16, 17	2 2	
350 578 335	34020	519000	Please note: The cover plate 34020 is neccessary in order to complete the medium level unit. Please order separately! Cover plate crystalline glass, lacquered on base 355 x 10 x 338 mm white lacquered	2	

Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.

Royal Universe

Mirror cabinets / furniture

Furniture

No.		Article		
32730	XX0001 YY0001	Tall unit single door, soft-closing Interior fittings: - 4 glass shelves Exterior measurement: 350 x 1670 x 335 mm LH hinge / Colour No. 21, 27, 28 15, 16, 17 RH hinge / Colour No. 21, 27, 28 15, 16, 17	2 2	
32731	XX0001 YY0001	Tall unit single door, soft-closing Interior fittings: - 2 glass shelves - 1 drawer - 1 laundry basket Exterior measurement: 350 x 1670 x 335 mm LH hinge / Colour No. 21, 27, 28 15, 16, 17 RH hinge / Colour No. 21, 27, 28 15, 16, 17	2 2 2 2 2	

32.20

Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.


Royal 60



Royal 60

Mirror cabinets / furniture

Mirror cabinets




Please note: Exterior measurement = width x height x depth.

Mirror cabinets / furniture

Royal 60

KEUCO


Mirror cabinets



Royal 60

Mirror cabinets / furniture

Mirror cabinets



Mirror cabinets / furniture

Royal 60

KEUCO

Light mirrors

No.		Article		
11698	012000	Light mirror Elegance IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h Exterior measurement: 700 x 635 x 66 mm Fluorescent light external/internal white/white Light mirror IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 x 14 Watt T5) EEK: A+, 4 x 15 kWh/1000h	2	
11698	012800	Exterior measurement: 1050 x 635 x 66 mm Fluorescent light external/internal white/white	2	
11698	013500	Light mirror IP Rating 20 (Zone 3) vertical illumination, mirrored front panel, both task lighting and moodlight, switched separately with concealed switch fluorescent lamps (4 × 14 Watt T5) EEK: A+, 4 × 15 kWh/1000h Exterior measurement: 1400 × 635 × 66 mm Fluorescent light external/internal white/white Note: Standard fluorescent tubes type T5. Also available in blue, green and red.	2	

Royal 60

Order Informations

How to order

When ordering please ensure to replace XX or YY with appropriate number for the chosen Body and front finish cominations (see example)!

Surfaces

The matt coloured decor surfaces of the Royal 60 collection add character and a natural feel to the furniture.

Price Group 1												
Replace color code for XX in article no.												
Body Decor matt	Front Decor matt											
	White gloss	White matt	Anthracite matt	Cashmere matt								
White gloss	21											
White matt		43										
Anthracite matt			44									
Cashmere matt				45								

	No.		Article			
705 538	32140	310700	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 705 x 17 x 538 mm Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19. Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32141 or Edition 11, Article No. 31341, 31342, 31153, 31154, 31165 und 31166, see chapter 05.	white	2	
705 538	32140	310701	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 705 x 17 x 538 mm Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32141 or Edition 11, Article No. 31341, 31342, 31153, 31154, 31165 und 31166, see chapter 05.	white	2	
	32140	310703	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 705 x 17 x 538 mm Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32141 or Edition 11, Article No. 31341, 31342, 31153, 31154, 31165 und 31166, see chapter 05.	white	2	

Royal 60

Mirror cabinets / furniture

 No.		Article			
32150	311000	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 1055 x 17 x 538 mm Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32151 or Edition 11, Article No. 31351, 31352, 31163, 31164, see chapter 05.	white	2	
32150	311001	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 1055 x 17 x 538 mm Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32151 or Edition 11, Article No. 31351, 31352, 31163, 31164, see chapter 05.	white	2	
32150	311003	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1055 x 17 x 538 mm Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32151 or Edition 11, Article No. 31351, 31352, 31163, 31164, see chapter 05.	white	2	

	No.		Article			
1405	32160	311400	Ceramic washbasin no tap hole, without overflow with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm Note: Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32161 or Edition 11, Article No. 31361, 31362, see chapter 05.	white	2	
1405 538	32160	311401	Ceramic washbasin single tap hole, complete with Clou drain and overflow system with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32161 or Edition 11, Article No. 31361, 31362, see chapter 05.	white	2	
	32160	311403	Ceramic washbasin 3 tap holes (gauge 200 mm), complete with Clou drain and overflow system, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32161 or Edition 11, Article No. 31361, 31362, see chapter 05.	white	2	

Royal 60

Mirror cabinets / furniture

Ceramic washbasins

 No.		Article			
32160	311402	Ceramic double-washbasin 2 x 1 tap hole, without overflow, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32161 or Edition 11, Article No. 31361, 31362, see chapter 05.	white	2	
32160	311406	Ceramic double-washbasin 2 x 3 tap holes (gauge 200 mm), without overflow, with CleanPlus surface Exterior measurement: 1405 x 17 x 538 mm Basin waste Article No. 59904 can be ordered separately, see chapter 19 Ceramic washbasin can be combined with Vanity unit Royal 60, Article No. 32161 or Edition 11, Article No. 31361, 31362, see chapter 05.	white	2	


33.10

Mirror cabinets / furniture

Royal 60




Vanity units



Royal 60

Mirror cabinets / furniture

Vanity units




Mirror cabinets / furniture

Royal 60

KEUCO


Accessories



Royal 60

Mirror cabinets / furniture

Furniture




33.14

Mirror cabinets / furniture

Royal 60

KEUCO

Furniture



Please note: Exterior measurement = width x height x depth. When ordering, use the Colour No. instead of the place holder (XX, YY, ZZ) in the article number.

Spare parts



Index

Tumblers	34.03 - 34.05
Soapdishes	34.06 - 34.11
Brush inserts	34.12 - 34.14
Brushes	34.15 - 34.17
Dimensions	34.18
Spare Parts Accessories	34.19 - 34.24
Spare Parts Mirror Cabinets / Furniture	34.25 - 34.41

Accessories / Fittings



Replacements for tumblers discontinued collections

Discontinued	Alternative collection			
Apollo available while stock lasts	Apollo Crystal glass tumbler Amaro Crystal glass tumbler	00650009000 01850009000	1	
Amaro available while stock lasts	Amaro Crystal glass tumbler City Acrylic glass Smart Crystal glass tumbler	01850009000 00850000100 02350009000	1 1 1	
Arriba available while stock lasts	Arriba Crystal glass tumbler Amaro Crystal glass tumbler City Acrylic glass Smart Crystal glass tumbler	01750009000 01850009000 00850000100 02350009000	1 1 1 1	
Caprice	Astor Crystal glass tumbler Elegance Crystal glass tumbler Plan Crystal glass tumbler	02150009000 01650006000 14950009000	1 1 1	
City available while stock lasts	City Acrylic glass Eurotrend Crystal glass tumbler Smart Crystal glass tumbler	00850000100 00450006000 02350009000	1 1 1	
Cleo available while stock lasts	Cleo Crystal glass tumbler	03850009000	1	
Edition 100 available while stock lasts	Edition 100 Crystal glass tumbler	10050009000	1	
Edition 200 available while stock lasts	Edition 200 Crystal glass tumbler	20050009000	1	
Elegance to 2009 available while stock lasts	Elegance Crystal glass tumbler Elegance Smoked crystal glass tumbler	01650006000 01650008000	1	

Replacements for tumblers discontinued collections

	Discontinued	Alternative collection			
	Elegance 01651 016000	Astor Crystal glass tumbler	01650006000 02150009000 14950009000	1 1 1	
	Eurotrend 00450 016000	Eurotrend Crystal glass tumbler	00450006000	1	
	Futura available while stock lasts	Futura Crystal glass tumbler (00550009000	1	
	Imperial available while stock lasts	Elegance Crystal glass tumbler	02150009000 01650006000 14950009000	1 1 1	
	Imperial available while stock lasts	City Acrylic glass (01850009000 00850000100 02350009000	1 1 1	
	Madison available while stock lasts	Madison Crystal glass tumbler (02850009000	1	
	Mango available while stock lasts	Mango Crystal glass tumbler	03750009000	1	
	Novo	City Acrylic glass C Eurotrend Crystal glass tumbler C	01850009000 00850000100 00450006000 02350009000	1 1 1	
R	Olympic	Elegance Crystal glass tumbler 0	02150009000 01650006000 14950009000	1 1 1	

Accessories / Fittings

Spare parts



Replacements for tumblers discontinued collections

Discontinued	Alternative collection			
Omega available while stock lasts	Omega Crystal glass tumbler	03250009000	1	
Palace available while stock lasts	Palace Crystal glass tumbler Elegance Crystal glass tumbler Plan Crystal glass tumbler	02250009000 01650006000 14950009000	1 1 1	
Solo 01549 016000	Eurotrend Crystal glass tumbler City Acrylic glass Smart Crystal glass tumbler	00450006000 00850000100 02350009000	1 1 1	
Solo 01549 016000	Eurotrend Crystal glass tumbler City Acrylic glass Smart Crystal glass tumbler	00450006000 00850000100 02350009000	1 1 1	
Trapez/De Luxe available while stock lasts	Amaro Crystal glass tumbler City Acrylic glass Eurotrend Crystal glass tumbler Smart Crystal glass tumbler	01850009000 00850000100 00450006000 02350009000	1 1 1 1	
Trias available while stock lasts	Trias Crystal glass tumbler Amaro Crystal glass tumbler City Acrylic glass Eurotrend Crystal glass tumbler Smart Crystal glass tumbler	04550009000 01850009000 00850000100 00450006000 02350009000	1 1 1 1	

Discontinued	Alternative collection		
Apollo available while stock lasts	Apollo Crystal soap dish 006550090	00 1	
Amaro	City Crystal soap dish008550060City Acrylic glass soap dish008550001Smart Crystal soap dish023550090	00 1	
Arriba available while stock lasts	Arriba Synthetic soap dish 017560001	00 1	
City available while stock lasts	City Crystal soap dish008550060City Acrylic glass soap dish008550001Smart Crystal soap dish023550090	00 1	
Cleo available while stock lasts	Cleo Crystal soap dish 038550090	00 1	
Edition 100 available while stock lasts	Edition 100 Crystal soap dish 100550090	00 1	
Edition 200 available while stock lasts	Edition 200 Crystal soap dish 200550090	00 1	
Elegance to 2009 available while stock lasts	Elegance Crystal soap dish016550060Elegance Smoked crystal glass soap dish016550080		
Elegance 01665 009000 01656 006000 available while stock lasts	Elegance Crystal glass ashtray016650090Elegance Crystal soap dish016560060Elegance Crystal soap dish016550060	00 1	

Accessories / Fittings



	Discontinued	Alternative collection		
	Eurotrend	City Acrylic glass soap dish00855000Smart Crystal soap dish02355009		
	Futura	Futura Crystal soap dish 00555009	000 1	
n the second sec	Joly	City Crystal soap dish00855006City Acrylic glass soap dish00855000Smart Crystal soap dish02355009	100 1	
	Mango available while stock lasts	Mango Crystal soap dish 03755009	000 1	
	Novo	Apollo Crystal soap dish 00655009	000 1	
	Olympic available while stock lasts	Olympic Crystal soap dish 01255009	000 1	
	Omega available while stock lasts	Omega Crystal soap dish 03255009	000 1	
	Palace available while stock lasts	Palace Crystal soap dish02255009Astor Crystal soap dish02155009Plan Crystal soap dish14955009	000 1	
	Solo 01554 016000	Smart Crystal soap dish02355009City Acrylic glass soap dish00855000City Crystal soap dish00855006	100 1	

Discontinued	Alternative collection		
Solo 01554 016000	Solo Crystal soap dish01555006000Solo Acrylic glass soap dish01556000100	1	
Solo 01556 016000	Solo Acrylic glass soap dish 01556000100	1	
Trapez/Deluxe	City Acrylic glass soap dish00855000100City Crystal soap dish00855006000	1	
Trias	City Acrylic glass soap dish00855000100Smart Crystal soap dish02355009000	1	



Discontinued	Alternative collection			
Apollo available while stock lasts	Project items passend für alle ausgelaufenen Collectionen, chrome-plated	04950010001	1	
Apollo available while stock lasts	Smart , chrome-plated	02353010000	1	
Apollo available while stock lasts	Amaro City.2 Solo Trapez/De Luxe	01853009000 02753009000 04053009000 04053000100	1 1 1 1	
Apollo 00652 019000	City.2 Solo Trapez/De Luxe Project items Project items	02753009000 04053009000 04053000100 04950009000 04951009000	1 1 1 1	
Apollo 00653 019000	City.2 Solo Trapez/De Luxe Project items Project items	02753009000 04053009000 04053000100 04950009000 04951009000	1 1 1 1	
Apollo available while stock lasts	Arriba	01753000100	1	
City	Arriba Solo Trapez/De Luxe	01753000100 04053009000 04053000100	1 1 1	
Apollo available while stock lasts	Cleo	03853009000	1	
Apollo available while stock lasts	Edition 100	10053009000	1	

Replacements for soapdishes discontinued collections

Discontinued Alternative collection Edition 200 20053009000 Apollo 1 available while stock lasts Plan 14948009000 1 Apollo . available while stock lasts Apollo Plan 14948009000 1 . available while stock lasts Project items 04951009000 1 Eurotrend 00452 019000 01753000100 Arriba 1 Project items 04951009000 Eurotrend 1 00453 010100 Arriba 01753000100 1 Amaro 01853009000 1 Apollo . available while 02753009000 City.2 1 stock lasts Solo 04053009000 1 04053000100 Trapez/De Luxe 1 03752009000 1 Apollo Mango available while stock lasts Arriba 01753000100 1 Apollo available while 04950009000 Project items 1 stock lasts Project items 04951009000 1 Novo Arriba 01753000100 1 00353 179000 Project items 04950009000 1 Project items 04951009000 1



Replacements for soapdishes discontinued collections

Discontinued	Alternative collection		
Novo 00354 170100	Arriba0175300Project items0495000Project items0495100	9000	
Palace	Plan 1494800 Project items 0494700		
Solo 01552 010100	Arriba 0175300 Project items 0494700 Project items 0495100	9000	
Solo 01553 019000	Project items0495000Solo0405300Trapez/De Luxe0405300	9000	
Apollo available while stock lasts	Trias 0455300	9000	

Replacements for brush inserts discontinued collections

	Discontinued	Alternative collection	
	Apollo	City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1 1
	Amaro	City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1
	Arriba	City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1 1
	City to 2005 available while stock lasts	City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1
	Edition 100 available while stock lasts	Edition 100 Synthetic insert 10064000100	1
	Edition 200 available while stock lasts	Edition 200 Crystal glass insert 20064009000	1
	Elegance to 2009 available while stock lasts	Elegance Opaque synthetic insert 01664000100	1
	Elegance available while stock lasts	Elegance Crystal glass insert 01669009000 Elegance Smoked crystal glass insert 01669008000	1
Ĵ	Elysée	Cleo Opaque synthetic insert 03864000100	1



Replacements for brush inserts discontinued collections

	Discontinued	Alternative collection		
	Eurotrend available while stock lasts	Eurotrend Crystal glass insert 00464009000	1	
Ŭ	Futura	Eurotrend Crystal glass insert 00464009000	1	
	Gemini (01064)	Apollo Crystal glass insert00664009000City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1 1 1	
T T T T	Joly	City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1	
	Madison	Apollo Crystal glass insert00664009000City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1 1 1	
	Mango available while stock lasts	Mango Crystal glass insert03764009000Mango Crystal glass insert03769009000	1	
	Novo	Eurotrend Crystal glass insert 00464009000	1	
ę	Olympic	Apollo Crystal glass insert00664009000City Opaque synthetic insert00864000100Elegance Crystal glass insert01669009000	1 1 1	
	Palace	Eurotrend Crystal glass insert 00464009000	1	

Replacements for brush inserts discontinued collections

Discontinued Alternative collection Solo City Opaque synthetic insert 00864000100 1 01669009000 Elegance Crystal glass insert 1 Trapez (04064) 03764009000 1 Mango Crystal glass insert Trapez/Deluxe City Opaque synthetic insert 00864000100 1 01669009000 Elegance Crystal glass insert 1 Trias Crystal glass insert 04564009000 1 Trias available while stock lasts City Opaque synthetic insert 00864000100 1 Elegance Crystal glass insert 01669009000 1 Astor Eurotrend Crystal glass insert 00464009000 1 model to 2010



Replacements for brushes discontinued collections

	Discontinued	Alternative collection			
	Amaro	Amaro Toilet brush with handle chrome-plated Amaro Toilet brush head white City Toilet brush with handle	01864014000 01864004000 00864004000	1 1 1	
	Apollo	Amaro Toilet brush with handle chrome-plated Amaro Toilet brush head white City Toilet brush with handle	01864014000 01864004000 00864004000	1 1 1	
	Arriba	Amaro Toilet brush with handle chrome-plated Amaro Toilet brush head white City Toilet brush with handle	01864014000 01864004000 00864004000	1 1 1	
	City available while stock lasts	City Toilet brush with handle Amaro Toilet brush with handle chrome-plated Amaro Toilet brush head white	00864004000 01864014000 01864004000	1 1 1	
	Edition 100 available while stock lasts	Edition 100 Toilet brush with handle chrome-plated Edition 100 Toilet brush head	10064014000 10064004000	1	
	Elegance	Amaro Toilet brush with handle chrome-plated Amaro Toilet brush head white	01864014000 01864004000	1	
	Elegance	Amaro Toilet brush with handle chrome-plated Amaro Toilet brush head white City Toilet brush with handle	01864014000 01864004000 00864004000	1 1 1	
Ĵ	Elysée	Cleo Toilet brush head	03864004000	1	
	Eurotrend	Mango Toilet brush with handle chrome-plated Mango Toilet brush head	03764014000 03764004000	1	

Replacements for brushes discontinued collections


	Discontinued	Alternative collection		
	Futura	Mango Toilet brush with handle chrome-plated 03764014000 Mango Toilet brush head 03764004000	1 1	
	Gemini	Olympic Toilet brush with handle 01264004000	1	
	Joly	Amaro Toilet brush with handle chrome-plated01864014000Amaro Toilet brush head white01864004000City Toilet brush with handle00864004000	1 1 1	
	Madison	Olympic Toilet brush with handle 01264004000	1	
	Mango available while stock lasts	Mango Toilet brush with handle chrome-plated 03764014000 Mango Toilet brush head 03764004000	1 1	
	Novo	Mango Toilet brush with handle chrome-plated 03764014000 Mango Toilet brush head 03764004000	1 1	
¢.	Olympic available while stock lasts	Olympic Toilet brush with handle 01264004000	1	
J.	Omega	Mango Toilet brush with handle chrome-plated 03764014000 Mango Toilet brush head 03764004000	1 1	
	Palace	Mango Toilet brush with handle chrome-plated 03764014000 Mango Toilet brush head 03764004000	1 1	



Replacements for brushes discontinued collections

	Discontinued	Alternative collection		
	Solo	Amaro Toilet brush with handle chrome-plated01864014000Amaro Toilet brush head white01864004000City Toilet brush with handle00864004000	1	
Ť	Trapez/Deluxe	Amaro Toilet brush with handle chrome-plated01864014000Amaro Toilet brush head white01864004000City Toilet brush with handle00864004000	1	
	Trias	Amaro Toilet brush with handle chrome-plated01864014000Amaro Toilet brush head white01864004000City Toilet brush with handle00864004000	1	
6	Vanda	Mango Toilet brush head 03764004000	1	
Ũ	Astor model to 2010	Mango Toilet brush with handle chrome-plated 03764014000 Mango Toilet brush head 03764004000		

Spare parts



Collections	Article no.	Item	ltem no.
ALEA	00748, 00749	Wall mounting set	59274
	00748, 00749	Insert	59080
	06509	Wall mounting set	50478
	06509	Threaded pin DIN551 M5x5	50479
	for all articles, except 00748, 00749, 00764, 06509	Wall mounting set	50354
		Disassembly aid	50411
		Decor disk halbrund	50364-01
		Decor disk rund	50367-01
	00748	Ascending pipe	51896
AMARO	01810, 01870	Fastening plate	51094-01
	01810, 01858, 01870	Flat-headed screw	51632
	06514	Decorative nut	51684-01
	01850, 01851, 01852, 01855	Insert	51124
	all articles	Locking lug	51331
	01852, 01853	Ascending pipe	51896
AMARO DECOR SETS	all decor sets	End bracket	51329
APOLLO	00618 until May 2003	LSK screw M6x25	51447-04
	00610	Clamp screw M8x14	53168
	00652	Ascending pipe	51907
ARRIBA	01710	Cover cap	51579-01
	01718	Disassembly aid	52229
	01752, 01753	Ascending pipe	51896
ASTOR	02101, 02103, 02107, 02109, 02116, 02121, 02150, 02152, 02153, 02155, 02158, 02160, 02163, 02164, 02170, 17621	Wall mounting set	51341
	02101, 02107, 17621	Plastic socket	52687
	02117, 02118	Wall mounting set	53631
	02175	Cover cap	51113-01
	02110	Threaded pin M8x8	51887
	02101, 02103, 02105, 02107, 02116, 02117, 02118 02121, 02150, 02152, 02155, 02158, 02160, 02163, 02164, 17621 02152	Threaded pin DIN914 M6x8 Ascending pipe	51546
ATELIER	06541 16052	Threaded pin DIN914 M6x16 Ascending pipe	53968 70216
ATELIER	10052	Cylinder head screw DIN7984-M4x6	50942
	16087	Elastic buffer	70484
	16062	Threaded pin DIN914 M6x10	53889
	16062	O-ring 25x2	70186
CITY	00801, 00815, 00821, 00850, 00851, 00860, 00862, 00864	Wall mounting set	52219
	00803, 00807	Wall mounting set	50177-00
	00801, 00815, 00821, 00850, 00851, 00860, 00862, 00864	Threaded pin DIN914 M6x10	53889
	00803, 00807	Threaded pin DIN914 M6x16	53968
CITY.2	02701, 02703, 02707, 02721, 02750, 02751, 02760, 02762 02763	Universal wall bracket	59264
	02714	Wall mounting set	59267
	02718	Flat-headed screw DIN 7991 M5x20	59283
	02718 from july 2007	Flat-headed screw DIN7991 M5x22	70299
	02715 04510	Threaded pin DIN913 M8x8	53380
	02718 02318	Foil socket	59282

Collections	Article no.	Item	ltem no.
CITY.2	02701, 02703, 02707, 02750, 02751	Threaded pin DIN914 M6x8	51546
	02710	Threaded pin M8x8	51887
	02753	Ascending pipe	51907
CLEO	all articles except 03814, 03818, 03864	Wall mounting set	53941
	03810, 03870	Screw cap	53938-01
	03852	Ascending pipe	51909
	03855	Rotation lock	9027000
	03864 11664	Hinge	53971
	03801, 03807, 03810, 03815, 03816, 03818, 03821, 03862, 03863	Threaded pin DIN914 M6x10	53889
	03850, 03852, 03854, 03855, 03860	Threaded pin DIN914, M6x6	53959
COLLECTION MOLL	12701, 12707	Wall mounting set	50763
	12715	Threaded pin DIN914 M6x8	51546
	12715	Wall mounting set	72011-04
		Threaded pin DIN914 M6x10	53889
	12718, 12719	Wall mounting set	72400-04
		Threaded pin DIN914, M6x7	59316
	12720, 12722	Wall mounting set	70799-04
		Threaded pin DIN914 M6x10	53889
	12721, 12750, 12755, 12760, 12762	Wall mounting set	72095-04
		Threaded pin DIN914 M6x10	53889
	12752	Wall mounting set	72095-04
		Threaded pin DIN914 M6x10	53889
		Lever	71481-01
		Adaptor	70446
		Flat-headed screw M3x12	53864
	12763	Wall mounting set	71315
		Threaded pin DIN914 M6x8	51546
	12764	Wall mounting set	72406-01
		Lid	72405,51
		Lid	72405,37
	12785	Disassembly aid	50411
DE LUXE	00918	Threaded pin old DIN 553 M6x14	50006-04
	00901, 00907, 00921	Wall mounting set neu	51969
	00918	Mounting set new	56114
		Insert	50799-57
	00963	Thread piece	51652
EDITION 11	11114, 11116, 11163	Wall mounting set	71315
	11114, 11116, 11163	Threaded pin DIN914, M6x5	71485
	,	Wall mounting set	71306-04
	11121, 11162	Bearing cone	71307
	11150, 11151, 11152, 11153, 11155, 11164	Wall mounting set	71311
	11150, 11151, 11153, 11164	Insert	71626
	11155	Insert	71387
	11101	Wall mounting set	70474-04
		Threaded pin DIN914, M6x14	50288
		Wall mounting set	59308
	11107, 11118	Threaded pin DIN914, M6x7	59316
	11110	Clamp screw M8x14	53168
	11115	Wall mounting set	70379-04
	11115	Threaded pin DIN914, M5x6	51927
	11121, 11150, 11151, 11152, 11153,	Threaded pin DIN914, M5x6	53959
	11155, 11162, 11164		



Collections	EDITION 200 Article no.	ltem	ltem no.
EDITION 100	all articles	Wall mounting set	59233
	10013	O-ring	52872
	all articles	Threaded pin DIN914, M6x6	53959
	10052, 10053	Ascending pipe	51896
EDITION 200	20001, 20007, 20010, 20013, 20021, 20063	Cylinder head screw M6x16	305747
	20015, 20050, 20055, 20064	Wall mounting set	53496
	all except 20050, 20052, 20055 20101	Threaded pin DIN914 M6x8	51546
		Wall mounting set	53486
	20010	Clamp screw M8x14	53168
	20052	Ascending pipe	51896
	20015, 20050, 20052, 20055, 20064	Flat-headed screw DIN965 M4x8	53508
EDITION 200 SYSTEM	20101	Cylinder head screw M6x16	305747
	20101	Threaded pin DIN914 M6x8	51546
	20101	Wall mounting set	53486
	20110, 20115, 20150, 20152, 20155	Flat-headed screw DIN965 M4x8	53508
	20110	Clamp screw M8x14	53168
	20152	Ascending pipe	51896
EDITION 300	30050, 30052, 30055, 30064	Wall mounting set	59303
	30018, 30021	Flat-headed screw DIN7991 M4x10	51704
	30060	Intake	59370
	30001, 30007	Threaded pin DIN914, M6x7	59316
		Wall mounting set	59308-04
		Wall mounting set	59455-04
		Wall mounting set	70474-04
		Wall mounting set	70379-04
	30050, 30052, 30055, 30064	Threaded pin DIN914 M6x8	51546
	30010	Clamp screw M8x14	53168
	30015	Threaded pin DIN914, M5x6	51927
ELEGANCE until 1997	01601, 01607	Mounting set	56303
	01601, 01607	Synthetic insert	53952
	01619	Wall mounting set	50054
	04948	Lid	52283-01
	04948	Wall mounting set	52291
	04948 lockable		
	04948 lockable	Spring element	53408
	04948 lockable	Opening aid	53406
	04948, 04948 lockable	Grip lever	54383
	04967 11158	Wall mounting set	52661
	01689	Wall mounting set	50393-04
	01610	Clamp screw M8x14	53168
	01621	Insert	50799-57
	04957	Socket	50316
ELEGANCE from 1997	01619	Wall mounting set	50054
(with snap fixing)	01619	Flat-headed screw DIN7991 M8x16	50702
	01647, 01649, 01650, 01652,	Insert	59380
	01653, 01654, 01655, 01656	Dista	70004
	01651	Plate	70321
	01659	Soap clip	51396-01
	01662	Wall mounting set	52146
		Wall mounting set	59308-04
		L brooded ain DINO14 MEV9	54000
		Threaded pin DIN914 M5x8	
	01601, 01607, 01621, 01659, 01663	Threaded pin DIN914 M5x8 Threaded pin DIN914 M6x8 Wall mounting set neu	51546 51969

Collections	Article no.	Item	ltem no.
	01610	Clamp screw M8x14	53168
	01618, 01620	Mounting set new	56114
	01621	Insert	50799-57
	01621	Insert	51970
	01650, 01651, 01652, 01653, 01655, 01656, 01669	Wall mounting set	51964
ELEGANCE NEW	11601, 11663	Wall mounting set	70474-04
from 2009		Threaded pin DIN914, M6x14	50288
	ELEGANCE NEW from 2009	Wall mounting set	59308-04
		Threaded pin DIN914, M6x7	59316
	11610	Screw cap	70763-01
		Washer	50249
		Wall mounting set	70764-04
		Threaded pin DIN914, M6x6	53959
	11613	Wall mounting set	70379-04
		Threaded pin DIN914 M5x8	54000
	11618, 11620	Wall mounting set	70403-04
		Threaded pin DIN914 M6x8	51546
	11650, 11652	Wall mounting set	59891
ELEGANCE NEW	11610	Screw cap	70763-01
from 2009		Washer	50249
		Wall mounting set	70764-04
		Threaded pin DIN914, M6x6	53959
	11613	Wall mounting set	70379-04
		Threaded pin DIN914 M5x8	54000
	11618, 11620	Wall mounting set	70403-04
		Threaded pin DIN914 M6x8	51546
	11650, 11652	Wall mounting set	59891
	11653, 11655	Threaded pin DIN914, M6x7	59316
	11653	Ascending pipe	70216
	11660	Wall mounting set	59455-04
		Flat-headed screw DIN7991 M4x10	51704
	11662	Wall mounting set	50763
		Threaded pin DIN914, M6x6	53959
	11664	Hinge	53971
	11675	Wall mounting set	70799-04
		Threaded pin	70849
	17676	Threaded pin DIN 914 M4x6	53381
EUROTREND	all articles except 00460	Wall mounting set	53713
FUTURA	00510	Mounting set	56263
	00518, 00521, 00550, 00555, 00560, 00564	Eccentric bolt	51627-04
FUTURA SYSTEM	06563	Clamp screw M8x14	53168
IMPERIAL	02021	Insert	52683
	02018	Threaded pin DIN914 M6x16	53968
JOLY	01879, 01880	Insert	51124
	01879, 01880, 01881	Locking lug	51331
	01884	Threaded pin M8x8	51887
MADISON	06557	Threaded pin DIN914 M6x20	53632
MANGO OLD	03714, 03715	Eccentric bolt	52897-04
	03721	Intake ring	51008-51
	03764	LSK screw	92225-01
MANGO NEW	all articles	Wall mounting set	56102
(with press button attachment)	03750	Insert	51168-57
NOVO	00310	Threaded pin M8x8	51887
	00363	Thread piece	51652

Accessories / Fittings

Spare parts

KEUCO

Collections	Article no.	Item	Item no.
OLYMPIC	06533, 06534	LSK screw M5x12,5	50227-04
PALACE	all articles except 02214, 02216, 02272	Eccentric bolt	51627-04
EDITION PALAIS	40001, 40007, 40063	Wall mounting set	59886-04
		Threaded pin DIN914, M6x14	50288
	40010	Clamp screw M8x14	53168
		Threaded pin DIN914, M5x6	51927
	40018	Threaded pin DIN914 M6x10	53889
	40021, 40052, 40055	Wall mounting set	59891
		Threaded pin DIN914 M6x10	53889
	40058	End piece	70015
	40064	Hinge	53971
	40067	Gasket plate	70056
		Wall mounting set	52661
PLAN	14911	End piece	50812
	14918, 14919, 17649	Fastening bolts	51314-04
	14918, 14919, 17649	Intermediate plate	51991
	14913, 14921, 14922, 14960, 14961	Fastening bolts	51319-04
		Sealing aid	52590
		Sealing bolt	52589
		Clamp segment	55431
		Threaded pin	307695
		Clamp screw M8x14	53168
		Wall mounting set	50763
		Opening aid	51911-01
	14001 14007 14012 14021		
	14901, 14907, 14913, 14921, 14922, 14950, 14953, 14955, 14960, 14961, 14962	Threaded pin DIN914, M6x6	53959
		Threaded pin DIN914 M6x8	51546
		Wall mounting set	59494
	06549	Threaded pin DIN914 M6x16	53968
	06545	Threaded pin DIN914 M6x10	53889
	14948, 14953	Ascending pipe	51896
	14952, 14953	Ascending pipe	51907
	14954, 14956, 14985	Disassembly aid	50411
		Ascending pipe	70216
PLAN CARE	34902, 34903, 34904, 34905	End buffer	53241,37
		End piece	52678-01
	34903, 34904, 34905	End piece (für Edelstahl)	52678-07
	34903, 34905	Threaded pin DIN 914 M4x5	53362
	34903, 34905	Roll brake	50601,38
	34979	Socket	55349
		Plug bolts	55348
		Wall mounting set	50763
		Сар	55142
	34902, 34903, 34904, 34905	Socket	50316
	34979	Threaded pin DIN914, M6x6	53959
SMART	02301, 02303, 02315, 02321, 02350, 02351, 02355, 02360, 02362	Universal wall bracket	59019
	02301, 02303, 02350, 02351	Threaded pin DIN914, M5x6	51927
	02315, 02321, 02360, 02362	LSK screw DIN 964 M5x22	51917-04
	02307, 02309	Universal wall bracket	59023
	02307, 02309	Flat-headed screw DIN 7991 M6x10	51345
	02309	Cylinder head screw M4x12	55587
		Ascending pipe	51896

Collections	Article no.	ltem	Item no.
SOLO	all articles except 01514, 00967, 06508	Wall mounting set	53978
		Ascending pipe	51896
	01510	Cover cap	51579-01
	01518	Disassembly aid	52229
TRIAS	04501, 04507, 04521, 04560, 04562, 04563, 04564	Disassembly aid	52119
	04518	Wall mounting set	52101
	04510	Threaded pin DIN913 M8x8	53380
	04550, 04552, 04555	Wall mounting set	51964
	04552	Ascending pipe	51896
VISIT	18064 until the end of 2003	Contact piece	404558
	for all articles, except 00748, 00749, 00764, 06509 18015, 18020, 18021, 18060, 18063	Wall mounting set	50354
	00748, 00749 14954, 14956, 14985 18015, 18020, 18021, 18060, 18063	Disassembly aid	50411
	18015, 18020, 18021, 18060, 18063	Decor disk halbrund	50364-01
	18015, 18020, 18021, 18060, 18063	Decor disk rund	50367-01
MAGNET SOAP HOLDER	all magnetic soap holders	Soap clip	51396
		Flat-headed screw	52575
		Disk magnet	70800
MIRRORS	all mirrors	Mounting set	56249
	all mirrors	Push button	54818
LIGHT MIRRORS	07827	Threaded ring	50953



Collections	Article	Spare part Dimensions	i	
AKARI	404975	Shelf supports 12 pieces	2	
Model No. 06301	306941	Glass shelf with brackets lateral 135 mm x 200 mm	2	
	306128	Glass shelf with brackets central 110 mm x 392 mm	2	
	305038	Light shade white 659,5 mm	2	
AKARI Model No. 06302	404975	Shelf supports 12 pieces	2	
WOUEI NO. 00302	306941	Glass shelf with brackets lateral 135 mm x 200 mm		
	306129	Glass shelf with brackets central 110 mm x 592 mm		
	305038	Light shade white 659,5 mm	2	
ATLANTA	404235	Shelf supports (1 set)	2	
Model No. 06401	305473	Glass shelf with brackets only 250,5 mm x 250,5 mm		
ATLANTA	404235	Shelf supports (1 set)	2	
Model No. 06402	305473	Glass shelf with brackets only 250,5 mm x 250,5 mm	2	
	05601 000001	Light shade matt white	2	
	05601 000002	Light shade matt blue	2	
EDITION 11	310084	Hydraulics 150 N	2	
Model-No. 21101	309950	Cover cap for hydraulics	2	
	308985	Flourescent tube TL5, 14 Watt D = 16 x 549 mm		
	406846	Rotating mirror complete 152 x 610 mm		
	310226	Light cover 164 x 610 mm		
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310184	Glass shelf with brackets 110 mm x 629 mm		
	406870	Sliding mirror without cosmetic mirror 180 x 550 mm		
	406849	Cosmetic mirror 184 x 149 mm		
	406833	Lift up door with handle 700 x 610 mm		
	310027-01	Handle chrome-plated 130 x 28 x 15 mm		
	310238	IR-control	2	
EDITION 11	310125	Hydraulics 225 N	2	
Model-No. 21102	309950	Cover cap for hydraulics	2	
	308985	Flourescent tube TL5, 14 Watt D = 16 x 549 mm	2	
	406846	Rotating mirror complete 152 x 610 mm	2	
	310226	Light cover 164 x 610 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310168	Glass shelf with brackets 110 mm x 979 mm	2	
	406870	Sliding mirror without cosmetic mirror 180 x 550 mm	2	
	406849	Cosmetic mirror 184 x 149 mm		
	406834	Lift up door with handle 1050 x 610 mm		
	310027-01	Handle chrome-plated 130 x 28 x 15 mm	2	
	310238	IR-control	2	
EDITION 11	310126	Hydraulics 275 N	2	
Model-No. 21103	309950	Cover cap for hydraulics	2	
	308985	Flourescent tube TL5, 14 Watt D = 16 x 549 mm	2	
	406846	Rotating mirror complete 152 x 610 mm	2	
	310226	Light cover 164 x 610 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310185	Glass shelf with brackets 110 mm x 652 mm	2	
	406870	Sliding mirror without cosmetic mirror 180 x 550 mm	2	
	406849	Cosmetic mirror 184 x 149 mm	2	
	406835	Lift up door with handle 1400 x 610 mm	2	
	310027-01	Handle chrome-plated 130 x 28 x 15 mm	2	
	310238	IR-control	2	

Spare parts

Collections	Article	Spare part Dimensions		
EDITION 11	406955	Door mirror left 348 x 750 mm	2	
Model-No. 21201	406956	Door mirror right 348 x 750 mm	2	
	309547	Hinge Serie B	2	
	406959	Side panel left 185 x 885 mm	2	
	406960	Side panel right 185 x 885 mm	2	
	310357	Glass shelf with brackets 655 x 118 mm	2	
EDITION 11	310394	Glass shelf with brackets 658 x 55 mm	2	
Model-No. 21201	405859	Shelf supports (set, 3 left and 3 right)	2	
	308647	Ballast 1 x 24 Watt 359 x 30 x 21 mm	2	
	308988	Flourescent tube TL5, 24 Watt D = 16 x 549 mm	2	
	310342	Light cover top 694 x 91 mm	2	
	310341	Light cover below 694 x 60 mm	2	
	406961	Mirror facing 700 x 135 mm	2	
	310238	IR-control	2	
EDITION 11	406955	Door mirror left 348 x 750 mm	2	
Model-No. 21202	406956	Door mirror right 348 x 750 mm	2	
	309547	Hinge Serie B	2	
	406959	Side panel left 185 x 885 mm		
	406960	Side panel right 185 x 885 mm		
	310357	Glass shelf with brackets 655 x 118 mm		
	310358	Glass shelf with brackets 325 x 118 mm		
	310394	Glass shelf with brackets 658 x 55 mm		
	310395	Glass shelf with brackets 328 x 55 mm		
	405859	Shelf supports (set, 3 left and 3 right)	2	
	308647	Ballast 1 x 24 Watt 359 x 30 x 21 mm		
	308989	Flourescent tube TL5 39 Wat D = 16 x 849 mm		
	310344	Light cover top 1044 x 91 mm		
	310343	Light cover below 1044 x 60 mm		
	406962	Mirror facing 1050 x 135 mm	2	
EDITION 11	406955	Door mirror left 348 x 750 mm	2	
Model-No. 21203	406957	Door mirror center, left 348 x 750 mm	2	
	406958	Door mirror center, right 348 x 750 mm	2	
	406956	Door mirror right 348 x 750 mm	2	
	309547	Hinge Serie B	2	
	406959	Side panel left 185 x 885 mm	2	
	406960	Side panel right 185 x 885 mm	2	
	310382	Glass shelf with brackets 665 x 118 mm	2	
	310396	Glass shelf with brackets 668 x 55 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310387	Ballast 1 x 24 Watt 359 x 30 x 21 mm		
	309079	Flourescent tube TL5 54 Watt D = 16 x 1149 mm	2	
	310346	Light cover above 1394 x 91 mm		
	310345	Light cover below 1394 x 60 mm		
	406963	Mirror facing 1400 x 135 mm		
	310238	IR-control	2	
EDITION 11 Model-No. 21213	406955 406956	Door mirror left 348 x 750 mm Door mirror right 348 x 750 mm		
	406956 309547	Door mirror right 348 x 750 mm Hinge Serie B	2	
	309547 406959	Side panel left 185 x 885 mm		
	406959	Side panel right 185 x 885 mm		
	406960 310357	Glass shelf with brackets 655 x 118 mm		
	310358	Glass shelf with brackets 325 x 118 mm		
	310394	Glass shelf with brackets 658 x 55 mm		
	310394	Glass shelf with brackets 328 x 55 mm		
	405859	Shelf supports (set, 3 left and 3 right)	2	
	+03039	טוופון פעורט נפרג טופון מווע ט וואוון)	4	

Mirror cabinets / Furniture

Spare parts

KEUCO

Collections	Article	Spare part	Dimensions		
	310387	Ballast 1 x 24 Watt	359 x 30 x 21 mm	2	
	309079	Flourescent tube TL5 54 Watt	D = 16 x 1149 mm	2	
	310346	Light cover above	1394 x 91 mm	2	
	310345	Light cover below	1394 x 60 mm	2	
	406963	Mirror facing	1400 x 135 mm	2	
	310238	IR-control		2	
EDITION 100	307098	Glass shelf with brackets	105 mm x 539 mm	2	
Model No. 10101	307100	Glass shelf with brackets	105 mm x 584 mm	2	
	404478	Handle only, left		2	
	404479	Handle only, right		2	
	405435	Light shade only	92 mm	2	
	405436	Light shade only	564 mm	2	
	307111	Glass shelf with brackets	165 mm x 614 mm	2	
EDITION 100	307097	Glass shelf with brackets	105 mm x 739 mm	2	
Model No. 10102	307099	Glass shelf with brackets	105 mm x 784 mm	2	
	404478	Handle only, left		2	
	404479	Handle only, right		2	
	405435	Light shade only	92 mm	2	
	405437	Light shade only	764 mm	2	
	307110	Glass shelf with brackets	165 mm x 814 mm	2	
EDITION 100	404975	Shelf supports 12 pieces		2	
Model No. 10110,	220501	Glass shelf with brackets	110 mm x 239 mm	2	
10111, 10112, 10113,	220501	Glass shelf with brackets	239 x 293 mm	2	
10120, 10121, 10122,	220300	Glass shelf with brackets	110 mm x 285 mm	2	
10123, 10130, 10131, 10141, 10142, 10143					
10141, 10142, 10143	220408	Glass shelf with brackets	285 x 293 mm	2	
	307115-01	Handle only	90,5 x 23 x 10 mm	2	
	405435	Light shade only	92 mm	2	
EDITION 200 Model No. 20201	405572	Glass shelf with brackets	110 mm x 260 mm	2	
100001100.20201	405573	Glass shelf with brackets	110 mm x 180 mm	2	
	307529	Light shade	249 x 800 mm	2	
	405698	Swing mirror (inside)	170 x 510 mm	2	
	405801	Swing mirror	170 x 508 mm	2	
	307585	Glass shelf with brackets	110 mm x 680 mm	2	
EDITION 200	405572	Glass shelf with brackets	110 mm x 260 mm	2	
Model No. 20202	405571	Glass shelf with brackets	360 x 6 x 110 mm	2	
	307530	Light shade	249 x 1000 mm	2	
	405698	Swing mirror (inside)	170 x 510 mm	2	
	405801	Swing mirror	170 x 508 mm	2	
	307586	Glass shelf with brackets	110 mm x 880 mm	2	
EDITION 300	308619	Rear wall	590 x 569 x 16 mm	2	
Model-No. 30201	310329	Side mirror	151 x 649 x 3 mm	2	
	308985	Flourescent tube TL5, 14 Watt	D = 16 x 549 mm	2	
	308605	Light cover top	606,5 mm	2	
	308603	Light cover bottom	606,5 mm	2	
	221255	Hydraulics 150 N	·	2	
	406082	Sliding door inside	200 x 522 mm	2	
	406141	Lift up door with handle	650 x 650 mm	2	
	59430-01	Handle only chrome-plated	140 mm	2	
EDITION 300	308618	Rear wall	1190 x 569 x 16 mm	2	
Model-No. 30202	310329	Side mirror	151 x 649 x 3 mm	2	
	308987	Flourescent tube 28 Watt T5	$D = 16 \times 1149 \text{ mm}$	2	
	308987		D = 16 x 1149 mm 1206 mm	2	
	308604	Light cover top			
		Light cover bottom	1206 mm	2	
	406082	Sliding door inside	200 x 522 mm	2	

Collections	Article	Spare part	Dimensions		
	406142	Lift up door with handle	1250 x 650 mm	2	
	59430-01	Handle only chrome-plated	140 mm	2	
EDITION 300	308913	Rear wall	890 x 569 x 16 mm	2	
Model-No. 30203	310329	Side mirror	151 x 649 x 3 mm	2	
	308986	Flourescent tube TL5 21 Watt	D = 16 x 849 mm	2	
	308911	Light cover top	905 mm	2	
	308910	Light cover bottom	905 mm	2	
	406082	Sliding door inside	200 x 522 mm	2	
	406278	Lift up door with handle	950 x 650 mm	2	
	59430-01	Handle only chrome-plated	140 mm	2	
ELEGANCE Model-No. 21601	310332	Side mirror	142 x 695 x 3 mm	2	
	310331	Side mirror (hinged side)	139 x 695 x 3 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)		2	
	309689	Glass shelf with brackets left	135 mm x 430 mm	2	
	309695	Light shade above	186 x 89 x 2 mm	2	
	309694	Light shade below	183 x 59 x 2 mm	2	
	304472	Halogen light bulb 12 V / 20 W		2	
	70962-01	Handle	50 x 31,5 x 9 mm	1	
	406627	Door mirror hinged right with handle	500 x 725 mm	2	
	406626	Door mirror hinged left with handle	500 x 725 mm	2	
ELEGANCE	310331	Side mirror (hinged side)	139 x 695 x 3 mm	2	
Model-No. 21602	405859	Shelf supports (set, 3 left and 3 right)		2	
	309690	Glass shelf with brackets	135 mm x 630 mm	2	
	309695	Light shade above	186 x 89 x 2 mm	2	
	309694	Light shade below	183 x 59 x 2 mm	2	
	304472	Halogen light bulb 12 V / 20 W		2	
	70962-01	Handle	50 x 31,5 x 9 mm	1	
	406628	Door mirror left with handle	349 x 725 mm	2	
	406629	Door mirror right with handle	349 x 725 mm	2	
ELEGANCE	310333	Side mirror	139 x 605 x 3 mm	2	
Model-No. 21603	405859	Shelf supports (set, 3 left and 3 right)		2	
	309691	Glass shelf with brackets	135 mm x 880 mm	2	
	309695	Light shade above	186 x 89 x 2 mm	2	
	309694	Light shade below	183 x 59 x 2 mm	2	
	304472	Halogen light bulb 12 V / 20 W		2	
	70962-01	Handle	50 x 31,5 x 9 mm	1	
	406630	Door mirror left with handle	474 x 635 mm	2	
	406631	Door mirror right with handle	474 x 635 mm	2	
ELEGANCE	310333	Side mirror	139 x 605 x 3 mm	2	
Model-No. 21604	405859	Shelf supports (set, 3 left and 3 right)		2	
	309692	Glass shelf with brackets left	135 mm x 352 mm	2	
	309693	Glass shelf with brackets right	135 mm x 753 mm	2	
	309695	Light shade above	186 x 89 x 2 mm	2	
	309694	Light shade below	183 x 59 x 2 mm	2	
	304472	Halogen light bulb 12 V / 20 W		2	
	70962-01	Handle	50 x 31,5 x 9 mm	1	
	406632	Door mirror left with handle	399 x 635 mm	2	
	406633	Door mirror center with handle	398 x 635 mm	2	
	406634	Door mirror right with handle	399 x 635 mm	2	
ELEGANCE	310333	Side mirror	139 x 605 x 3 mm	2	
Model-No. 21605	405859	Shelf supports (set, 3 left and 3 right)		2	
			105	2	
	309689	Glass shelf with brackets left	135 mm x 430 mm	~	
	309689 309937	Glass shelf with brackets left Glass shelf with brackets right	135 mm x 430 mm 135 mm x 775 mm	2	

Mirror cabinets / Furniture

Spare parts

KEUCO

Collections	Article	Spare part Dimensions		
	309694	Light shade below 183 x 59 x 2 mm	2	
	304472	Halogen light bulb 12 V / 20 W	2	
	70962-01	Handle 50 x 31,5 x 9 mm	1	
	406630	Door mirror left with handle 474 x 635 mm	2	
	406685	Door mirror center with handle 348 x 635 mm	2	
	406631	Door mirror right with handle 474 x 635 mm	2	
MIKADO	404975	Shelf supports 12 pieces	2	
Model No. 07201	306074	Shelf 397 x 6 x 110 mm	2	
MIKADO	404975	Shelf supports 12 pieces	2	
Model No. 07202	306074	Shelf 397 x 6 x 110 mm		
	07202 010001	Light shade	2	
MIAMI	404975	Shelf supports 12 pieces	2	
Model No. 06701				
EDITION PALAIS	309058	Flourescent tube 60 Watt D = 375 mm	2	
Modell 40201 171201/ 171202 (740 mm)	406390	Mirror facing 740 x 630 mm	2	
11 1202 (140 mm)	406330	with mounting- and handle strip Glass shelf with brackets with 175 x 87 mm support	2	
	309271	Glass shelf with brackets	2	
EDITION PALAIS	309058	Flourescent tube 60 Watt D = 375 mm	_	
Modell 40201 172201 (740 mm)	406390	Mirror facing 740 x 630 mm with mounting- and handle strip		
	406330	Glass shelf with brackets with 175 x 87 mm support	2	
	309269	Glass shelf with brackets	2	
EDITION PALAIS	309058	Flourescent tube 60 Watt D = 375 mm	2	
Modell 40202 171201/ 171202 (990 mm)	406391	Mirror facing 990 x 630 mm with mounting- and handle strip	2	
	30290 179300	Glass shelf with brackets only, with support silver anodized/matt white375 x 90 mm		
	30290 179200	Glass shelf with brackets only, with 275 x 90 mm support silver anodized/matt white		
	309272 309058	Glass shelf with brackets Flourescent tube 60 Watt D = 375 mm	2	
EDITION PALAIS Modell 40202 172202/	309058 406391	Mirror facing 990 x 630 mm	_	
(990 mm)	20200 470200	with mounting- and handle strip		
	30290 179300 30290 179200	Glass shelf with brackets only, with375 x 90 mmsupport silver anodized/matt whiteGlass shelf with brackets only, with275 x 90 mm		
	30290 179200	Support silver anodized/matt white Glass shelf with brackets	2	
EDITION PALAIS	309058	Flourescent tube 60 Watt D = 375 mm	_	
light mirrors	406392	Mirror facing $740 \times 630 \text{ mm}$	_	
-	406392	Mirror facing 990 x 630 mm		
ROYAL 10	406081	Handle only chrome-plated	2	
Model-No. 05402	406115	Door mirror 299 x 643 x 6 mm		
	308628	Glass shelf with brackets 115 mm x 560 mm		
	308776	Shelf supports 12 pieces	2	
	308624	Light cover	2	
	308985	Flourescent tube TL5, 14 Watt D = 16 x 549 mm		
	308629	Glass shelf cobertura 96 mm x 595 mm		
ROYAL 10	406081	Handle only chrome-plated	2	
Model-No. 05402	406116	Door mirror right/left	2	

Spare parts

Collections	Article	Spare part Dimensions		
	308632	Glass shelf with brackets left 115 mm x 230 mm	2	
	308633	Glass shelf with brackets right 115 mm x 608 mm	2	
	308776	Shelf supports 12 pieces	2	
	308625	Light cover	2	
	308986	Flourescent tube TL5 21 Watt D = 16 x 849 mm	2	
	308634	Glass shelf 96 mm x 895 mm	2	
ROYAL 20 Model No. 05501	405362	Shelf supports 12 pieces	2	
	306614	Light shade 480 mm	2	
ROYAL 20	405362	Shelf supports 12 pieces	2	
Model No. 05502	306678	Glass shelf with brackets 125 mm x 499 mm	2	
	306684	Light shade 561 mm	2	
ROYAL 30	405362	Shelf supports 12 pieces	2	
Model No. 05601	306092	Glass shelf 115 mm x 217,5 mm	2	
	405454	Light complete matt white	2	
	05601 000001	Light shade matt white	2	
ROYAL 30	405362	Shelf supports 12 pieces	2	
Model No. 05602	306700	Glass shelf 115 mm x 317,5 mm	2	
	405454	Light complete matt white	2	
	05601 000001	Light shade matt white	2	
	05601 000002	Light shade matt blue	2	
ROYAL 30	405362	Shelf supports 12 pieces	2	
Model No. 05603	306891	Glass shelf 115 mm x 271 mm	2	
	405454	Light complete matt white	2	
	05601 000001	Light shade matt white	2	
ROYAL 30	405362	Shelf supports 12 pieces	2	
Model No. 05604	306892	Glass shelf 115 mm x 371 mm	2	
	405454	Light complete matt white	2	
	05601 000001	Light shade matt white	2	
ROYAL 35	306376	Halogen light bulb 35 Watt	2	
Model No. 13501	308016	Light shade only 95 x 64 x 2 mm	2	
	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
	221626	Tray 200 mm	2	
	406113	Handle complete chrome-plated 50 x 27 x 9,5 mm	2	
	307934	Glass shelf with brackets 118 mm x 509 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	405893	Door mirror with handle, left hand 299 x 800 mm hinge	2	
	406030	Light complete	2	
ROYAL 35 (from 2010)	406736	Handle with contact plate50 x 38 x 9,5 mm	2	
Model No. 13501 B	406760	Door mirror left with handle 299 x 810 mm	2	
	406761	Door mirror right with handle 299 x 810 mm	2	
	310321	Side mirror121 x 798 x 3 mm	2	
	406030	Light complete	2	
ROYAL 35	306376	Halogen light bulb 35 Watt	2	
Model No. 13502	308016	Light shade only 95 x 64 x 2 mm	2	
	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
	221626	Tray 200 mm	2	
	406113	Handle complete chrome-plated 50 x 27 x 9,5 mm	2	
		Glass shelf with brackets 709 x 6 x 118 mm	2	
	307935			
	307935 405859	Shelf supports (set, 3 left and 3 right)	2	
			2 2	

Collections	Article	Spare part Dimensions		
ROYAL 35 (from 2010)	406736	Handle with contact plate 50 x 38 x 9,5 mm	2	
Model No. 13502 B	406762	Door mirror left with handle 399 x 710 mm	2	
	406763	Door mirror right with handle 399 x 710 mm	2	
	310039	Side mirror 121 x 698 x 3 mm	2	
	406030	Light complete	2	
ROYAL 35	306376	Halogen light bulb 35 Watt	2	
Model No. 13503	308016	Light shade only 95 x 64 x 2 mm	2	
	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
ROYAL 35	221626	Tray 200 mm	2	
Model No. 13503	406113	Handle complete chrome-plated 50 x 27 x 9,5 mm	2	
	307936	Glass shelf with brackets left 275 x 6 x 118 mm	2	
	307937	Glass shelf with brackets right 609 x 6 x 118 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	405896	Door mirror middle, with handle 332 x 700 mm	2	
	405895	Door mirror right/left with handle 332 x 700 mm	2	
	406030	Light complete	2	
ROYAL 35 (from 201)	406775	Hinge -set, series B, without tumbler	2	
Model No. 13503 B	406736	Handle with contact plate50 x 38 x 9,5 mm	2	
	406764	Door mirror left with handle 332 x 710 mm	2	
	406765	Door mirror center with handle 332 x 710 mm	2	
	406766	Door mirror right with handle 332 x 710 mm	2	
	310039	Side mirror 121 x 698 x 3 mm	2	
	406030	Light complete	2	
ROYAL 35	306376	Halogen light bulb 35 Watt	2	
Model No. 13504	308016	Light shade only 95 x 64 x 2 mm	2	
	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
	221626	Tray 200 mm	2	
	406113	Handle complete chrome-plated50 x 27 x 9,5 mm	2	
	307938	Glass shelf with brackets left 375 x 6 x 118 mm	2	
	307939	Glass shelf with brackets right 809 x 6 x 118 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	405898	Door mirror middle with handle 432 x 700 mm	2	
	405897	Door mirror right/left with handle 432 x 700 mm	2	
	406030	Light complete	2	
ROYAL 35 (from 2010)	406775	Hinge -set, series B, without tumbler	2	
Model No. 13504 B	406736	Handle with contact plate50 x 38 x 9,5 mm	2	
	406767	Door mirror left with handle 432 x 710 mm	2	
	406768	Door mirror center with handle 432 x 710 mm	2	
	406769	Door mirror right with handle 432 x 710 mm	2	
	310039	Side mirror121 x 698 x 3 mm	2	
	406030	Light complete	2	
ROYAL 40	306706	Glass shelf with brackets 110 mm x 461 mm	2	
Model No. 05801	306705	Glass shelf with brackets 110 mm x 506 mm	2	
	306668	Light shade 630 x 94,6 mm	2	
ROYAL 40	306704	Glass shelf with brackets 110 mm x 661 mm	2	
Model No. 05802	306703	Glass shelf with brackets 110 mm x 706 mm	2	
	306669	Light shade 830 x 91,3 mm	2	
ROYAL 50	404975	Shelf supports 12 pieces	2	
Model No. 05701	06583 009000	Light shade glass white coated	2	
ROYAL 50 Model No. 05702	404975	Shelf supports 12 pieces	2	

Spare parts

Collections	Article	Spare part Dimensions		
ROYAL 50	404975	Shelf supports 12 pieces	2	
Model No. 05711	300394	Light shade 663 mm	2	
	303716	Light shade 763 mm	2	
	303717	Light shade 963 mm	2	
	300397	Glass shelf with brackets 210 x 6 x 110 mm	2	
	304263	Glass shelf with brackets 242 x 6 x 110 mm	2	
	304264	Glass shelf with brackets 497 x 6 x 110 mm	2	
	304265	Glass shelf with brackets 307 x 6 x 110 mm	2	
	304266	Glass shelf with brackets 633 x 6 x 110 mm	2	
ROYAL 50	404975	Shelf supports 12 pieces	2	
Model No. 05721	300397	Glass shelf with brackets 210 x 6 x 110 mm	2	
	304263	Glass shelf with brackets 242 x 6 x 110 mm	2	
	304264	Glass shelf with brackets 497 x 6 x 110 mm	2	
	304265	Glass shelf with brackets 307 x 6 x 110 mm	2	
	304266	Glass shelf with brackets 633 x 6 x 110 mm	2	
	07805 009000	Light shade matt white	2	
ROYAL 50	404975	Shelf supports 12 pieces	2	
Tall unit Model No. 05761		··· ·		
ROYAL 50	404975	Shelf supports 12 pieces	2	
Tall unit Model No. 05762				
ROYAL 100	404975	Shelf supports 12 pieces	2	
Model No. 05901	304481	Glass shelf with brackets 319 x 6 x 110 mm	2	
	304673	Glass shelf with brackets 225 x 6 x 110 mm	2	
ROYAL 100 3-D Model No. 05911	404975	Shelf supports 12 pieces	2	
ROYAL 2000	304328	Glass shelf with brackets 616 x 6 x 95 mm	2	
Model No. 06001	304327	Light shade 618 mm	2	
ROYAL 5000	404975	Shelf supports 12 pieces	2	
Model No. 06101	304674	Glass shelf with brackets 247 x 6 x 110 mm	2	
	306074	110 mm x 397 mm 397 x 6 x 110 mm	2	
	304676	Glass shelf with brackets 297 x 6 x 110 mm	2	
	306035	Light shade 779 mm	2	
ROYAL 5000	306120	Glass shelf lose 250 x 8 x 136 mm	2	
Sideshelf Model No. 06181				
ROYAL 5000	404975	Shelf supports 12 pieces	2	
Model No. 06102	304676	Glass shelf with brackets 297 x 6 x 110 mm	2	
	301267	Light shade 579 mm	2	
ROYAL 7000	402250	Shelf supports set	2	
Model No. 06201	304261	Glass shelf with brackets 423 x 6 x 95 mm	2	
ROYAL INTEGRAL	223107	Decorative strip across narrow 8,5 x 431 mm	2	
Model-No. 26004 / 26014	223114	Decorative strip across wide 15 x 431 mm	2	
	223105	Decorative strip vertical narrow 8,5 x 698 mm	2	
	223106	Decorative strip vertical narrow 8,5 x 998 mm	2	
	223112	Decorative strip vertical wide 15 x 711 mm	2	
	223113	Decorative strip vertical wide 15 x 1011 mm	2	
	309734	Glass shelf with brackets 330 x 8 x 140 mm	2	
	309733	Glass shelf with brackets 210 x 8 x 140 mm	2	
	406739	Door mirror425 x 675 mm26004, left hinged with handle	2	
	406741	Door mirror425 x 975 mm26014 left hinged with handle	2	
	406740	Door mirror425 x 675 mm26004 right hinged with handle	2	

Mirror cabinets / Furniture

Spare parts

KEUCO

406742 Door mirror 425 x 975 mm 2 ROVAL INTEGRAL Model-No. 26006 11/xxx/ 26016 171 xxx 223105 Decorative strip serves wide 223105 Decorative strip vertical narrow 8,5 x 581 mm 2 223105 Decorative strip vertical narrow 8,5 x 581 mm 2 223105 Decorative strip vertical narrow 8,5 x 589 mm 2 223106 Decorative strip vertical wide 15 x 111 mm 2 23317 Decorative strip vertical wide 15 x 1011 mm 2 309730 Glass sheff with brackets 210 x 8 x 400 mm 2 406743 Door mirror 275 x 875 mm 2 28006 1. hinged left with handle 575 x 875 mm 2 28006 1. hinged left with handle 575 x 875 mm 2 28016 1. hinged left with handle 275 x 875 mm 2 28016 1. hinged left with handle 16 x 511 mm 2 223105 Decorative strip vertical narrow 8,5 x 581 mm 2 223106 Decorative strip vertical narrow 8,5 x 581 mm 2 223107 Decorative strip vertical narrow <th>Collections</th> <th>Article</th> <th>Spare part Dimension</th> <th>s</th> <th></th>	Collections	Article	Spare part Dimension	s	
Model-No. 26006 171xxx / 28016 171 xxx 223116 223105 Decorative strip vertical narrow 8.5 x 698 mm 2 223106 Decorative strip vertical narrow 8.5 x 698 mm 2 223110 Decorative strip vertical narrow 8.5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 300736 Glass sheff with brackets 440 x 8 x 440 mm 2 400743 2006 1. hinged left with handle 575 x 975 mm 2 400744 2006 1. hinged left with handle 575 x 975 mm 2 400744 2006 1. hinged left with handle 575 x 975 mm 2 400747 223106 Decorative strip across narrow 8.5 x 681 mm 2 8004 173 xxx 223105 Decorative strip across wide 15 x 581 mm 2 223105 Decorative strip vertical narrow 8.5 x 689 mm 2 223105 Decorative strip vertical narrow 8.5 x 689 mm 2 223105 Decorative strip vertical narrow 8.5 x 689 mm 2 223105 Decorative strip vertical wide 15 x		406742		m 2	
26016 171 xxx Z2105 Deconstrue strip vertical narrow 8,5 x 096 mm 2 223105 Decorative strip vertical narrow 8,5 x 096 mm 2 223105 Decorative strip vertical narrow 8,5 x 096 mm 2 223110 Decorative strip vertical wide 15 x 101 mm 2 22313 Decorative strip vertical wide 15 x 101 mm 2 22314 Decorative strip vertical wide 15 x 101 mm 2 200733 Glass sheff with brackets 210 x 8 x 140 mm 2 406747 Door mirror 575 x 675 mm 2 2006 Inorget left with handle 575 x 675 mm 2 2006 Toor mirror 275 x 675 mm 2 2016 Door mirror 275 x 675 mm 2 223105 Decorative strip across narrow 8,5 x 581 mm 2 223105 Decorative strip across wide 15 x 781 mm 2 223112 Decorative strip across wide 15 x 781 mm 2 223113 Decorative strip across wide 15 x 781 mm 2		223108	Decorative strip across narrow 8,5 x 581 m	m 2	
223106 Decorative stip vertical narrow 8.5 x 698 mm 2 223110 Decorative stip vertical wide 15 x 711 mm 2 223113 Decorative stip vertical wide 15 x 711 mm 2 300736 Glass sheff with brackets 480 x 8 x 140 mm 2 300737 Glass sheff with brackets 210 x 8 x 140 mm 2 406743 Door mirror 575 x 675 mm 2 2000 1 ininged ight with handle 575 x 675 mm 2 406747 Door mirror 575 x 575 mm 2 2006 1 ininged right with handle 575 x 575 mm 2 406748 Door mirror 575 x 575 mm 2 2006 1 ininged right with handle 58 x 681 mm 2 223105 Decorative stip across wide 15 x 581 mm 2 223105 Decorative stip vertical marrow 8,5 x 698 mm 2 223110 Decorative stip vertical marrow 8,5 x 698 mm 2 223112 Decorative stip vertical wide 15 x 711 mm 2 2300735 Glass sheff with brackets		223115	Decorative strip across wide 15 x 581 m	m 2	
22312 Decorative strip vertical wide 15 x 711 mm 2 22313 Decorative strip vertical wide 15 x 711 mm 2 209736 Glass shelf with brackets 400 x 8 x 140 mm 2 309733 Glass shelf with brackets 210 x 8 x 140 mm 2 406747 Door miror 575 x 675 mm 2 250061 Innged left with handle 575 x 675 mm 2 406747 Door miror 2675 x 675 mm 2 250061 Innged left with handle 575 x 675 mm 2 406748 Decorative strip across narrow 8,5 x 681 mm 2 223105 Decorative strip across narrow 8,5 x 681 mm 2 223105 Decorative strip vertical narrow 8,5 x 988 mm 2 223105 Decorative strip vertical wide 15 x 711 mm 2 23113 Decorative strip vertical wide 15 x 701 mm 2 23114 Decorative strip vertical wide 15 x 701 mm 2 2309735 Glass shelf with brackets 300 x 8 x 140 mm 2 <t< td=""><td>26016 171 XXX</td><td>223105</td><td>Decorative strip vertical narrow 8,5 x 698 m</td><td>m 2</td><td></td></t<>	26016 171 XXX	223105	Decorative strip vertical narrow 8,5 x 698 m	m 2	
223113 Decorative strip vertical wide 15 × 1011 mm 2 309736 Glass shelf with brackets 2400 x 8 × 140 mm 2 406743 Door miror 575 x 675 mm 2 406747 Door miror 575 x 675 mm 2 406747 Door miror 575 x 675 mm 2 406744 Door miror 575 x 675 mm 2 ROVAL INTEGRAL 223105 Decorative strip across marrow 8.5 x 581 mm 2 ROVAL INTEGRAL 223105 Decorative strip vertical narrow 8.5 x 681 mm 2 223106 Decorative strip vertical narrow 8.5 x 581 mm 2 2 223105 Decorative strip vertical narrow 8.5 x 581 mm 2 223106 Decorative strip vertical narrow 8.5 x 581 mm 2 23112 Decorative strip vertical narrow 8.5 x 581 mm 2 309733 Glass shelf with brackets 300 x 8 x 140 mm 2 309734 Glass shelf with brackets 300 x 8 x 140 mm 2 309735 Glass shelf with brackets <td></td> <td>223106</td> <td>Decorative strip vertical narrow 8,5 x 998 m</td> <td>n 2</td> <td></td>		223106	Decorative strip vertical narrow 8,5 x 998 m	n 2	
309736 Glass shelf with brackets 480 x 8 x 140 mm 2 309733 Glass shelf with brackets 210 x 8 x 140 mm 2 406743 Door miror 257 x 675 mm 2 20061 Ininged left with handle 575 x 675 mm 2 406744 Door miror 257 x 675 mm 2 20061 Ininged right with handle 575 x 675 mm 2 406744 Deorative strip across wide 15 x 581 mm 2 20015 Decorative strip across wide 15 x 581 mm 2 23106 Decorative strip across wide 15 x 581 mm 2 23115 Decorative strip vertical narrow 8,5 x 981 mm 2 23116 Decorative strip vertical narrow 8,5 x 981 mm 2 23117 Decorative strip vertical narrow 8,5 x 981 mm 2 23118 Decorative strip vertical narrow 8,5 x 981 mm 2 23119 Decorative strip vertical narrow 8,5 x 981 mm 2 23111 Decorative strip vertical narrow 8,5 x 981 mm 2 <		223112	Decorative strip vertical wide 15 x 711 m	n 2	
309733 Glass shelf with brackets 210 x 8 x 140 mm 2 406743 Door mirror 575 x 675 mm 2 406747 Door mirror 575 x 675 mm 2 406744 Door mirror 575 x 675 mm 2 406744 Door mirror 575 x 675 mm 2 406748 Door mirror 575 x 675 mm 2 ROYAL INTEGRAL 223105 Decorative stip across marrow 8.5 x 681 mm 2 8006173xxx 223105 Decorative stip vertical narrow 8.5 x 689 mm 2 223104 Decorative stip vertical narrow 8.5 x 698 mm 2 223105 Decorative stip vertical narrow 8.5 x 698 mm 2 223104 Decorative stip vertical narrow 8.5 x 698 mm 2 223115 Decorative stip vertical narrow 8.5 x 698 mm 2 223104 Decorative stip vertical narrow 8.5 x 698 mm 2 223115 Decorative stip vertical narrow 8.5 x 697 mm 2 309733 Glass shelf with brackets 300 x 3.1400 mm		223113	Decorative strip vertical wide 15 x 1011 m	m 2	
406743 Door mirror 26006 1. hinged left with handle Door mirror 26016 1. hinged left with handle 575 x 975 nm 2 406747 Door mirror 26016 1. hinged right with handle 575 x 975 nm 2 406748 Door mirror 26016 1. hinged right with handle 575 x 975 nm 2 ROVAL INTEGRAL Model-No. 26006 173xxx / 26016 173 xxx 223108 Decorative stip across narrow 8.5 x 981 nm 2 223105 Decorative stip across narrow 8.5 x 986 nm 2 223115 Decorative stip vertical narrow 8.5 x 986 nm 2 223115 Decorative stip vertical wide 15 x 711 nm 2 309735 Glass shelf with brackets 390 x 8 x 140 nm 2 309735 Glass shelf with brackets 390 x 8 x 140 nm 2 20061 3. hinged right with handle 575 x 975 nm 2 20073 Glass shelf with brackets 390 x 8 x 140 nm 2 309735 Glass shelf with brackets 390 x 8 x 140 nm 2 200763 Jinged right with handle 575 x 975 nm 2 200764 Door miror 575 x 975 nm		309736	Glass shelf with brackets 480 x 8 x 140 m	m 2	
ROYAL INTEGRAL Model-No: 26006 17.3xx7 26006 17. hinged left with handle 26016 1. hinged left with handle 26016 1. hinged left with handle 26006 1. minged right with handle 26006 1. minged right with handle 26016 1. minged right with handle 26016 1. minged right with handle 26016 1. minged right with handle 223105 2 ROYAL INTEGRAL Model-No: 26006 17.3xx7 / 26016 17.3 xxx 223105 Decorative strip across marcow 8.5 x 680 mm 223105 2 ROYAL INTEGRAL Model-No: 26006 17.3xx7 / 26016 17.3 xxx 223105 Decorative strip vertical narcow 8.5 x 680 mm 223112 2 Decorative strip vertical wide 15 x 581 mm 223105 2 2 Decorative strip vertical wide 15 x 581 mm 2 2 23017 Decorative strip vertical wide 15 x 581 mm 2 2 23018 Decorative strip vertical wide 15 x 1011 mm 2 2 308733 Glass shelf with brackets 390 x 8x 140 mm 2 2 406745 Door mirror 20006 3. hinged right with handle 575 x 975 mm 2 2 406750 Door mirror 20006 3. hinged right with handle 575 x 975 mm 2 2 308988 Flourescent tube TL5 21 Watt D = 16 x 549 mm 2 2 308986 Flourescent tube TL5 21 Watt D = 16 x 549 mm 2 2 <td< td=""><td></td><td>309733</td><td>Glass shelf with brackets 210 x 8 x 140 m</td><td>n 2</td><td></td></td<>		309733	Glass shelf with brackets 210 x 8 x 140 m	n 2	
26016 1. hinged left with handle 575 x 675 mm 2 A06744 Door mirror 26006 1. hinged right with handle 575 x 975 mm 2 ROVAL INTEGRAL 223018 Decorative strip across wide 15 x 581 mm 2 ROVAL INTEGRAL 223116 Decorative strip across wide 15 x 581 mm 2 23016 1.73 xxx 223105 Decorative strip across wide 15 x 581 mm 2 223105 Decorative strip vertical narrow 8,5 x 998 mm 2 223106 Decorative strip vertical narrow 8,5 x 998 mm 2 223117 Decorative strip vertical wide 15 x 711 mm 2 2309735 Glass shelf with brackets 300 x 8 x 140 mm 2 309733 Glass shelf with brackets 300 x 8 x 140 mm 2 2406745 Door miror 575 x 675 mm 2 26016 3. hinged right with handle 575 x 75 mm 2 26006 3. hinged right with handle 2 2 308986 Flourescent tube TL5 24 Watt D = 16 x 549 mm 2 308986 Flourescent		406743		m 2	
26006 1: hinged right with handle 757 x 975 mm 2 ROYAL INTEGRAL Model-No. 26006 173xxx/ 223108 Decorative strip across wide 15 x 581 mm 2 ROYAL INTEGRAL 28016 1. hinged right with handle 223105 Decorative strip across wide 15 x 581 mm 2 28016 1.73 xxx 223105 Decorative strip across wide 15 x 581 mm 2 223106 Decorative strip vertical narrow 8,5 x 998 mm 2 223113 Decorative strip vertical wide 15 x 1011 mm 2 223113 Decorative strip vertical wide 15 x 1011 mm 2 2309735 Glass shelf with brackets 390 x8 x 140 mm 2 309736 Glass shelf with brackets 390 x8 x 140 mm 2 406745 Door mirror 575 x 975 mm 2 26006 3. hinged right with handle D for 575 x 975 mm 2 26016 3. hinged right with handle D for 575 x 975 mm 2 308986 Flourescent tube TL5 24 Watt D = 16 x 849 mm 2 3098995 Light cover 614 mm 2 2		406747		m 2	
ROYAL INTEGRAL Model-No. 26006 173xxx/ 28016 173 xxx 223116 223106 Decorative strip across marcow 8,5 x 581 mm 2 28016 173 xxx 223105 Decorative strip vertical narrow 8,5 x 598 mm 2 223115 Decorative strip vertical narrow 8,5 x 598 mm 2 223106 Decorative strip vertical narrow 8,5 x 598 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 300735 Glass shelf with brackets 300 x 8 x 140 mm 2 300735 Glass shelf with brackets 210 x 8 x 140 mm 2 406745 Door mirror 575 x 675 mm 2 26006 3. hinged left with handle 575 x 675 mm 2 406740 Door mirror 576 x 575 x 975 mm 2 26016 3. hinged left with handle 106 x 449 mm 2 308988 Flourescent tube TL5 21 Vatt D = 16 x 549 mm 2 308986 Light cover 614 mm 2 309596 Light cover 614 mm 2 309596 Light cover 45 x 689 mm		406744	26006 1. hinged right with handle	m 2	
Model-No. 28006 173 xxx 223115 Decorative strip across wide 15 x 581 mm 2 26016 173 xxx 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223106 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 223113 Decorative strip vertical wide 15 x 1011 mm 2 309735 Glass shelf with brackets 300 x 8 x 140 mm 2 309735 Glass shelf with brackets 210 x 8 x 140 mm 2 26016 3. hinged left with handle 575 x 675 mm 2 26016 3. hinged right with handle 575 x 975 mm 2 2006 3. hinged right with handle 575 x 975 mm 2 308986 Flourescent tube TL5 21 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 309595 Light cover 15 x 811 mm 2 223116 Decorative strip across narrow 8,5 x 881 mm 2 223117 Decorative strip vertical marow 8,5 x 688 mm <td< td=""><td></td><td></td><td>26016 1. hinged right with handle</td><td></td><td></td></td<>			26016 1. hinged right with handle		
26016 173 xxx 221105 Decorative stip vertical narrow 8,5 x 698 mm 2 223105 Decorative stip vertical narrow 8,5 x 698 mm 2 223112 Decorative stip vertical narrow 8,5 x 698 mm 2 223112 Decorative stip vertical narrow 8,5 x 698 mm 2 223112 Decorative stip vertical wide 15 x 711 mm 2 309735 Glass shelf with brackets 390 x 8 x 140 mm 2 309733 Glass shelf with brackets 210 x 8 x 140 mm 2 406745 Door mirror 575 x 675 mm 2 26016 3. hinged left with handle 575 x 675 mm 2 26016 3. hinged right with handle 575 x 675 mm 2 26016 3. hinged right with handle 575 x 675 mm 2 308988 Flourescent tube TL5 21 Watt D = 16 x 549 mm 2 308988 Flourescent tube TL5 21 Watt D = 16 x 549 mm 2 309595 Light cover 94 mm 2 2 2016 173 xxx 22310 Decorative stip across wide 15 x 81 mm			•		
Roval 223105 Decorative strip vertical narrow 8.5 x 698 mm 2 223105 Decorative strip vertical wide 15 x 711 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 223113 Decorative strip vertical wide 15 x 711 mm 2 309735 Glass shelf with brackets 390 x 8 x 140 mm 2 309733 Glass shelf with brackets 210 x 8 x 140 mm 2 406745 Door mirror 575 x 675 mm 2 26006 3. hinged left with handle 575 x 675 mm 2 2006 3. hinged right with handle 575 x 975 mm 2 2006 3. hinged right with handle 575 x 975 mm 2 2006 3. hinged right with handle 575 x 975 mm 2 2006 3. hinged right with handle 575 x 875 mm 2 2006 3. hinged right with handle 614 mm 2 308986 Flourescent tube TL5 21 Watt D = 16 x 549 mm 2 223105 Decorative strip vertical narrow 8.5 x 688 mm 2 2016 173 xxx / 22310 De					
223112 Decorative strip vertical wide 15 x 711 mm 2 223113 Decorative strip vertical wide 15 x 1011 mm 2 309735 Glass sheff with brackets 390 x 8 x 140 mm 2 309733 Glass sheff with brackets 210 x 8 x 140 mm 2 406745 Door mirror 575 x 675 mm 2 26006 3. hinged left with handle 575 x 675 mm 2 406746 Door mirror 575 x 675 mm 2 26006 3. hinged right with handle 575 x 675 mm 2 26006 3. hinged right with handle 260 f 3. hinged right with handle 2 26006 3. hinged right with handle 260 f 3. hinged right with handle 2 308986 Flourescent tube TL5 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 309596 Light cover 914 mm 2 223102 Decorative strip vertical narrow 8,5 x 688 mm 2 223112 Decorative strip vertical narrow 8,5 x 688 mm 2 309734 Glass shelf with brackets <td></td> <td></td> <td></td> <td></td> <td></td>					
223113 Decorative strip vertical wide 15 x 1011 mm 2 309735 Glass shelf with brackets 390 x 8 x 140 mm 2 309733 Glass shelf with brackets 390 x 8 x 140 mm 2 406745 Door mirror 275 x 675 mm 2 406749 Door mirror 575 x 675 mm 2 26016 3. hinged left with handle 575 x 675 mm 2 406746 Door mirror 575 x 675 mm 2 26016 3. hinged right with handle 575 x 975 mm 2 2006 3. hinged right with handle 2 2 308986 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 3089960 Light cover 614 mm 2 309595 Light cover 914 mm 2 223105 Decorative strip across marrow 8,5 x 881 mm 2 223105 Decorative strip vertical narrow 8,5 x 881 mm 2 2309597 Decorative strip across marrow 8,5 x 881 mm 2 23016 173 xxx1 23015 Decorative strip across wide 1			•		
309735 Glass shelf with brackets 390 x 8 x 140 mm 2 309733 Glass shelf with brackets 210 x 8 x 140 mm 2 406745 Door mirror 26006 3. hinged left with handle 575 x 675 mm 2 406749 Door mirror 26006 3. hinged left with handle 575 x 675 mm 2 406746 Door mirror 26006 3. hinged right with handle 575 x 975 mm 2 406750 Door mirror 26006 3. hinged right with handle 575 x 975 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 308986 Flourescent tube TL5 21 Watt D = 16 x 849 mm 2 309596 Light cover 914 mm 2 223110 Decorative strip across narrow 8,5 x 688 mm 2 223112 Decorative strip vertical narrow 8,5 x 688 mm 2 2309595 Light cover 614 x 37 x 675 mm 2 23112 Decorative strip vertical narrow 8,5 x 688 mm 2 2309595 Decorative strip vertical narrow 8,5 x 688 mm 2 309734 Glass shelf					
309733Glass shelf with brackets210 x 8 x 140 mm2406745Door mirror 26006 3. hinged left with handle575 x 675 mm2406749Door mirror 26016 3. hinged left with handle575 x 675 mm2406746Door mirror 26006 3. hinged right with handle575 x 975 mm2406750Door mirror 26016 3. hinged right with handle755 x 975 mm2308988Flourescent tube TL5, 24 WattD = 16 x 549 mm2308986Flourescent tube TL5 21 WattD = 16 x 849 mm2308986Light cover914 mm2308986Light cover914 mm222116Decorative strip across narrow8,5 x 881 mm2223116Decorative strip across narrow8,5 x 680 mm22309737Glass shelf with brackets680 x 8 x 140 mm2309737Glass shelf with brackets303 x 8 x 140 mm2309737Glass shelf with brackets330 x 8 x 140 mm2309737Glass shelf with brackets330 x 8 x 140 mm2309734Glass shelf with brackets330 x 8 x 140 mm2309734Door mirror 26009 right with handle437 x 675 mm2309734Glass shelf with brackets330 x 8 x 140 mm2309734Glass shelf with br					
406745 Door mirror 26006 3. hinged left with handle 575 x 675 nm 2 406749 Door mirror 26016 3. hinged left with handle 575 x 975 nm 2 406749 Door mirror 26016 3. hinged right with handle 575 x 675 nm 2 406750 Door mirror 26016 3. hinged right with handle 575 x 975 nm 2 308968 Flourescent tube TL5 24 Watt D = 16 x 549 nm 2 309596 Light cover 614 nm 2 309596 Light cover 914 nm 2 2016 173 xxx / 26016 173 xxx / 26016 173 xxx / 26016 173 xxx 223109 Decorative strip across mirow 8,5 x 881 nm 2 223102 Decorative strip across wide 15 x 811 nm 2 2 2016 173 xxx / 26016 173 xxx 2309734 Glass shelf with brackets 630 x8 x 140 nm 2 309734 Glass shelf with brackets 330 x 8 x 140 nm 2 2 309734 Glass shelf with brackets 330 x 8 x 140 nm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 3089895 Light cover<					
A06749 26006 3. hinged left with handle 755 x 975 mm 2 406749 Door mirror 575 x 975 mm 2 406746 Door mirror 575 x 675 mm 2 26016 3. hinged right with handle 575 x 975 mm 2 406750 Door mirror 575 x 975 mm 2 26016 3. hinged right with handle 575 x 975 mm 2 308986 Flourescent tube TL5 24 Watt D = 16 x 549 mm 2 308986 Flourescent tube TL5 21 Watt D = 16 x 849 mm 2 309595 Light cover 914 mm 2 309596 Light cover 914 mm 2 223105 Decorative strip across wide 15 x 881 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 630 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309595 Light cover 614 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
26016 3. hinged left with handle 26016 3. hinged right with handle 75 x 675 mm 2 406746 Door mirror 26006 3. hinged right with handle 575 x 975 mm 2 406750 Door mirror 26018 3. hinged right with handle 575 x 975 mm 2 308988 Flourescent tube TL5 24 Watt D = 16 x 549 mm 2 308986 Flourescent tube TL5 21 Watt D = 16 x 849 mm 2 309595 Light cover 614 mm 2 309596 Light cover 914 mm 2 80041-No. 26006 173 xxx / 26016 173 xxx 223105 Decorative strip across narrow 8,5 x 881 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 309737 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 <			26006 3. hinged left with handle		
ROYAL INTEGRAL Model-No. 26006 22006 3. hinged right with handle 575 x 975 mm 2 ROYAL INTEGRAL Model-No. 26006 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 ROYAL INTEGRAL Model-No. 26006 223109 Decorative strip across narrow 8,5 x 881 mm 2 223116 Decorative strip across wide 15 x 881 mm 2 2 223105 Decorative strip across wide 15 x 881 mm 2 2309596 Light cover 680 x 8 x 140 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309737 Glass shelf with brackets 330 x 8 x 140 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 ROYAL INTEGRAL Model-No. 26012 Door mirror 26009 left with handle 437 x 675 mm 2 223115 Decorative strip across wide 15 x 711 mm 2 308988 Flourescent tube TL5, 24 Watt			26016 3. hinged left with handle		
Nodel-No. 26016 3. hinged right with handle Image: Construct of the second			26006 3. hinged right with handle		
308986 Flourescent tube TL5 21 Watt D = 16 x 849 mm 2 309595 Light cover 614 mm 2 309596 Light cover 914 mm 2 ROYAL INTEGRAL Model-No. 26006 173 xxx / 26016 173 xxx 223109 Decorative strip across narrow 8,5 x 881 mm 2 223116 Decorative strip across wide 15 x 881 mm 2 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 309888 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223105 Decorative strip across narrow 8,5 x 698 mm 2 2			26016 3. hinged right with handle		
309595 309596 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26006 173xxx/ 26016 173 xxx 223109 Decorative strip across narrow 8,5 x 881 mm 2 223110 Decorative strip across wide 15 x 881 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 309888 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across marrow 8,5 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223110 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2					
309596 Light cover 914 mm 2 ROYAL INTEGRAL Model-No. 26006 173xxx / 26016 173 xxx 223109 Decorative strip across narrow 8,5 x 881 mm 2 223116 Decorative strip across wide 15 x 881 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 309898 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip across wide 15 x 1181 mm 2 2 223110 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm <td></td> <td></td> <td></td> <td></td> <td></td>					
ROYAL INTEGRAL Model-No. 26006 173xxx / 26016 173 xxx 223109 223116 Decorative strip across narrow Decorative strip vertical narrow 8,5 x 881 mm 2 26016 173 xxx 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 309888 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 223117 Decorative strip across narrow 8,5 x 698 mm 2 223117 Decorative strip across narrow 8,5 x 698 mm 2 223117 Decorative strip across narrow 8,5 x 698 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223117 Decorative strip vertical narrow 8,5 x 698 mm 2 223105 Decorative strip vertical narrow					
Model-No. 26006 173xxx / 26016 173 xxx 223116 Decorative strip across wide 15 x 881 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 223115 Decorative strip vertical marrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 <td>POVAL INTEGRAL</td> <td></td> <td></td> <td></td> <td>+</td>	POVAL INTEGRAL				+
26016 173 xxx 22310 Decorative stip vertical narrow 8,5 x 608 mm 2 223112 Decorative stip vertical narrow 8,5 x 608 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 300 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 309595 Light cover 614 mm 2 309595 Light cover 614 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223117 Decorative strip across narrow 8,5 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223117 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 7111 mm 2 223112 Decorative strip vertical wide 15 x 7711 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with bra			•		
223112 Decorative strip vertical wide 15 x 711 mm 2 309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 223117 Decorative strip across narrow 8,5 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets					
309737 Glass shelf with brackets 680 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 309888 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223117 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309734 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 <td></td> <td></td> <td>•</td> <td></td> <td></td>			•		
309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223105 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 309734 Glass shelf with brackets 980 x 8 x 140 mm 2 309735 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 406754 <td></td> <td></td> <td></td> <td></td> <td></td>					
406751 Door mirror 26009 left with handle 437 x 675 mm 2 406752 Door mirror 26009 right with handle 437 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223105 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 309738 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2					
406752 Door mirror 26009 right with handle 437 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223105 Decorative strip across wide 15 x 1181 mm 2 223112 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309738 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2 309595 Light cover 614 mm 2 ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223107 Decorative strip across wide 15 x 1181 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309738 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
309595Light cover614 mm2ROYAL INTEGRAL Model-No. 26012223110Decorative strip across narrow8,5 x 1181 mm2223117Decorative strip across wide15 x 1181 mm2223105Decorative strip vertical narrow8,5 x 698 mm2223112Decorative strip vertical wide15 x 711 mm2309738Glass shelf with brackets980 x 8 x 140 mm2309734Glass shelf with brackets330 x 8 x 140 mm2406753Door mirror 26012 left with handle587 x 675 mm2406754Door mirror 26012 right with handle587 x 675 mm2308988Flourescent tube TL5, 24 WattD = 16 x 549 mm2			5		
ROYAL INTEGRAL Model-No. 26012 223110 Decorative strip across narrow 8,5 x 1181 mm 2 223117 Decorative strip across wide 15 x 1181 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309738 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
Model-No. 26012 223117 Decorative strip across wide 15 x 1181 mm 2 223105 Decorative strip vertical narrow 8,5 x 698 mm 2 223112 Decorative strip vertical wide 15 x 711 mm 2 309738 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2	ROYAL INTEGRAL		-		
223105Decorative strip vertical narrow8,5 x 698 mm2223112Decorative strip vertical wide15 x 711 mm2309738Glass shelf with brackets980 x 8 x 140 mm2309734Glass shelf with brackets330 x 8 x 140 mm2406753Door mirror 26012 left with handle587 x 675 mm2406754Door mirror 26012 right with handle587 x 675 mm2308988Flourescent tube TL5, 24 WattD = 16 x 549 mm2			•		
223112Decorative strip vertical wide15 x 711 mm2309738Glass shelf with brackets980 x 8 x 140 mm2309734Glass shelf with brackets330 x 8 x 140 mm2406753Door mirror 26012 left with handle587 x 675 mm2406754Door mirror 26012 right with handle587 x 675 mm2308988Flourescent tube TL5, 24 WattD = 16 x 549 mm2					
309738 Glass shelf with brackets 980 x 8 x 140 mm 2 309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2			•		
309734 Glass shelf with brackets 330 x 8 x 140 mm 2 406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
406753 Door mirror 26012 left with handle 587 x 675 mm 2 406754 Door mirror 26012 right with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
406754 Door mirror 26012 right with handle 587 x 675 mm 2 308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
308988 Flourescent tube TL5, 24 Watt D = 16 x 549 mm 2					
			C C		
		309595	Light cover 614 m		

Spare parts

Collections	Article	Spare part Dimensions		
ROYAL INTEGRAL	223111	Decorative strip across narrow 8,5 x 1481 mm	2	
Model-No. 26015	223118	Decorative strip across wide 15 x 1481 mm	2	
	223105	Decorative strip vertical narrow 8,5 x 698 mm	2	
	223112	Decorative strip vertical wide 15 x 711 mm	2	
	309739	Glass shelf with brackets 530 x 8 x 140 mm	2	
	309734	Glass shelf with brackets 330 x 8 x 140 mm	2	
	406755	Door mirror 26015 left with handle 636 x 675 mm	2	
	406756	Door mirror 26015 right with handle 636 x 375 mm	2	
	308988	Flourescent tube TL5, 24 Watt D = 16 x 549 mm	2	
	309595	Light cover 614 mm	2	
	406671	Mirror facing center 200 x 675 mm	2	
ROYAL METROPOL	310084	Hydraulics 150 N	2	
Model-No. 14001	309950	Cover cap for hydraulics	2	
	308988	Flourescent tube TL5, 24 Watt D = 16 x 549 mm	2	
	310025	Light shade left	2	
	310026	Light shade right	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310011	Glass shelf with brackets 631 x 6 x 110 mm	2	
	406708	Sliding door 180 x 550 mm	2	
	406731	Lift up door with handle 696 x 610 mm	2	
	310027-01	Handle chrome-plated 130 x 28 x 15 mm	2	
ROYAL METROPOL	310085	Hydraulics 200 N	2	
Model-No. 14002	309950	Cover cap for hydraulics	2	
	308988	Flourescent tube TL5, 24 Watt D = 16 x 549 mm	2	
	310025	Light shade left	2	
	310026	Light shade right	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310012	Glass shelf with brackets 831 x 6 x 110 mm	2	
	406708	Sliding door 180 x 550 mm	2	
	406732	Lift up door with handle 896 x 610 mm	2	
	310027-01	Handle chrome-plated 130 x 28 x 15 mm	2	
ROYAL METROPOL	310086	Hydraulics 250 N	2	
Model-No. 14003	309950	Cover cap for hydraulics	2	
	308988	Flourescent tube TL5, 24 Watt D = 16 x 549 mm	2	
	310025	Light shade left	2	
	310026	Light shade right	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	309990	Glass shelf with brackets 553 x 6 x 110 mm	2	
	406708	Sliding door 180 x 550 mm	2	
	406733	Lift up door with handle 1196 x 610 mm	2	
	310027-01	Handle chrome-plated 130 x 28 x 15 mm	2	
ROYAL PLUS	405362	Shelf supports 12 pieces	2	
Model No. 15001	306092	Glass shelf 115 mm x 217,5 mm	2	
	405741	Light complete matt white	2	
	52156	Light shade only matt white $D = 76 \times 93$ mm	1	
	55203	Light shade single, from 2003 D = 76 x 93 mm	1	
ROYAL PLUS	405362	Shelf supports 12 pieces	2	
Model No. 15002	306700	Glass shelf 115 mm x 317,5 mm	2	
	405741	Light complete matt white	2	
	52156	Light shade only matt white D = 76 x 93 mm	1	
	55203	Light shade single, from 2003 $D = 76 \times 93$ mm	1	
ROYAL PLUS	405362	Shelf supports 12 pieces	2	
Model No. 15003	306891	Glass shelf 115 mm x 271 mm	2	
	405741	Light complete matt white	2	
	52156	Light shade only matt white $D = 76 \times 93 \text{ mm}$	1	
	55203	Light shade single, from 2003 $D = 76 \times 93$ mm	1	
	30200		_ '	

Collections	Article	Spare part Dimensions		
ROYAL PLUS	405362	Shelf supports 12 pieces	2	
Model No. 15004	306892	Glass shelf 115 mm x 371 mm	2	
	405741	Light complete matt white	2	
	52156	Light shade only matt white D = 76 x 93 mm	1	
	55203	Light shade single, from 2003 D = 76 x 93 mm	1	
ROYAL SX	404975	Shelf supports 12 pieces	2	
Model No. 04601	307320	Glass shelf with brackets 521 x 6 x 110 mm	2	
	307318	Glass shelf with brackets for utensil 521 x 6 x 110 mm tumbler	2	
	307340	Light shade 544 x 2 mm	2	
	307296	Untensil tumbler 0 x D = 68 x 105 mm	2	
ROYAL T2	307979	Light shade 568 mm	2	
Model No. 13801	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
	221626	Tray 200 mm	2	
	308075	Glass shelf	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	405900	Revolving door right hand hinged 303 x 700 mm	2	
	405899	Revolving door left hand hinged 303 x 700 mm	2	
ROYAL T2	307979	Light shade 568 mm	2	
Model No. 13802	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
	221626	Tray 200 mm	2	
	308076	Glass shelf 805 x 6 x 118 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	405902	Revolving door right hand hinged 403 x 700 mm	2	
	405901	Revolving door left hand hinged 403 x 700 mm	2	
ROYAL T3 Model-No. 13901	406033	Glass shelf (diffuser on top of 763 x 4 x 95 mm cabinet)	2	
without drawer	301253	Compact flourescent tube 24 Watt 320 x 44 mm	2	
	310326	Side mirror 149 x 695 x 3 mm	2	
	308985	Flourescent tube TL5, 14 Watt D = 16 x 549 mm	2	
	308387	Light shade 520 mm	2	
	308436	Glass shelf with brackets middle 353 x 6 x 126 mm	2	
	308435	Glass shelf with brackets left/right 177 x 6 x 142 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	406037	Door mirror left hand hinged 232 x 700 mm		
	406039	Door mirror middle 373 x 700 mm		
	406038	Door mirror right hand hinged 232 x 700 mm		
	405581	Handle only chrome-plated	2	
	307784	Tumbler	2	
	307791	Crystal utensil tray	2	
ROYAL T3 Model-No. 13901	406033	Glass shelf (diffuser on top of 763 x 4 x 95 mm cabinet)	-	
with drawer	301253	Compact flourescent tube 24 Watt 320 x 44 mm	2	
	310326	Side mirror 149 x 695 x 3 mm	2	
	308985	Flourescent tube TL5, 14 Watt D = 16 x 549 mm	2	
	308387	Light shade 520 mm	2	
	308436	Glass shelf with brackets middle 353 x 6 x 126 mm	2	
	308435	Glass shelf with brackets left/right 177 x 6 x 142 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	406037	Door mirror left hand hinged 232 x 700 mm		
	406040	Door mirror middle 373 x 608 mm		
	406038	Door mirror right hand hinged 232 x 700 mm		
	405581	Handle only chrome-plated	2	
	307784	Tumbler	2	
			-	

Collections	Article	Spare part	Dimensions		
	307791	Crystal utensil tray		2	
	307996	Anti-slip mat		2	
	406071	Mirror front for drawer	373 x 6 x 90 mm	2	
ROYAL T3	406034	Glass shelf (diffuser on top of	963 x 4 x 95 mm	2	
Model-No. 13902		cabinet)			
vithout drawer	307605	Compact flourescent tube 36 Watt		2	
	310326	Side mirror	149 x 695 x 3 mm	2	
	308985	Flourescent tube TL5, 14 Watt	D = 16 x 549 mm	2	
	308387	Light shade	520 mm	2	
	308434	Glass shelf with brackets middle	419 x 6 x 126 mm	2	
	308433	Glass shelf with brackets left/right	244 x 6 x 142 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)		2	
	406041	Door mirror left	299 x 700 mm	2	
	406043	Door mirror middle	439 x 700 mm	2	
	406042	Door mirror right	299 x 700 mm	2	
	405581	Handle only chrome-plated		2	
	307784	Tumbler		2	
	307791	Crystal utensil tray		2	
ROYAL T3	406034	Glass shelf (diffuser on top of	963 x 4 x 95 mm	2	
/lodel-No. 13902 vith drawer	007007	cabinet)			
	307605	Compact flourescent tube 36 Watt		2	
	310326	Side mirror	149 x 695 x 3 mm	2	
ROYAL T3 Nodel-No. 13902	308985	Flourescent tube TL5, 14 Watt	D = 16 x 549 mm	2	
vith drawer	308387	Light shade	520 mm	2	
	308434	Glass shelf with brackets middle	419 x 6 x 126 mm	2	
	308433	Glass shelf with brackets left/right	244 x 6 x 142 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)		2	
	406041	Door mirror left	299 x 700 mm	2	
	406044	Door mirror middle	439 x 608 mm	2	
	406042	Door mirror right	299 x 700 mm	2	
	405581	Handle only chrome-plated		2	
	307784	Tumbler		2	
	307791	Crystal utensil tray		2	
	308446	Anti-slip mat		2	
	406072	Mirror front for drawer		2	
ROYAL UNIVERSE	405362	Shelf supports 12 pieces		2	
lodel-No. 12701	406968	Door mirror left	500 x 700 mm	2	
	406969	Door mirror right	500 x 700 mm	2	
	310040	Side mirror	132 x 698 x 3 mm	2	
	310411	Glass shelf with brackets	242,5 x 4 x 115 mm	2	
	406917	Handle chrome-plated	60 x 39 x 8 mm	2	
	406916	Light chrome-plated	215 x 50 x 60 mm	2	
	310039	Side mirror	121 x 698 x 3 mm	2	
	222357	Hinge bearing silver anodized	13,5 mm	2	
	406953	Converter for LED	,	2	
	310429	LED light 6,5 Watt		2	
	306566	Isolating transformateur 20 VA 230	142,5 x 41,5 x 28 mm	2	
		Vollt/50-60 Hz	,- ,		
OYAL UNIVERSE	405362	Shelf supports 12 pieces		2	
lodell-Nr. 12702	406971	Door mirror right	324 x 700 mm	2	
	406970	Door mirror left	324 x 700 mm	2	
	310411	Glass shelf with brackets	242,5 x 4 x 115 mm	2	
	406917	Handle chrome-plated	60 x 39 x 8 mm	2	
	406916	Light chrome-plated	215 x 50 x 60 mm	2	
	310039	Side mirror	121 x 698 x 3 mm	2	
	510039		121 × 080 × 5 11111	4	

Mirror cabinets / Furniture

Spare parts

KEUCO

Collections	Article	Spare part	Dimensions		
	222357	Hinge bearing silver anodized	13,5 mm	2	
	406952	Converter		2	
	310429	LED light 6,5 Watt		2	
	306566	Isolating transformateur 20 VA 230	142,5 x 41,5 x 28 mm	2	
		Vollt/50-60 Hz			
ROYAL UNIVERSE	405362	Shelf supports 12 pieces		2	
Model-No. 12703	406973	Door mirror right	399 x 700 mm	2	
	406972	Door mirror left	399 x 700 mm	2	
	306700	Glass shelf	115 mm x 317,5 mm	2	
	406917	Handle chrome-plated	60 x 39 x 8 mm	2	
	406916	Light chrome-plated	215 x 50 x 60 mm	2	
	222357	Hinge bearing silver anodized	13,5 mm	2	
	406952	Converter		2	
	310429	LED light 6,5 Watt		2	
	306566	Isolating transformateur 20 VA 230 Vollt/50-60 Hz	142,5 x 41,5 x 28 mm	2	
ROYAL UNIVERSE	405362	Shelf supports 12 pieces		2	
lodel-No. 12704	406976	Door mirror right	332 x 700 mm	2	
	406974	Door mirror left	332 x 700 mm	2	
	310423	Glass shelf with brackets right and left	265 x 4 x 115 mm	2	
	406917	Handle chrome-plated	60 x 39 x 8 mm	2	
	406916	Light chrome-plated	215 x 50 x 60 mm	2	
	310039	Side mirror	121 x 698 x 3 mm	2	
	222357	Hinge bearing silver anodized	13,5 mm	2	
	406952	Converter	10,0 1111	2	
OYAL UNIVERSE	310429	LED light 6,5 Watt		2	
Nodel-No. 12704	306566	Isolating transformateur 20 VA 230 Vollt/50-60 Hz	142,5 x 41,5 x 28 mm	2	
	406975	Door mirror center	320 x 700 mm	2	
	309636	Hinge Serie B		2	
	309955	Cover cap	28,5 x 46,5 x 12 mm	2	
	310424	Glass shelf with brackets center	, ,	2	
OYAL UNIVERSE	405362	Shelf supports 12 pieces		2	
lodel-No. 12704	406979	Door mirror right	432 x 700 mm	2	
	406977	Door mirror left	432 x 700 mm	2	
	310421	Glass shelf with brackets right and left	365 x 4 x 115 mm	2	
	406917	Handle chrome-plated	60 x 39 x 8 mm	2	
	406916	Light chrome-plated	215 x 50 x 60 mm	2	
	310039	Side mirror	121 x 698 x 3 mm	2	
	222357	Hinge bearing silver anodized	13,5 mm	2	
	406952	Converter	,	2	
	310429	LED light 6,5 Watt		2	
	306566	Isolating transformateur 20 VA 230 Vollt/50-60 Hz	142,5 x 41,5 x 28 mm	2	
	406978	Door mirror center	432 x 700 mm	2	
	309636	Hinge Serie B		2	
	309955	Cover cap	28,5 x 46,5 x 12 mm	2	
	310422	Glass shelf with brackets center		2	
	405362	Shelf supports 12 pieces		2	
ROYAL UNIVERSE Model-No. 12704		Shelf supports 12 pieces Door mirror right	399 x 700 mm	2 2	

Collections	Article	Spare part Dimensions		
	307608	Glass shelf with brackets right and 335 x 4 x 115 mm left	2	
	406917	Handle chrome-plated 60 x 39 x 8 mm	2	
	406916	Light chrome-plated 215 x 50 x 60 mm	2	
	310039	Side mirror 121 x 698 x 3 mm	2	
	222357	Hinge bearing silver anodized 13,5 mm	2	
	406952	Converter	2	
	310429	LED light 6,5 Watt	2	
	306566	Isolating transformateur 20 VA 230 142,5 x 41,5 x 28 mm Vollt/50-60 Hz	2	
	406981	Door mirror center, right 399 x 700 mm	2	
	406980	Door mirror center, left 399 x 700 mm	2	
	309636	Hinge Serie B	2	
	309955	Cover cap 28,5 x 46,5 x 12 mm	2	
ROYAL REFLEX	310334	Side mirror141 x 660 x 3 mm	2	
Model-No. 24001	405859	Shelf supports (set, 3 left and 3 right)	2	
	310150	Glass shelf with brackets left 459 x 6 x 118 mm	2	
	301243	Compact flourescent tube 18 Watt	2	
	310144	Light cover 500 mm	2	
	405632	Handle 40 x 50 x 9 mm	2	
	406818	Door mirror hinged left with handle 500 x 658 mm	2	
	406819	Door mirror hinged right with handle500 x 658 mm	2	
ROYAL REFLEX	406967	Handle (B) chrome-plated40 x 50 x 9 mm	2	
Model-No. 24005	407005	Door mirror 24001B, hinged left, with 500 x 658 mm handle	2	
	407006	Door mirror 24001B, hinged right, 500 x 658 mm with handle	2	
ROYAL REFLEX	310334	Side mirror 141 x 660 x 3 mm	2	
Model-No. 24002	405859	Shelf supports (set, 3 left and 3 right)	2	
	310151	Glass shelf with brackets 609 x 6 x 118 mm	2	
	310096	Flourescent tube Seamless, T5 24 Watt	2	
	310145	Light cover 650 mm	2	
	405632	Handle 40 x 50 x 9 mm	2	
	406820	Door mirror left with handle 324 x 658 mm	2	
	406821	Door mirror right with handle 324 x 658 mm	2	
ROYAL REFLEX Model-No. 24005	406967	Handle (B) chrome-plated 40 x 50 x 9 mm	2	
	407007 407008	Door mirror 24002B, hinged left, with handle324 x 658 mmDoor mirror 24002B, hinged right,324 x 658 mm	2	
		with handle		
ROYAL REFLEX Model-No. 24003	310334	Side mirror 141 x 660 x 3 mm	2	
	405859	Shelf supports (set, 3 left and 3 right)	2	
	310152	Glass shelf with brackets 759 x 6 x 118 mm	2	
	310096	Flourescent tube Seamless, T5 24 Watt	2	
ROYAL REFLEX Model-No. 24003	310146	Light cover 800 mm	2	
wouel-wo. 24003	405632	Handle 40 x 50 x 9 mm	2	
	406822	Door mirror left with handle 399 x 658 mm	2	
	406823	Door mirror right with handle 399 x 658 mm	2	
ROYAL REFLEX Model-No. 24005	406967 407009	Handle (B) chrome-plated40 x 50 x 9 mmDoor mirror 24003B, hinged left, with399 x 658 mm	2 2	
	407010	handle Door mirror 24003B, hinged right, 399 x 658 mm with handle	2	
ROYAL REFLEX	310334	Side mirror 141 x 660 x 3 mm	2	
Model-No. 24004	405859	Shelf supports (set, 3 left and 3 right)	2	

Collections	Article	Spare part Dimensions		
	310148	Glass shelf with brackets left	2	
	310149	Glass shelf with brackets right	2	
	310097	Flourescent tube Seamless, T5 39 Watt	2	
	310127	Light cover 1000 mm	2	
	405632	Handle 40 x 50 x 9 mm	2	
	406824	Door mirror left with handle332 x 658 mm	2	
	406825	Door mirror right with handle 332 x 658 mm	2	
ROYAL REFLEX	406967	Handle (B) chrome-plated 40 x 50 x 9 mm	2	
Model-No. 24005	407011	Door mirror 24004B, center/left, with 332 x 658 mm handle	2	
	407012	Door mirror 24004B, hinged right,332 x 658 mmwith handle	2	
ROYAL REFLEX	310334	Side mirror 141 x 660 x 3 mm	2	
Model-No. 24005	405859	Shelf supports (set, 3 left and 3 right)	2	
	310150	Glass shelf with brackets left 459 x 6 x 118 mm	2	
	310153	Glass shelf with brackets 775 x 6 x 118 mm	2	
	310098	Flourescent tube Seamless, T5 54 Watt	2	
	310147	Light cover 1300 mm	2	
	405632	Handle 40 x 50 x 9 mm	2	
	406826	Door mirror left with handle482 x 658 mm	2	
	406824	Door mirror left with handle332 x 658 mm	2	
	406827	Door mirror right with handle482 x 658 mm	2	
ROYAL REFLEX	406967	Handle (B) chrome-plated40 x 50 x 9 mm	2	
Model-No. 24005	407013	Door mirror 24005B, hinged left, with482 x 658 mmhandle	2	
	407011	Door mirror 24004B, center/left, with332 x 658 mmhandle	2	
	407014	Door mirror 24005B, hinged right,482 x 658 mmwith handle	2	
ROYAL REFLEX	405859	Shelf supports (set, 3 left and 3 right)	2	
Model-No. 24005	310602	Glass shelf with brackets 577 x 6 x 110 mm	2	
	310599	Glass shelf with brackets white 580 x 4 x 53 mm	2	
	308647	Ballast 1 x 24 Watt 359 x 30 x 21 mm	2	
	308988	Flourescent tube TL5, 24 WattD = 16 x 549 mm	2	
	310613	Light cover 632 mm	2	
	310638	Sensor 26 x 7 mm	2	
	407060	Handle chrome-plated50 x 41,5 x 28,3 mm	2	
	407066	Door mirror left, with handle288 x 632 mm	2	
	407067	Door mirror right, with handle288 x 632 mm	2	
	310495	Buffer	2	
	310593	Side mirror 149 x 350 x 3 mm	2	
ROYAL REFLEX	405859	Shelf supports (set, 3 left and 3 right)	2	
Model-No. 24005	310590	Glass shelf with brackets white 930 x 4 x 53 mm	2	
	308647	Ballast 1 x 24 Watt 359 x 30 x 21 mm	2	
	308988	Flourescent tube TL5, 24 Watt D = 16 x 549 mm	2	
	310613	Light cover 632 mm	2	
	310638	Sensor 26 x 7 mm	2	
	407060	Handle chrome-plated50 x 41,5 x 28,3 mm	2	
	407068	Door mirror left, with handle463 x 632 mm	2	
	407069	Door mirror right, with handle463 x 632 mm	2	
	310495	Buffer	2	
	310593	Side mirror149 x 350 x 3 mm	2	
ROYAL REFLEX	405859	Shelf supports (set, 3 left and 3 right)	2	
Model-No. 24005	310604	Glass shelf with brackets right 850 x 6 x 110 mm	2	
	310603	Glass shelf with brackets left 402 x 6 x 110 mm	2	

Spare parts

Collections	Article	Spare part	Dimensions		
	310601	Glass shelf with brackets white right	853 x 4 x 53 mm	2	
	310600	Glass shelf with brackets white left	405 x 4 x 53 mm	2	
	308647	Ballast 1 x 24 Watt	359 x 30 x 21 mm	2	
	308988	Flourescent tube TL5, 24 Watt	D = 16 x 549 mm	2	
	310613	Light cover	632 mm	2	
	310638	Sensor	26 x 7 mm	2	
	407060	Handle chrome-plated	50 x 41,5 x 28,3 mm	2	
	407070	Door mirror left, with handle	414 x 632 mm	2	
	407071	Door mirror center with handle	446 x 632 mm	2	
	407072	Door mirror right, with handle	414 x 632 mm	2	
	310495	Buffer		2	
	310593	Side mirror	149 x 350 x 3 mm	2	

Accessories / Fittings

Spare parts



Spare Parts Cosmetic Mirrors

Article	Spare part		
19976 000004	Cover	2	
19976 000005	Surface-mounted power supply with switch and spiral cable	2	
19976 000001	Control panel complete	2	
19976 000003	Concealed power supply	2	
	19976 000004 19976 000005 19976 000001 19976 000002	19976 000004Cover19976 000005Surface-mounted power supply with switch and spiral cable19976 000001Control panel complete19976 000002Spiral cable	19976 000004 Cover 2 19976 000005 Surface-mounted power supply with switch and spiral cable 2 19976 000001 Control panel complete 2 19976 000002 Spiral cable 2



§1 Scope

(1) The following "General Terms and Conditions" apply to our business relationships with our customers, especially for the supply of products and the contracts, services, information and consultancy connected with these products. If separate individual agreements are concluded that vary from our terms of sale, the remaining terms of sales will be otherwise unaffected.

(2) Once our General Terms and Conditions are introduced into the business relationship with the Customer, these shall apply to all future business relationships between the Customer and us, insofar as nothing to the contrary has been agreed. The customer's terms and conditions will only apply if and insofar as we explicitly acknowledge them in writing. Our silence in relation to such alternative terms and conditions will, in particular, not be deemed to constitute acknowledge or agreement, including in relation to future contracts.

(3) Our General Terms and Conditions will apply instead of any terms and conditions the Customer may have - such terms and conditions of purchase - even if the unreserved acknowledge of the terms and conditions is provided for following the acceptance of the order. By accepting our order confirmation the Customer explicitly acknowledges that it waives any legal objection derived from its terms and conditions.

(4) These General Terms and Conditions apply only vis-à-vis "entrepreneurs" (commercial entities) within the definition of Section 14 of the German Civil Code (BGB), i.e. natural or legal persons purchasing goods or services for a commercial or occupational purpose.

§ 2 Information, advice, product characteristics

(1) The information, advice and other services we supply are based solely on our past experience. The details we provide about our products are based on our development activities and our application technology experience.

(2) The values stated in this context should be regarded as average values. All information concerning our products and services should be regard as approximate values; this applies especially to the images, drawings, content and performance details and other such information contained our quotations and print materials. We relay these results - in writing and orally - to the best of our knowledge. We do not assume any liability in respect of them, over and beyond the relevant individual contract.

(3) Our product descriptions and information do not constitute a guarantee concerning quality or durability within the definition of Section 434 BGB, unless we have explicitly confirmed to the Customer in writing in advance, or a characteristic is defined in a written purchase agreement with the Customer. However, this does not release the Customer from its obligation, prior to purchase, to personally examine our products and processes for their suitability for the intended purpose.

(4) Any reference to standards, similar technical regulations and technical data, descriptions and images of the product or service set out in our quotations and catalogues and our advertising will only constitute the specification of a characteristic if we have expressly declared this quality to be a "characteristic"; otherwise such information is a non-binding, general performance description.

(5) We can only be deemed to have assumed a guarantee if we have described the characteristic or performance aspect in writing as "guaranteed".

(6) Other than the strict liability prescribed by law, we do not assume any liability for the suitability and/or registrability and/or marketability of our products or services for the purpose intended by the Customer, unless we have made a contrary agreement in writing with the Customer. The provision contained in Section 11 is not hereby affected.

(7) We reserve the rights of ownership and copyright to images, drawings, estimates of costs and other such documentation concerning our products and services. The customer undertakes not to provide the documents described in the preceding paragraph to any other party, unless we issue our express written permission.

§ 3 Samples/models

(1) Prior to the manufacture of the entire product, we will only provide the Customer with a sample/model of the goods ordered if this has been separately agreed. The characteristics of samples or models will only be an element of the contract if this has been expressly agreed in writing. The customer is not entitled to commercially exploit or pass on samples or models.

(2) Where orders are placed in accordance with the Customer's specifications (drawings/samples etc.), the Customer will release us from any third-party claims relating to industrial property right infringements in this connection.

§ 4 Conclusion of contract, service scope, performance risk, procurement risk

(1) Our communications labelled "quotation" are made without obligation. These are invitations to place purchase orders and to enter into contracts. A contract will only be concluded - including within a continuous business relationship - once we have confirmed the Customer's purchase order or contract in writing or text form. The content of the contract is defined by our order confirmation. In the case of immediate delivery of the product or service, our confirmation may be substituted by our invoice or delivery note.

(2) We will only assume a procurement risk by way of an express agreement by using the phrase "we assume the procurement risk for ..." The assumption of a procurement risk is not established merely through our obligation to deliver an item defined only by its type. We are only obliged to make deliveries from our stocks, unless otherwise expressly agreed in writing.

(3) In the case of make-and-hold orders or delays in acceptance for which the

Customer is responsible, we will be entitled to immediately procure the material required for the entire order and to immediately manufacture the entire deliverables and, in the case of customer delays, to offer these items and execute the order. As a result, any change requests by the Customer can no longer be considered after the order is placed unless this has been explicitly agreed upon in writing.

(4) The Customer must inform us in writing in good time prior to the conclusion of the agreement as to any special requirements it has in relation to our services or products.

(5) In the case of deliveries of products, we are entitled to make excess or short deliveries of units or weights if this is within 5% of the amount specified in the order or the amount indicated in the order confirmation.

(6) If formal acceptance of the service, or the receipt of a service or a product or the dispatch is delayed for a reason attributable to the Customer, if the Customer does not issue a dispatch order by the end of the agreed delivery period or if the Customer is culpable failing to fulfil its call obligations within the agreed time period or, in the absence of an agreed time period, within 4 months, irrespective of alternative or farther-reaching rights and having granted a 10-day grace period which has subsequently expired, we will be entitled to choose to demand immediate payment or to rescind the agreement or to refuse performance and demand compensation in lieu of complete performance. This grace period must be granted in writing or text form. We are not obliged to again refer to the rights set out in this paragraph. In the event of a demand for damages, the payable damages are 20% of the net delivery price. The customer remains entitled to prove another amount of damages was incurred or that no damages were incurred.

(7) If the dispatch or collection of the products is postponed at the request of the Customer or for reasons attributable to the Customer, commencing with the point in time at which the products should have been dispatched or collected by the Customer we will be entitled to store them at the sole risk of the Customer and charge the Customer for the costs incurred at a flat-rate of 2.5% of the net invoice amount for each month commenced in the delay. The customer remains entitled to prove that different storage costs or no storage costs were incurred. Furthermore, we are entitled to otherwise use the contractual products after expiry of this period and we may re-deliver to the Customer after a reasonable period of time.

(8) In the event of a delayed delivery order or call for which the Customer is at fault, we will be entitled to postpone the delivery or service for a period of time equivalent to the Customer delay.

§ 5 Performance, performance period, delay

(1) Binding delivery or performance dates and delivery or performance periods must be explicitly agreed with us in writing in order to be enforceable. In the absence of any such separate agreement, or if it is agreed that these delivery or performance dates and delivery or performance periods are approximate etc., these dates/periods are non-binding. In this case we will employ our best efforts to meet these.

(2) The delivery or performance periods commence with the receipt of our order confirmation by the Customer, but not however before all details concerning the execution of the order have been clarified and all other prerequisites have been met by the Customer, especially not before all advance payments have been agreed. This applies likewise to delivery and performance dates. If the Customer has made change requests following the order placement, a new delivery period commences with our confirmation of the change.

(3) Product deliveries prior to the expiry of the delivery period are permissible, as are part deliveries provided this is reasonable to expect of the Customer.

(4) The delivery date confirmed in writing is deemed to be the date of delivery. If two or more individual contracts concerning identical products being processed in parallel, we will then be entitled to determine the sequence in which the individual contracts are fulfilled. If no contrary written agreement has been concluded, the interest in receiving our service is only extinguished if we fail to deliver material part or if we only deliver after a delay.

(5) In the case of product deliveries and a duty to collect, the relevant date is the day on which notice is given regarding the readiness for shipment, otherwise it is the day on which the product is dispatched.

(6) Deliveries shall be made - unless otherwise agreed - at our option in the case of long-term contracts at the time of the call, and in the case of single contracts, within the agreed delivery period. We may proffer the product or the goods by the 1st working day following the conclusion of contract and at any time during normal business hours within the delivery and performance period.

(7) If the Customer wishes a delivery or performance time on a particular day or in a calendar week, this can be recorded in our order confirmation to the Customer. This does not establish a binding obligation on our part to ensure this delivery or performance time is actually fulfilled. However, we will use our best efforts to meet the delivery or performance time. We will notify the Customer in good time of any delays.

(8) If we default in making the delivery, the Customer must first grant us a reasonable additional time period in which to effect performance. If this elapses without success, claims to damages for breaches of duty - irrespective of the reason - will only exist in accordance with the provisions of Section 11 (Disclaimer and liability of limitation).

(9) In cases of delayed delivery the Customer is duty bound, upon our demand, to declare within a reasonable period if it intends to rescind the contract due to the delay to delivery or whether it will insist on delivery taking place.

(10) We will not be in default as long as the Customer is in default in fulfilling its obligations to us, including obligations under other contracts.

(11) If the Customer fails to accept products or services despite a legal obligation to do so, we will be entitled to ascertain the damages. In the case of product deliveries this takes the form of re-sale on default to other parties or the determination of a price by an appraiser. If an announced re-sale on default is not realised or cannot be realised

KFLICC

General Terms and Conditions of Business for deliveries and services of KEUCO GmbH & Co. KG to entrepreneurs (customers)

in an appropriate manner or time period, the right to claim damages will endure. The ascertainment of damages will take the form of the price determined by an appraiser. In any case the key date for determining the price is the first working day following the expiry of the additional period of time.

We may at any time deliver a third-party product equivalent in function and (12) value to our products, if we are unable to deliver our own product for technical reasons or a failure to receive supplies from our own suppliers despite having implemented reasonable stock coverage measures, and we credit the Customer with any difference in price, unless the delivery of our own products is explicitly agreed in writing. Section 305b BGB (Priority of individually agreed terms) remains unaffected.

We reserve the right to make changes within customary limits to our products, (13)series and models. We are likewise entitled to deliver the product/series/model corresponding or similar to function, value and design set out in the purchase order, if we find it impossible to deliver the agreed product due to technical or legal reasons for which we are not responsible, or in the event of a failure to receive supplies from our own suppliers (cf. Section 6 below) and we credit the Customer with any price difference.

(14) We may likewise at any time fulfil our contractual performance obligations using the services of sub-contractors, provided no strictly personal service is agreed.

§ 6 Delivery subject to receiving deliveries from our own sub-suppliers; force majeure and other impediments

If we do not receive a delivery or service from our sub-suppliers to allow us to (1) make the delivery or render the service contractually required from us, despite due and adequate stocking in relation to quantity and quality under our delivery or service agreement with the Customer (matching coverage), for reasons for which we are not responsible, or it is incorrect or not within the due time, or if force majeure occurs for a significant period (i.e. more than 14 calendar days), we will notify our customer in writing or text form in good time. In this case we shall be to postpone the delivery for the duration of the impediment or to wholly or partially rescind the agreement in view of the unfulfilled part, provided we have fulfilled our aforementioned duty of notification and have not assumed the risk for procurement. Force majeure occurs in the event of a strike, lock-out, interventions by the authorities, energy or raw material shortages, transport constrictions or impediments and operational impediments for which we are not at fault, e.g. where these are caused by fire, water and machine damage, or any other impediments that, from an objective perspective, we are not culpable for causing.

The customer will be entitled to cancel that part of the agreement not yet fulfilled if a delivery or service date or delivery or service period has been bindingly agreed, or if the agreed delivery or service date or delivery or service period is exceeded by more than four weeks as a result of any events set out in Section 6 (1) above, or, in the case where the delivery date is not binding, it would be unreasonable to hold the Customer to the agreement. In such a case the Customer has no other rights, especially no rights to compensation.

§ 7 Shipment, packaging and transfer of risk

Unless otherwise agreed in writing, products will be shipped ex works by us, uninsured and at the risk and cost of the Customer. We reserve the right to choose the route and means of transport. We shall, however, endeavour to take the Customer's wishes into account with respect to the route and type of shipment. Any resulting additional expenses - including where carriage paid shipment is agreed - shall be borne by the Customer.

(2)If the consignment is delayed at the request or fault of the Customer, we will store the goods at the Customer's cost and risk. In this case the notification of readiness for shipment is deemed to be equivalent to the actual consignment.

The risk of accidental loss or accidental deterioration shall pass to the Customer (3) when the products and goods to be delivered are handed over to the Customer or, if consignment has been agreed, to the forwarder, freight carrier or other firms charged with shipping the products but no later than the time the products leave our works, warehouse or branch site.

If delivery is delayed because we assert our right of retention due to the Custo-(4)mer's complete or partial default in making payment, for another reason for which the Customer is responsible, the risk shall pass to the Customer no later than the date of the notice to the Customer announcing that the delivery is ready for shipment

If the products are to be collected by the Customer or another determined by it, (5)the collection dates or time periods must be coordinated with us no later than 3 days prior to the delivery date.

In the absence of any special agreement, the mode of shipment and packaging will be determined at our discretion in accordance with Section 315 BGB.

§ 8

Duty to report defects, breach of duty, material defects

The customer must give us notice of evident material defects immediately but (1)no later than 12 days following collection in the case of delivery ex works, otherwise following the delivery. Notice of hidden material defects must be provided to us immediately following discovery but no later than before the end of the warranty period pursuant to Paragraph 8.10. A notice of defects made out of time will preclude any claim by the Customer for breach of duty due to material defects. This does not apply in the case of deliberate, grossly negligent or fraudulent acts on our part, in the event of death or personal injury or the assumption of a guarantee of the absence of defects, or a procurement risk pursuant to Section 276 BGB or in the case of other such strict legal liability and in the event a right of recourse within the supply chain (§§ 478, 479 BGB)

The defect notification must be communicated in writing. A formally inadequate (2)notice of defects will preclude any claim by the Customer due to material defects. A defect notification will be ineffective if it does not contain the exact article number and

the information particulars of the item concerned.

If products are delivered by consignment, evident defects at the time of delivery must be reported to the shipping company, which should be requested to record said defects. Notifications of defects must be contain the best possible description of the defect. If defects in number and weight were already discernible at the time of delivery in accordance with the aforementioned examination duties, the Customer must issue a complaint about the defects to the shipping company upon receiving the products, and it should have this complaint certified. A notice of defects not made in this way will, to this extent, preclude any claim by the Customer for breach of duty due to defects. This does not apply in the case of deliberate or grossly negligent acts on our part, in the event of death or personal injury or the assumption of a guarantee of the absence of defects, or a procurement risk pursuant to Section 276 BGB or in the case of other such strict legal liability and in the event a right of recourse within the supply chain (§ 478 BGB)

The customer must give notice in writing immediately of any other breaches of duty, and, before asserting any further rights, it must grant a reasonable time limit for delivery of a remedy.

The delivered products are deemed to have been accepted as contractually (5)compliant by the Customer upon the commencement of any processing, modification, mixing or combination with other articles. The same applies in the event that the goods are relocated away from the original destination. Prior to the commencement of any of the aforementioned activities, the Customer is required to perform checks suitable in scope and methodology in order to clarify if the delivered products are suitable for the processing, processes and other purposes intended by the Customer.

(6)If the defect notice is issued without justification, we will be entitled to demand that the Customer compensate us for the costs we incur as a result.

(7) If the Customer is a "merchant", we will rectify any defects for which the Customer itself is responsible, and eliminate any unjustified complaints on behalf of and at the expense of the Customer

We are only obliged to render subsequent improvement and substitute delivery (8) or replacement production in that country in which we sold our product to the Customer, or to which the goods were duly delivered or the service was rendered in accordance with the contract.

(9) The customer's claims in relation to costs necessarily incurred for the purpose of subsequent performance, especially shipment, travel, labour and material costs are excluded to the extent that these costs increase because the object of delivery is subsequently relocated to a place other than the agreed place of delivery, if such a relocation does not accord with the designated use. This does not apply to recourse claims pursuant to Sections 478, 479 BGB, as well as in the event of fraud or deliberate damage or the assumption of a warranty.

(10) Unless otherwise explicitly agreed in writing or other such text form, we assume a 12-montn warranty in respect of material defects, said period starting from the date of the transfer of risk (cf. Para. 7.4); in the event of the Customer's refusal to accept or receive, said period commences from the time the delivery notification concerning the hand-over of goods is issued. This does not apply to claims for damages based on a guarantee, the assumption of a procurement risk within the definition of Section 276 BGB, due to death or personal injury or a fraudulent, intentional or grossly negligent or fraudulent acts, or if, in the cases of Section 478 BGB (recourse within the supply chain), Section 438 (1) No. 2 (buildings and items intended for buildings), and Section 634 a (1) No. 2 BGB (building defects), a longer period is stipulated by law. Section 305b BGB (Priority of individual terms agreed orally, in writing or in text form) remains unaffected. The aforementioned provision does not entail a reversal of the burden of proof.

(11) Further claims by the Customer for or in connection with defects or consequential damage caused by a defect, for whatever reason, shall exist only subject to the provisions of Para. 11 (Disclaimer and limitation of liability).

Our warranty and ensuing liability will be excluded if defects and damages (12)connected therewith cannot be conclusively attributed to our defective products or defective performance. The warranty and any liability under it is especially excluded for the consequences of the erroneous use or natural wearing of the products, as well as the consequences of physical, chemical or electrolytic influences that do not correspond to the anticipated average standard influences. It is likewise excluded in respect of unsuitable or improper use; defective assembly or start-up on the part of the Customer or by another party designated by it; natural wear and tear; incorrect or negligent handling; improper maintenance. The foregoing provision does not apply to fraudulent, gross negligent or intentional acts on our part, or death or personal injury, the assumption of a guarantee, a procurement risk pursuant to Section 276 BGB or in the case of strict legal liability given the prevailing circumstances.

If the Customer or a third party improperly rectifies a defect, we will not be liable for the resulting consequences. This shall also apply to any modifications of the product undertaken without our prior consent or changes of use not approved by the manufacturer compared to the use specified by it. Any rights of recourse in favour of the Customer against us in the event of a resale of the goods exist only to the extent that the Customer has not made any agreements with its end customer over and beyond the provisions contained in the statutory claims for defects

Acknowledgement of breaches of duty - in particular in connection with the delivery of defective products - will only be valid if issued in writing.

§9 Prices, conditions of payment, default, grounds for uncertainty, taking back, right of retention

As a rule all prices are quoted in EURO, and are subject to the additional costs (1)of packaging, shipment ex works or warehouse, plus value-added-tax charged at the applicable legal rate and payable by the Customer

In the absence of an alternative agreement, services not contained in the quotation will be performed on the basis of our applicable general price lists, as may



be amended from time to time.

(3) We are entitled to unilaterally and appropriately increase the due payment in the event of an increase in material production and/or procurement costs and/or product procurement costs, wage and non-wage costs, social security contributions as well as energy costs and costs incurred due to environmental regulations, exchange rate fluctuations and/or currency regulations and/or changes to import/export duties and/or freight rates and/or public levies, if these directly or indirectly affect the merchandise production costs or the costs of our contractually agreed services and if there are more than 4 months between the conclusion of contract and the delivery. An increase as described above will be precluded if the increase in costs in relation to any aforementioned factors with reference to the total cost charge for the delivery. If any of the aforementioned cost factors are reduced, and this reduction is not offset by an increasing in any of the other aforementioned factors.

(4) If, in an exceptional case, we are to contractually bear the freight charges, the Customer will bear any additional costs connected with increases in freight rates arising after the conclusion of contract.

(5) Our invoices are payable without deduction within 30 days following delivery/ performance. We are also entitled to demand payments be made concurrently with product deliveries, in the event there are objective grounds indicating that the Customer is unable or unwilling to service its debts, particularly if the customers is in default of the settlement of our payment demands. If an early payment discount has been agreed, this will be calculated on the basis of the net amount and is only permissible if all other liabilities pertaining to the business relationship with the Customer and older than 30 days have been extressly agreed. Unless otherwise agreed, in these cases the invoice if this has been expressly agreed. Unless otherwise agreed, in these cases the invoiced sums are payable without deduction within 30 days - the funds to be received by us in this time - following hand-over of the goods.

(6) Irrespective of the Customer's contrary terms, we will be entitled to offset payments against older debts first; we will notify the Customer of the nature of the offset performed. If costs and interest have already been accrued, we shall be entitled to use the payment to firstly satisfy costs, then the accrued interest and finally the principle debt. The absence of a reminder notwithstanding, the Customer will be in default if it fails to make payment within 31 days of the delivery/service or within 31 days of the delivery notification in the case of delivery ex works. If a binding payment date was agreed, the Customer will be in default if it fails to observe the payment date.

(7) Once the Customer is in default, default interest will be charged at the rate of 8% of the applicable base interest rate from the time that the default occurred. This rate will be reduced if the Customer demonstrates a low rate of loss; we reserve the3 right to demonstrate that the actual damages are higher.

(8) Furthermore, in the event of default of payment on the part of the Customer, we are entitled to withhold deliveries or services under all agreements with the Customer until the complete satisfaction of claims. The Customer can circumvent this right of retention by arranging a directly enforceable and unlimited surety from a major German bank or a municipal bank which is affiliated with the asset collateral fund; the surety will cover the amount of all payments due.

(9) Any default in the fulfilment of a receivable will also result in all our receivables under the business arrangement being due and payable immediately. The date of payment is deemed to be the day that we received the money or our account is credited. If conditions of payment go unfulfilled or circumstances become known or discernible that, according to our prudent commercial judgement, give rise to justified doubt about the Customer's creditworthiness, also including such facts that existed when the contract was concluded but which were unknown to us or did not have to be known to us, we shall be entitled, additional statutory rights in such cases notwithstanding, to cease any further work on current orders or delivery, and, using our reasonable discretion (§ 315 BGB), to request advance payments or the provision of appropriate customary securities for deliveries still outstanding, and, after expiry of a reasonable extension of time to provide such securities is unsuccessful, to residu the contract, irrespective of other statutory rights. The customer shall be obliged to reimburse us for all damages sustained due to non-performance of the contract.

(10) If payments are deferred and they are made later than originally agreed, interest shall be charged for the deferral period at the rate of 8% over the basic interest rate from the time the deferment petition is made, without the issue of a notice of default being necessary.

(11) The Customer has a right of retention or right of offset only in terms of those counter claims which are not disputed or which have been declared res judicata, unless the counter-claim is based on the breach of material contractual obligations A right of retention can only be exercised by the Customer to the extent that its counter-claim is derived from the same contractual relationship. "Material contractual obligations" are those duties which protect the material contractual rights of the supplier and are specifically granted to it according to the content and purpose of the agreement, and those contractual obligations the fulfilment of which is a pre-requisite to the proper performance of the agreement and the fulfilment of which is a fact on which the supplier would normally and rightfully rely.

(12) Our price lists and other such price information are subject to change, unless we have explicitly indicated in writing that these are binding.

(13) In the event of an application to open insolvency proceedings by the Customer or its suspension of payments not connected with rights of retention or other such rights, we will be entitled to rescind the agreement at any time or to make delivery of the purchased goods conditional on advance settlement of the payment obligation, insofar as the Customer is in breach of its obligations at this time. If the delivery of the purchased goods has already taken place, the purchase price is immediately due in such cases described above. We are likewise entitled to demand return of the purchased goods in the aforementioned cases and to withhold these until complete payment of the purchase price is made.

(14) If the Customer suspends its payments or it files an insolvency application, the Customer will no longer be entitled to the sell, process, combine or blend of the goods subject to retention of title (cf. Section 10 Paragraph (1)). In this case, it must instead immediately ensure the separate storage and labelling of goods subject to retention of title and it shall keep in trust for us the sums received by the Customer and to which we are entitled under claims assigned in connection with our deliveries of goods.

§ 10 Retention of title

(1) We retain title to all equipment and goods we deliver (hereinafter referred to as a whole as "goods subject to retention of title") until all our claims under the business relationship with the Customer, including claims arising in the future from contracts concluded at a later date, are paid. This shall also apply to any balance in our favour when any or all claims by us are incorporated in a current account and the balance has been established.

(2) The customer must insure the goods subject to retention of title adequately, particularly against fire and theft. Claims against the insurance company arising from a damage event relating to goods subject to retention of title are herewith assigned to us in the value of the goods subject to retention of title.

(3) The customer is authorised to resell the delivered products in the normal course of its business. The customer is not permitted to make other disposals, especially pledging or granting of lien entitlements. If goods subject to retention of title are not paid for immediately by third-party buyers when resold, the Customer may only resell under retention of title. Authorisation to resell the goods subject to retention of title will cease automatically if the Customer suspends payment or defaults in payment to us. The same applies if the Customer is affiliated with a consolidated group and/or one of the aforementioned circumstances arises in relation to the parent or supraordinate company of the Customer.

(4) The customer here and now assigns to us all claims including securities and ancillary rights that accrue to it against the end user or third parties by reason of or in connection with the resale of goods subject to retention of title. The customer may not reach an agreement with its purchasers that in any way excludes or impairs our rights or nullifies the assignment of the claim from the outset. When the goods subject to retention of title are sold with other items, the claim against third-party buyers amounting to the delivery price agreed between ourselves and the Customer shall be deemed assigned unless the amounts applicable to the individual goods can be determined from the invoice.

(5) The customer shall be entitled to collect claims assigned to us until revoked by us, which we may do at any time. Upon our request, the Customer will be obliged to give us the information and documents in full required to collect assigned claims, and unless we do so ourselves, it must notify its buyers immediately of the assignment made to us.

(6) If the Customer incorporates claims from the resale of goods subject to retention of title in a current account arrangement with buyers, the Customer shall herewith assign to us any recognised closing balance in its favour in the amount which corresponds to the total amount of the claim from the resale of our goods subject to retention of title, such claim being transferred to the current account relationship.

(7) The customer must notify us immediately if the Customer has already assigned claims to third parties from the resale of products delivered or to be delivered by us, particularly by way of a non-recourse and recourse factoring, or made other agreements which can impair our current or future security interests under to this Paragraph 10. In the case of a recourse factoring, we shall be authorised to rescind the contract and request the products already delivered to be handed over. This shall also apply to a non-recourse factoring arrangement if, according to the contract with the factor, the Customer cannot freely dispose of the purchase price of the claim.

(8) If the Customer is in breach of contract, especially if it is in default of its payment obligations, we will be entitled to take back possession of all goods subject to retention of title. In this case the Customer will be obliged, without further ado, to surrender the goods subject to retention of title. At any time during normal business hours, we are permitted to enter the Customer's business premises to take an inventory of the goods delivered by us.

(9) In taking back possession of the goods subject to retention of title, we are not rescinding the contract unless we expressly state this in writing or it is stipulated by strict statutory provisions.

(10) The customer must inform us immediately in writing of any third-party interference with the goods subject to retention of title or any claim assigned to us.

(11) If the value of the existing collateral securities exceeds the secured claims by more than 10%, then, upon demand by the Customer, we shall be obliged to release collateral; the choice of what securities are to be released rests with us.

(12) The transformation and processing of goods subject to retention of title is performed on our behalf as the manufacturer within the definition of Section 950 BGB; this does not create any obligation on our part however. If the delivered goods are reprocessed with other items not belonging to us, we will acquire co-ownership in the new object equal to the proportion of the invoice value of the delivered goods compared to that of the other reprocessed or combined articles. If our goods are combined with other movable items into a single article deemed the principal article, the Customer shall here and now assign to us co-ownership there in to an equivalent proportion. The customer shall keep protect our sole or co-ownership rights at no charge to us. The co-ownership rights created in this way are deemed to be goods subject to retention of title. Upon our demand, the Customer shall be obliged at any time to provide us with the information we require to assert our ownership or co-ownership rights.

(13) If, in the case of deliveries exported abroad, certain measures must be performed by us or by the Customer in the importing country for the effectiveness of the aforementioned retention of title or the other rights described therein, the Customer must inform us of this fact in writing or in text form and it will promptly perform measures of the is won cost. We will cooperate to the requisite extent in this. If the law of the importing country does not permit retention of title, but allows us to reserve other rights as to the goods supplied, we may exercise all such rights using our reasonable discretion (§ 315 BGB).

Keuco

General Terms and Conditions of Business for deliveries and services of KEUCO GmbH & Co. KG to entrepreneurs (customers)

Insofar as an equivalent guarantee for our claims on the Customer is not achieved in this way, the Customer is duty bound to provide us with other security in respect of the goods supplied or other collateral at its own cost, in which situation we may exercise our reasonable discretion (§ 315 BGB).

§ 11 Disclaimer and limitation of liability

(1) Subject to the following exceptions, we shall not be liable especially not for the Customer's claims for damage of the reimbursement of costs - irrespective of the legal basis - in the event of breaches of duty established by the contractual arrangement.

(2) The disclaimer set out in Paragraph 11.1 above does not apply in case of strict legal liability as well as:

- for our own intentional or grossly negligent breach of duty and the intentional or grossly negligent breach of duty on the part of our statutory representatives or vicarious agents;
- for the breach of material contractual obligations; "material contractual obligations" are those obligations which protect the legal position of the Customer, and which are to be specifically afforded to him in accordance with the content and purpose of the agreement. Furthermore, contractual duties are deemed fundamental where the fulfilment of these is imperative for the orderly performance of the contract and upon which the contractual partner would and may normally rely;
- in the event of death or personal injury, including that caused by statutory representatives or vicarious agents;
- in the case of default, where delivery and/or service by a fixed date was agreed;
 where we have assumed a warranty regarding the quality of our goods or the outcome of the service, or a procurement risk within the definition of Section 276 BGB;
- in the case of liability according to the Product Liability Act or other such strict statutory liability.

(3) In the event that we or our vicarious agents are culpable of slight negligence and none of the scenarios described under Para. 11.2, indents 3, 4, 5 and 6, we will only be liable for foreseeable damage typical for this type of contract, including in the case of the breach of material contractual obligations.

(4) The sum of our liability is limited to a maximum indemnity limit of EUR 250,000.00 for each individual damage event. This does not apply if we have acted fraudulently, intentionally or with gross negligence, for claims concerning death or personal injury as well as in the case of a claim in tort or one based on an expressly assumed guarantee or the assumption of a procurement risk in accordance with Section 276 BGB or in the event the strictly applicable legal provision prescribe a higher level of liability. Any other liability is excluded.

(5) The exclusions and limitations on liability as set out in Para. 11.1 to 11.4 and Para. 11.6 apply to the same extent in favour of our executive bodies, our managerial and non-managerial employees, other vicarious agents and our sub-contractors.

(6) The customer's claims to compensation established under this contractual arrangement can only be asserted within an exclusion period of one year from the legal commencement of the limitation period. This does not apply if we have acted intentionally or with gross negligence, for claims concerning death or personal injury as well as in the case of a claim in tort or one based on an expressly assumed guarantee or the assumption of a procurement risk in accordance with Section 276 BGB or in the event that strictly applicable legal provisions prescribe a longer limitation period.

(7) The aforementioned provisions do not entail a reversal of the burden of proof.

§ 12 Third-party property rights

(1) Unless otherwise agreed, we are obliged only to deliver goods in the Federal Republic of Germany that are not encumbered by third-party industrial property rights or copyright. If a third party asserts legitimate claims for the infringement of property rights through products delivered by us to the Customer, we shall be liable to the Customer as follows:

a. We shall firstly attempt to either procure a licence at our expense for the deliveries in question or modify the products in order that the property right is not infringed, or we will be substitute the product, the choice resting with us. If we are unable to do so at reasonable conditions, the Customer shall be entitled to its legal rights, which are defined, however, on the basis of these General Terms and Conditions.

b. Our aforementioned duties are only then established if the customer promptly informs us of the third-party claim made against it, it refrains from acknowledging the claim and enables us to attend to all measures necessary for defending the claim and negotiating a settlement. If the Customer ceases use of the products for the purpose of limiting damages or for any other material reasons, it is duly bound to inform the third party that this cessation of use may not be implied as any acknowledgement of the alleged property right violation. If an action is filed by third parties against the Customer for infringement of property rights resulting from the use of products delivered by us, the Customer undertakes to notify us immediately in writing and afford us the opportunity to become party to any legal proceedings. The customer must support us in every relevant way in conducting such a legal dispute. The customer must desist from everything that could prejudice our legal position.

(2) The customer has no claims in the event that it is responsible for the property rights infringement. Claims of the Customer are likewise excluded if property rights infringement is caused due to particular specifications demanded by the Customer, through a type of use not foreseen by us or which is caused by the fact that the products were modified by the Customer or used together with other products not delivered by us.

§ 13 Product liability

(1) The customer will not modify any safety-relevant aspects of the goods. In particular it will not modify or remove any warnings of the risks if the goods are used

improperly. If it breaches this duty, the Customer will indemnify us - for the purpose of the internal relationship - in respect of third-party product liability claims, insofar as the Customer is responsible for the triggering circumstance.

(2) If a product defect in the goods requires us to undertake a product recall or issue a warning, the Customer will assist us and perform all measures ordered by us and reasonable to expect of him. The customer will be obliged to bear the costs of the product recall or the product warning, to the extent that, in accordance with product liability principles, he is responsible for the product defect and the resulting damage. All our other claims remain unaffected.

(3) The customer will promptly notify us of the risks of which it become aware in relation to the use of the goods and the possible product defects.

§ 14 Place of performance, legal venue; applicable law

 $(1) \qquad \mbox{The place of performance for all contractual obligations is the registered address of our company.}$

(2) The exclusive legal venue for hearing all disputes is that court with jurisdiction over the place in which our company has its registered address, insofar as an alternative legal venue is not strictly prescribed by law. We are entitled, however, to pursue legal actions against the Customer at that court with general jurisdiction for its registered place of business.

(3) All legal relations between us and the Customer are exclusively subject to the law of the Federal Republic of Germany to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods (CISG). The aforementioned provisions likewise apply if the Customer is a foreign national or has relocated his domicile abroad.

§ 15 INCOTERMS, Prohibition on assignment Amendments and additions, written form, severability clause

(1) Insofar as commercial clauses are agreed in accordance with the International Commercial Terms (INCOTERMS), the INCOTERMS 2010 shall apply.

(2) We hereby repudiate any prohibition or restriction on assignment as may be provided for in the Customer terms and conditions; this applies especially if the assignment is made dependent on the Customer's prior consent.

(3) Amendments to these terms and conditions will be disclosed in writing to the Customer in the case of a continuous business relationship. Such amendments are deemed approved by the Customer if it does not raise any written objections. We must point out this legal consequence when issuing the change notification. The customer must send us objection within six weeks of having received the change notification.

(4) All agreements, additional agreements, covenants and contractual amendments must be made in writing. This applies equally to the setting aside of this requirement of the written form. Additional oral agreements or amendments/additions are null and void.

(5) If not based on its right of retention or other such rights, any cessation of payments on the part of the Customer will entitle us, having granted a reasonable additional period of time, at any time to rescind the contract or make the delivery of the products of service dependent on the prior fulfilment of payment obligations. If the delivery of the products has already taken place, the counter-performance is due immediately in such cases described above. We are likewise entitled to demand return of the products in the aforementioned cases and to withhold these until complete payment of the purchase price is made, unless advance performance is agreed. If the Customer ceases making payments or if it files an insolvency application, the Customer will no longer be entitled to the sell, process, combine or mix goods subject to retention of title. In this case, it must instead immediately ensure the separate storage and labelling of goods subject to retention of title and it shall keep in trust for us the sums received by the Customer and to which we are entitled under claims assigned in connection with our deliveries of goods.

(6) The customer may not assign its contractual rights without our written consent. Section 354a German Commercial Code (HGB) remains unaffected.

(7) If, in accordance with the law concerning standard business terms set out in Sections 305 to 310 German Civil Code (BGB), any of the provisions of this contract are or become wholly or partially ineffective/void or unenforceable, the statutory regulations shall apply. If, for reasons other than the law concerning standard business terms set out in Sections 305 to 310 German Civil Code (BGB), any of the current or future provisions of this contract are or become wholly or partially ineffective/void or unenforceable, the statutory regulations shall apply. If, for reasons other than the law concerning standard business terms set out in Sections 305 to 310 German Civil Code (BGB), any of the current or future provisions of this contract are or become wholly or partially ineffective/void or unenforceable, this will not affect the validity of the remaining provisions of this contract, provided the performance of the contract - including given the following regulations - would not present an unreasonable hardship to one of the parties. The same applies in the event that an augmentable gap is discovered following the conclusion of the contract. The parties shall replace any invalid/void/unenforceable provision or gap that requires filling, for reasons other than the provisions relating to the Law of General Terms and Conditions according to Sections 305 to 310 BGB, with a valid provision the legal and commercial content of which corresponds to the invalid/void/unenforceable original provision and to the purpose of the contract as a whole. Section 139 BGB (Partial invalidity) is expressly excluded – including in relation to any provisions concerning the burden of proof. If the invalidity of any provision, as described above, is due to its specification of a measurement of performance or time (time limit or date), the parties will agree to insert that provision containing the legally admissible measurement that most closely matches the original.

Note:

In accordance with the provisions of the Federal Data Protection Act, we clearly state that our undertaking is managed using an IT system, and that, in this connection, we will store the data received from the Customer by way of the business relationship.

February 2015



KEUCO GmbH & Co. KG Postfach 1365 D-58653 Hemer Telefon +49 2372 90 4-0 Telefax +49 2372 90 42 36 info@keuco.de www.keuco.de Subject to model changes; errors and misprints excepted The right to technical alterations is reserved. this price list may not be reproduced, partially or complete, in any way whatsoever without prior written consent of KEUCO GmbH & co. KG P.O. box 1365, D-58653 Hemer. Our products are available from specialist retailers only. Prices shown in \in excluding v.A.t. This price list supersedes any previous ones.